

## **GENERAL NOTE:**

- 1. ARCHITECTURAL CEILING PLANS DO NOT SHOW ALL PROJECT LIGHTS. SEE LIFE SAFETY PLANS FOR LIFE SAFETY FIXTURES AND ELECTRICAL PLANS FOR ADDITIONAL FIXTURES.
- 2. LIGHTS OR CEILING ELEMENTS NOT DIMENSIONED AND GRAPHICALLY SHOWN AS CENTERED IN A SPACE OR CENTERED ON A WALL OR ELEMENT ARE TO BE LOCATED CENTERED IN THAT SPACE OR ON THAT ELEMENT.
- 3. PROVIDE FULL LENGTH UNDERCOUNTER LIGHTS FOR ALL PROJECT UPPERS
- 4. CENTER VANITY SCONCES ABOVE VANITIES U.N.O.

5. TRACK LIGHTING LOCATION WITHIN UNITS - WHEN LOCATED ALONG A LENGTH OF WALL AND NOT DIMENSIONED OTHERWISE HOLD TRACK LIGHTING AND WALL WASHERS 2'-0" OFF OF WALL SURFACE.

6. IN UNITS WHERE A FIREPLACE IS SELECTED CENTER TRACK LIGHTING ON FIREPLACE. CONTRACTOR TO CONFIRM WITH ARCHITECT PRIOR TO PURCHASE/ INSTALLATION

7. HOODS ARE TO BE CENTERED ABOVE RANGES. CONTRACTOR TO VERIFY RANGE AND HOOD LOCATIONS AS

- 8. SEE ELECTRICAL DRAWINGS FOR FIXTURE TYPE.
- 9. PROVIDE CLOSET LIGHTING AS NOTED IN ELECTRICAL DRAWINGS.

## RCP LEGEND

FIR T&G CEILING

GYPSUM CEILING - SEE FLOOR ASSEMBLY FOR HEIGHT OFF DECK

GYPSUM CEILING - 9'-0" A.F.F. GYPSUM CEILING - 8'-6" A.F.F.

LIGHT FIXTURE - ABOVE/UNDER CABINET LIGHTING LIGHT FIXTURE - JUNCTION BOX (TRACK OPTION)

- LIGHT FIXTURE SURFACE MOUNTED
- LIGHT FIXTURE WALL SCONCE
- LIGHT FIXTURE RECESSED LIGHT JUNCTION BOX