GENERAL NOTE:
1. OUTLETS "2X," INDICATE ONE LOCATED AT TYP HEIGHT, SECOND AT 5'-6" AFF (VIF WITH BUNK BED LOCATIONS)
2. ALL RECESSED CANS AT SHOWERS TO BE UL WET LISTED
3. ALL LIGHT FIXTURES/EXHAUST INDICATED IN MIDDLE OF ROOMS SHALL BE CENTERED WITHIN THE SPACE

1 FIRST FLOOR
1/4" = 1'-0"

GENERAL NOTE:
1. OUTLETS "2X," INDICATE ONE LOCATED AT TYP HEIGHT, SECOND AT 5'-6" AFF (VIF WITH BUNK BED LOCATIONS)
2. ALL RECESSED CANS AT SHOWERS TO BE UL WET LISTED
3. ALL LIGHT FIXTURES/EXHAUST INDICATED IN MIDDLE OF ROOMS SHALL BE CENTERED WITHIN THE SPACE

NOTE:
REFER TO LIFE SAFETY PLANS FOR LOCATIONS OF EMERGENCY LIGHTING, ALARM PULLS, AND EXIT SIGNS.

2 SECOND FLOOR
1/4" = 1'-0"

ELECTRICAL/LIGHTING SYMBOL LEGEND

	DUPLEX OUTLET		SURFACE MOUNTED LIGHT FIXTURE
GFI	DUPLEX OUTLET - GFI		RECESSED LIGHT FIXTURE
USB	COMBINATION RECEPTACLE AND DUAL USB CHARGER		WALL MOUNTED LIGHT FIXTURE
EXT	DUPLEX OUTLET FOR EXTERIOR INSTALLATION		EXHAUST FAN/LIGHT
D	240V DRYER OUTLET		GARAGE DOOR OPENER
R	240V RANGE OUTLET		4' SURFACE MOUNTED FLUORESCENT LIGHT FIXTURE
20 AMP	20 AMP OUTLET		UNDER-CABINET LIGHT FIXTURE
	2-GANG OUTLET		PENDANT LIGHT FIXTURE
S	SINGLE SWITCH		WALL MOUNTED STRIP LIGHT
S 3	3-WAY SWITCH		CEILING FAN/LIGHT
S D	DIMER SWITCH		CENTRAL VACUUM INTLET

LICENSED ARCHITECT
Matthew Ahlberg
4401
STATE OF MAINE

Reviewed for Code Compliance
Inspections Division
Department of Building Safety

Date: 12/28/17

REVISIONS:

33 HAMPSHIRE
ELECTRICAL/LIGHTING

A110

33 HAMPSHIRE ST, PORTLAND, MAINE 04101

DATE OF ISSUE: 12/12/2017
ISSUED FOR: PERMIT AMENDMENT
SCALE: 1/4" = 1'-0"

THIS DRAWING IS THE PROPERTY OF BARRETT MADE AND IS NOT TO BE COPIED OR REPRODUCED IN PART OR WHOLE. 2017 © BARRETT MADE 48 UNION WHARF PORTLAND MAINE 04101 207.210.4421

BARRETT MADE
HOMES · SPACES · DETAILS