NOTE:

1. G.C. TO LOCATE CEILING ACCESS PANELS AS REQUIRED FOR EASY ACCESS TO SERVICE HVAC COMPONENTS & LANDLORD EQUIPMENT.
2. ACCESS PANELS LOCATED ON A PLASTER SURFACE MUST BE ABLE TO RECEIVE PLASTER FINISH-ACCESS PANEL SHOULD BE FLUSH TO ADJACENT WALL
3. REFER TO 4/A433 & 5/A433 FOR ACCESS PANELS AT FRONT AND REAR ENTRY

ACUDOR PRODUCTS #FW-5050 18" X 18" (973)
575-5120 OR APPROVED EQUAL

BOH: RATED CEILING

ACUDOR PRODUCTS #UF-5000 18" X 18" (973)
575-5120 OR APPROVED EQUAL

BOH: NON-RATED CEILING

INTEX FORMS INC., PHONE: (650) 654-7855 OR APPROVED EQUAL

SALES: GYP. BD. CEILING

5 CEILING ACCESS PANELS

A220 NTS

7 SECTION AT B.O.H. PLATFORM

A220 3/4"= 1'-0"

4 DETAIL - CEILING HOOK AT LOWERED GYP CEILING

A220 NTS

8 DETAIL AT COVE LIGHTING

A220 6"= 1'-0"

6 CEILING COVE SECTION DETAIL

A220 1- 1/2"= 1'-0"

1 MOUNTING HEIGHT DIAGRAM

A220 3/4"= 1'-0"

3 DETAIL - TYPICAL CEILING OUTLET

A220 NTS

THE SUSPENDED GYPSUM BOARD CEILING FRAMING SHOWN IS BASED UPON THE ARMSTRONG DRYWALL GRID & FRAMING SYSTEM. USG CEILING SYSTEM IS SIMILAR & AN ACCEPTED SUBSTITUTE. CONSULT W/ OWNER & ARCHITECT IF MFG. CHANGES ARE MADE. THE USE OF BLACK IRON & HAT CHANNEL IS NOT AN ACCEPTED SUBSTITUTE AS LIGHT FIXTURE HOUSINGS WILL NOT ADEQUATELY CLEAR FRAMING.

NOTE: TIE OFFS MUST BE TO STRUCTURAL SYSTEM. ONLY MINOR CONNECTIONS ALLOWED TO FLOOR DECK.

2 TYPICAL SUSPENDED CEILING LAYOUT DETAIL

A220 NTS

LICENSED ARCHITECT
SEAN M. WAGNER
No. ARC4112
STATE OF MAINE

Date: 09/22/14

ARCHITECTS
I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Licensed Architect under the laws of the State of Maine.

Print Name: Sean M. Wagner, AIA

Date: **08-01-2014** License # : ARC4112

NewStudioArchitecture

4431 Lake Avenue South
White Bear Lake, MN 55110

p: 651.207.5527 f : 651.207.8247

A N T H R O P O L O G I E

60 Pearl Street
Portland, ME 04101

DRAWN BY: MCN, BH CHECKED BY: SMW

NSA PROJECT NUMBER: 2013-99

PROJECT PHASE: CD

ISSUE / DATE:

100% CHECKSET	07-11-2014
BID/PERMIT	08-01-2014

REVISION :

SHEET TITLE :

LIGHT FIXTURE, CEILING ELEMENT DETAILS

SHEET NO :

A220