

FRAMING PLAN SYMBOLS KEY


□	WOOD POST
○	STEEL COLUMN
(X)	NUMBER OF WOOD STUDS IN POST BELOW
A	COLUMN ABOVE THIS LEVEL
C	COLUMN CONTINUOUS THROUGH THIS LEVEL
→	JOIST BEARING
→	CONTINUOUS JOIST WITH INTERMEDIATE BEARING
→	FLUSH FRAMED JOIST BEARING WITH HANGER
→	WOOD STUD BEARING WALL BELOW
→	SHEAR WALL
→	NUMBER OF TRIM STUDS UNDER HEADER
→	NUMBER OF KING STUDS ADJACENT TO HEADER

HEADER SCHEDULE

MARK	MAX LENGTH	DESCRIPTION
*	3'-4"	DBL 2x6 HDR W/ 1T/1K, UNO
*	6'-0"	DBL 2x8 HDR W/ 2T/2K, UNO
*	8'-0"	DBL 2x10 HDR W/ 2T/2K, UNO
H1	PER PLAN	(3) 2x12 HDR W/ 2T/2K
H2	PER PLAN	(2) 2x10 HDR W/ 2T/2K, UNO
H3	PER PLAN	(2) 2x8 HDR W/ 1T/1K, UNO

FOURTH FLOOR FRAMING PLAN

- NOTES: SCALE 1/8"=1'-0"
- SEE SHEET S-1.0 FOR GENERAL STRUCTURAL NOTES
 - ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE 3-2x6 AND IN 2x4 WALLS SHALL BE 3-2x4 UNLESS NOTED OTHERWISE ON PLANS
 - ALL BEAMS ARE FLUSH, UNO
 - ALL HEADERS IN INTERIOR 2x6 BEARING WALLS ARE 3-2x6, UNO
 - ALL HEADERS IN EXTERIOR 2x6 BEARING WALLS ARE 2-2x6, UNO
 - ALL FLOOR JOIST TO BE 22" DEEP P.E. FLOOR TRUSSES @ 16" -TYP UNO
 - FLOOR SHEATHING TO BE 3/4" T+G W/ 3/4" GYPCRETE TOPPING, SEE GENERAL NOTES FOR ADDITIONAL INFORMATION -TYP
 - LAYOUT FLOOR TRUSSES TO AVOID PLUMBING PENETRATIONS ETC. -TYP
 - ALL INTERIOR AND EXTERIOR BEARING WALLS TO HAVE LSL TOP AND BOTTOM PLATES -TYP
 - ALL FLOOR TRUSSES SHALL BE DESIGNED FOR THE MANUFACTURER BY A MAINE REGISTERED P.E. SUBMIT LAYOUT PLANS, BRACING REQUIREMENTS, AND CALCULATIONS TO ARCHITECT AND ENGINEER OF RECORD FOR APPROVAL
 - ALL FLOOR TRUSS ENDS BEARING ON INTERIOR WALLS ARE TOP CHORD BEARING, ALL TRUSS ENDS BEARING ON EXTERIOR WALLS TO BE FULL DEPTH W/ 1/4" LSL RIM, ALL TRUSS ENDS ENDS @ FLUSH BEAMS TO BE FULL DEPTH W/ ITS HANGERS -TYP
 - ALL EXTERIOR/ EXPOSED STEEL TO BE HOT DIPPED GALVANIZED UNO, SEE ARCH AND GENERAL NOTES FOR ADDITIONAL INFORMATION
 - ALL GYPCRETE TOPPING TO HAVE "MAXXON MIP" OR EQ FIBERGLASS GRID REINFORCING -TYP



OWNER: **INDIA/ NEWBURY RESIDENCES, LLC.**
 PROJECT NAME: **62 INDIA ST**
 LOCATION: **Portland, Maine**

DRAWN BY: **JCS**
 SHEET TITLE: **FOURTH FLOOR FRAMING PLAN**

ISSUE DATE: **11.18.16**
 SHEET SCALE: **1/8"=1'-0"**

S-1.4

PROJECT NO. **16-0022**

Structural Integrity Consulting Engineers, Inc.
 77 Oak Street
 Portland, ME 04101
 P: 207-774-4614
 F: 866-793-7835
 www.structuralintegrity.com
 BUILD WITH CONFIDENCE