WALL LEGEND

STUD WALL	
CMU WALL	
BRICK WALL	
FIRE RATED WALL	
1/2 HOUR	
1 HOUR	
2 HOUR	

LIMIT CANOPY ABOVE

LIMIT OF SECOND FLOOR ABOVE

LIVING UNIT ABOVE; SPRAY FOAM INSULATE THIS AREA IN IT'S ENTIRETY. PROVIDE ELECTRIC FLOOR MAT.

STEEL SUPPORT FOR OVER HEAD INDEPENDENT OF THE FLOOR STRUCTURE ABOVE

DIAGONAL BRACE

SPRINK. ROOM 107.01 F.F.E. 34.50'

SIM. NON-RATED

SPRINKLER CONNECTION (VERIFY W/ FIRE DEPT.) NOTE: PROVIDE HEAT TO SPRINKLER ROOM

DRY LOOP TO MAIN SPRINKLER RISER, RUN ABOVE CL'G PLANE AND THRU STEEL, COORDINATE HOLE LOCATIONS: PROVIDE ADDITIONAL INSULATED ENCLOSURE W/ SPRAY FOAM INSULATION -PROVIDE HEAT TRACE TAPE THREE SEASONS

E A-4.1 TYP. @ PARKING GARAGE

A A-4.0 TYP.

ADA OPERATOR

TWO HOUR CEILING

FRONT VEST. 104.03 F.F.E. 34.65'

BIT. 'ADA' RAMP TO RESIDENTIAL ELEVATOR W/ 5'X5' LANDING

BIT. RAMP

3'-5 3/8"

9'-1 3/8"

9'-6 3/4"

6'-11"

9'-6 3/4"

8'-8"

7'-5-1/2"

43'-0"

17'-0 1/4"

WHEEL STOP

MECHANICAL SHAFT

WET VALVE

12'-4"

2ND ROOF OVER FLOW ONTO PARKING PAVING

SPRINKLER LINER

DOM. WATER

HOUSE MECH.

DIAGONAL BRACE

PARTIAL FIRST FLOOR PLAN ' D '

SCALE: 1/4"=1'-0"

CONSTRUCTION SET
NOVEMBER 18, 2016

LICENSED ARCHITECT
MARK L. MUELLER
No. 2737
STATE OF MAINE

Reviewed for Code Compliance
Inspections Division
City of Portland, Maine
Date: 04/11/17

MARK MUELLER ARCHITECTS A.I.A.
100 Commercial Street
Suite 205
Portland, Maine 04101
Phone: 207.774.9057
Email:
rfi@muellerarchitects.com

© COPYRIGHT 2016
MARK MUELLER ARCHITECTS

62

INDIA

INDIA STREET NEIGHBORHOOD
PORTLAND, MAINE

PARTIAL FIRST FLOOR PLAN ' D '

REVISIONS
DATE
JUNE 2016
PROJECT
INDIA STREET
DRAWN BY
CHECK BY
MLM

A-1.9