#### City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Front Window Phone: Location of Construction: Owner: Permit No Street Street Level Bouglas Time 878-9500 Lessee/Buyer's Name: RusinessName: Phone: antBrendo Broder/Robert Towle 774-1774 Permit Issued Address: Phone: Contractor Name: 1514 Forent Ave Portland, ME 797-8878 Jay Miller APR 2 8 1999 COST OF WORK: PERMIT FEE: Past Use: Proposed Use: \$ 1,000 25,00 Hair Salon Arr Studio FIRE DEPT. Approved INSPECTION: □ Denied Use Group: / Type: CBL: 029-3-004 Zone: Signature: Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved Special Zone or Reviews: Change of Use from art studio to hair solon. Approved with Conditions: □ Shoreland Wair colon with tanning, pails and retail. Denied □ Wetland D Flood Zone Signature: ☐ Subdivision Date: ☐ Site Plan mai ☐minor ☐mm ☐ Permit Taken By: Date Applied For: 4-16-99 Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. □ Miscellaneous Building permits do not include plumbing, septic or electrical work, ☐ Conditional Use □ Interpretation Building permits are void if work is not started within six (6) months of the date of issuance. False informa-□ Approved tion may invalidate a building permit and stop all work... □ Denied Historic Preservation □ Not in District or Landmark WITH REQUIREMENTS □ Does Not Require Review ☐ Requires Review Action: CERTIFICATION ☐ Appoved I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been ☐ Approved with Conditions □ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued. I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit 4-16-99 PHONE: SIGNATURE OF APPLICANT ADDRESS: DATE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

PHONE:

CEO DISTRICT

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

ADDRESS:  PERMIT APPLICATION FOR:  BUILDING OWNER:  PERMIT APPLICANT:  REVIEWER:  DATE OF DECISION  345  Change of Members  Change of Members  A 242499
HISTORIC PRESERVATION REVIEW
Note: Your property is an individually designated landmark structure or is located within a designated historic district. As such, alterations to the building exterior or site which are visible from a public way are subject to review and approval under Article IX (Historic Preservation) of the Land Use Code. Your building or sign permit application has been reviewed to determine whether the nature or scope of the project requires review, and if so, whether it meets the standards of the historic preservation ordinance.
ACTION
Does not Require Review (e.g. Interior work only / alteration is not readily visible from a public way)
Note: this finding is based on the understanding that the application entails interior work only or that the proposed exterior alteration(s) will not be readily visible from a public way. If your project entails exterior or site alterations (including the installation of sign(s), awnings, or exterior lighting for such) these alterations must be reviewed and approved prior to commencing with the work. Contact 874-8726 for more information.
Denied Reason for Denial:
Approved as submitted
Approved with conditions (see below)
Conditions of Approval:
Contact Historic Preservation Staff (874-8726 or 874-8728) prior to installation of sign(s) to confirm approved location.
Your sign permit includes no reference to exterior lighting; if lighting is included, please submit information on fixtures and specifications on installation.
Other conditions:
1,
2.
3.

## THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

## Building or Use Permit Pre-Application Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building)	345	Fore ST Front alm	don	o Street level
Total Square Footage of Proposed Structure 1850	SAFT	Square Footage of Lot		
Tax Assessor's Chart, Block & Lot Number  Chart#	Owner: Doregl	us Timm		Telephone#: 878 8500
Owner's Address:	- The same of the	Name (If Applicable) Broder/Robert Torde 4-1774/	.5.3	OF Work: Fee
Proposed Project Description: (Please be as specific as possible) Have soden with turning, no Change of Use	ils and	retail		
Contractor's Name, Address & Telephone Jay Milky 1514 Forest Ave Po	rtland M	€ 797-8878		Rec'd By
Current Use: art Studio		Proposed Use: Hair Salar	Ų.	
*All construction must be conducted in compliance of the conducted in compliance of the conducted in comply with the conducted in comply with the conducted in comply with the conducted in compliance in conducted in condu	ance with the ected in compl with the 1996 ditioning) instant n: Your Deed or of your Constant 3) A Plot P	iance with the State of Maine Plu National Electrical Code as amen allation must comply with the 19 Purchase and Sale Agreement ruction Contract, if available Plan/Site Plan	am umb ided 193 I	ended by Section 6-Art II. ing Code. I by Section 6-Art III.
Minor or Major site plan review will be required for checklist outlines the minimum standards for a site of Unless exempted by State Law, construction drawings showing at Cross Sections w/Framing details (included)	plan. 4) Buil- action docume ll of the follow	ding Plans nts must be designed by a registering elements of construction:		design professional.

- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
  equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

## Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:	Date: / /
Send 7/2	4/1/199
Celif H	11161:
D 11 11 D 007 00 C 11 1 - 610	00 1 - 05 00 01 000 00 /

Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum

## Submission Requirements Multi-Family, Duplex and Commercial Construction

When a property owner is proposing either a new structure or an addition, this office requires:

• For new construction, structural alterations, or additions, plans showing structural details must be provided. Minimally they should include foundation plans, including drainage and support column spacing framing details, floor plans and a cross section. (See Figures 1, 2 & 3)




Figure 2. Typical Foundation Plan

#### **BUILDING PERMIT REPORT**

Approved with the following conditions:

<u>\*29, \*21 \*22 \*23 \*27 \*29</u> This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

- Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
- Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 3. 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
- 5. Waterproofing and damp proofing shall be done in accordance with Section 1813.0 of the building code.
- Precaution must be taken to protect concrete from freezing. Section 1908.0 6.
- It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify 7. that the proper setbacks are maintained.
- Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent 8. interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- X 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
  - Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building 10. Code.
  - 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
  - Headroom in habitable space is a minimum of 7'6". (Section 1204.0) 12.
  - Stair construction in Use Group R-3 & R-4is a minimum of 10" tread and 7 %" maximum rise. All other Use Group minimum 11" 13. tread, 7" maximum rise. (Section 1014.0)
  - The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4 14.
  - Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door 15. approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
  - Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits 16. directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
  - All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self 17. closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)

18.	The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic
	extinguishment. (Table 302.1.1)
19.	All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations):
	In the immediate vicinity of bedrooms
	In all bedrooms
	<ul> <li>In each story within a dwelling unit, including basements</li> </ul>
	In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall
v.	receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.
Ä20.	A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved
	type. (Section 921.0)
(21.	The Fire Alarm System shall maintained to NFPA #72 Standard.
<del>\</del> 22.	The Fire Alarm System shall maintained to NFPA #72 Standard.  The Sprinkler System shall maintained to NFPA #13 Standard. IF equipped.
23.	All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
24.	Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25.	The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification
	from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26.	Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
27.	All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until
1	all electrical (min. 72 hours notice) and plumbing inspections have been done.
28.	All requirements must be met before a final Certificate of Occupancy is issued.
29.	All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building
	Code/1996).

Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical

Code/1993). (Chapter M-16)
Please read and implement the attached Land Use Zoning report requirements. — Sep. Den mits required for New Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code. Glass and glazing shall meet the requirements of Chapter 24 of the building code.

36. Approximation Building Inspector

McDougall, PFD Marge Schmuckal, Zoning Administrator

PSH 12-14-98

35.

<sup>\*\*</sup>On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.



### CITY OF PORTLAND, MAINE

Department of Building Inspection

# Certificate of Occupancy

LOCATION 345 Fore St.

029-B-004

Issued to Branda Broder

Date of Issue

May 4, 1999

Chis is to certify that the building, premises, or part thereof, at the above location, built — altered — changed as to use under Building Permit No. 990382 , has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

First Floor Left

APPROVED OCCUPANCY

Hair Salon Use group B Type 3B Boca 96

Limiting Conditions:

This certificate supersedes certificate issued

Approved:

(Date)

Inspector

Inspector of Buildings

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.