### DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK





This is to certify that

25 PEARL MHR LLC

Located at

25 PEARL ST

**PERMIT ID:** 2018-00083

**ISSUE DATE:** 02/22/2018

CBL: 029 E009001

has permission to Replace 3 antennas; remove 6 remote radio heads ("RRU") and install 12 RRUs; remove 3 A2 modules, and install 3 surge arrestors and 6 power cables.

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statutes of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 hour notice is required.

A final inspection must be completed before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

N/A

/s/ Brian Stephens

Fire Official

**Building Official** 

## THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning

**Building Inspections** 

Fire Department

**Use Group:** A-2, B, S- **Type:** Existing 2 Unknow

n

Restaurant & Business (first floor), Parking Garage (above)

Parking Levels 7 & 8

MUBEC/IBC-2009

## BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703

or email: buildinginspections@portlandmaine.gov

# Check the Status of Permit or Schedule an Inspection at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Division for the inspections listed below. Appointments must be requested 48 to 72 hours in advance. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that are attached to this permit.
- Permits expire in 6 months if the project is not started or ceases for 6 months.
- If the inspection requirements below are not followed, then additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC), one set of printed approved stamped construction documents will be kept at the site of work and open to inspection by building officials.

### **REQUIRED INSPECTIONS:**

Final - Electric

**Final Inspection** 

The project cannot move to the next phase prior to the required inspection and approval to continue.

If the permit requires a certificate of occupancy, it must be paid and issued to the owner or designee before the space may be occupied.

## City of Portland, Maine - Building or Use Permit Permit No: Date Applied For: CBL: 389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716 2018-00083 01/19/2018 029 E009001

Proposed Use:

Same. AT&T Wireless Communication Facility (Custom House Garage)

**Proposed Project Description:** 

Replace 3 antennas; remove 6 remote radio heads ("RRU") and install 12 RRUs; remove 3 A2 modules, and install 3 surge arrestors and 6 power cables.

**Dept:** Zoning **Status:** Approved w/Conditions **Reviewer:** Christina Stacey **Approval Date:** 02/20/2018 **Note:** • Ok to Issue: ✓

#### **Conditions:**

1) This permit is being approved on the basis of plans and documents submitted. Any deviations shall require a separate approval before starting that work.

**Dept:** Building Inspecti **Status:** Approved w/Conditions **Reviewer:** Brian Stephens **Approval Date:** 02/22/2018 **Ok to Issue:** ✓

### **Conditions:**

- 1) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems, fire suppression and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.
- 2) This permit does not certify the use of the property or building. It only authorizes the construction activities.
- 3) Equipment installation shall comply with the Manufacturers' Listing, and MUBEC codes and standards.
- 4) The issuance of this permit shall not be construed to be a permit for, or approval of, any violations of any of the provisions of the building code or of any other ordinance of this jurisdiction.
- 5) This permit is approved based upon information provided by the applicant or design professional. Any deviation from the final approved plans requires separate review and approval prior to work.