City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Permit No: 9 Location of Construction: Owner: Phone: Custom House Land Partnership 777-9896 25 Fearl St Lessee/Buyer's Name: Phone: BusinessName: Owner Address: IS Woodside La Freeport, ME 08032 Allen Brook Phone: Address: Contractor Name: Liberty Hanagement Attn: McRugh 774-8896 100 Middle St 04101 JUL 3 1 1998 PERMIT FEE: COST OF WORK: Proposed Use: Past Use: 61.000.00 305,00 FIRE DEPT. D Approved INSPECTION: Restaurant office ☐ Denied Use Group: Type: Zone: CBL: 029-2-009 Signature: Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved Special Zone or Reviews: Change Use/Nake Int Reno Approved with Conditions: ☐ Shoreland Denied □ Wetland ☐ Flood Zone Old TGIF Space ☐ Subdivision Signature: Date: ☐ Site Plan maj ☐minor ☐mm ☐ Date Applied For: Permit Taken By: MG 24 July 1998 Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use ☐ Interpretation Building permits are void if work is not started within six (6) months of the date of issuance. False informa-3. ☐ Approved tion may invalidate a building permit and stop all work... ☐ Denied Historic Preservation ☐ Not in District or Landmark ☐ Does Not Require Review □ Requires Review Action: CERTIFICATION □ Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been □ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit 27 July 1998 SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE: RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE: CEO DISTRICT

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

		35/268
		Spoke wy some
Foundation: Framing: Plumbing: Final:		Comments (Comments)
Inspection Record		antuckos an
Date		

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building)	25 PEARL STREET	
Total Square Footage of Proposed Structure	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number Chart# 29 Block# Lot# 9	Owner: CUSTOM HOUSE LIMITED PARE	Telephone#: 777-8896
Owner's Address: 38 WOODSIDE CANE FREEPORT, ME 04032	Lessee/Buyer's Name (If Applicable) All En Brook	Cost Of Work: Fee 30 5
Change Use In	"to office space.	
Current Use: RESTARAUNT	Proposed Use: Office	A A

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
 All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
 HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must Include the following with you application:

A Copy of Your Deed or Purchase and Sale Agreement
 A Copy of your Construction Contract, if available
 A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
 equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

entorce the provisions of the codes appricable to this permit.	
Signature of applicant: Williams J Mell	Date: 7/24/88

Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum

JUL 2 4 1998

29-8-9

APPLICATION FOR EXEMPTION FROM SITE PLAN REVIEW

Applicant Park Turk National Control		oplication Date
28 Woodside Lane Freeport MR 04032 Applicant's Mailing Address	stom House Garage Office Bldg roject Name/Description	
John S. Upton 774–2635 Consultant/Agent/Phone Number	Address of Propose	ed Site
N: Jan Jan		
Description of Proposed Development:	and the state of t	
Change of use of ground-floor facilities f	W Market	
I -M THE LEVIEWING E		
THE ACTUATION LANGE		The state of the s
ENGLY THE WITH THE	Applicant's Assessment	Planning Office
Please Attach Sketch/Plan of Proposal/Development	(Yes, No, N/A)	Use Only
Criteria for Exemptions:		41 国际 经证据
See Section 14-523 (4)	75	
THIS POUTS.	Yes	
Within Existing Structures; No New Buildings, Demolitions or Additions	ies	OR.
S) Footprint Increase Less Then 500 Sq. Et	Yes	OK
) Footprint Increase Less Than 500 Sq. Ft.		
e) No New Curb Cuts, Driveways, Parking Areas	the state of the state of	OV
	Yes	
d) Curbs and Sidewalks in Sound Condition/		
Comply with ADA	Yes	OK
e) No Additional Parking / No Traffic Increase		OK
	Yes	
f) No Stormwater Problems	Yes	OK
1		
g) Sufficient Property Screening	Yes	OK
h) Adequate Utilities	Yes	OK-
		No
Planning Office Use Only:		
Exemption Granted Partial Exemp	tion Exemptio	n Denied
	No. In Control of	
Planner's Signature Ohn House	Date -	4/23/98

BUILDING PERMIT REPORT

DATE:	17/2-1/50	r.	ADDRESS:	25 Peril 1+ (029- F-009)
BUILD	NG OWNER:	(v, ton t	tour L+D		
CONTR	ACTOR:	Lisity Ma	7		
PERMI	T APPLICANT:				
USE GR	10LP A-3		BOCA 1996	CONSTRUCTION TYPE	1-A
		2	CONDITION(S)	OF APPROVAL	
This Pe	rmit is being issued	with the underst	anding that the foll	owing conditions are met:	
Approv	ed with the following	g conditions: */	1×12×18×19	*20 *24 *26 -	
1.		oundation is place	ed, approvals from t	· ·	rules and laws. cordinator and Inspection Services

- must be obtained. (A 24 hour notice is required prior to inspection)
- 2.5 Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6° of the same material.
- 3. Precaution must be taken to protect concrete from freezing.
- It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is 4. done to verify that the proper setbacks are maintained.
- Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from 5. adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the artic area by means of 1/4 inch gypsum board or the equivalent applied to the garage means of 1/4. inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
- All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA 6. National Mechanical Code/1993).
- Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's 7.
- 8. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-I, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handruils shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2"
- Headroom in habitable space is a minimum of 7'6". 9.
- Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group 10. minimum 11" tread. 7" maximum rise.
- The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 3") II.
- Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension

	shall be 20 inches (508min), and a minimum net clear opening of 5.7 sq. ft.
13.	Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
14.	All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self-closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.)
15.	The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
16.	All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations): In the immediate vicinity of bedrooms In all bedrooms
	In each story within a dwelling unit, including basements
	In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)
17.	A portable fire exunguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
18)	The Fire Alarm System shall be maintained to NFPA #72 Standard.
19	The Sprinkler System shall maintained to NFPA #13 Standard.
18) 19) 20.)	All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
21.	Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
22.	The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
23.	Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. (crawl spaces & attics)
24.	All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.
25.	All requirements must be met before a final Certificate of Occupancy is issued.
26.	All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
27.	Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993).
28. 29.	Please read and implement the attached Land Use-Zoning report requirements.

29.	· · · · · · · · · · · · · · · · · · ·
30.	
31.	
32.	
,	

Samuel Hotises, Building Inspector

CC: Lt. McDougall, PFD

Marge Schmuckal

PSH 6-23-44



CITY OF PORTLAND, MAINE

Department of Building Inspection

Certificate of Occupancy

LOCATION

25 Pearl St

029-E-009

Issued to Custom House Limited Partnership

Date of Issue

23 October 1998

— changed as to use under Building Permit No. 980832, has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Code of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Entire-First Floor

Office Space "Allen Brook"

Limiting Conditions:

This certificate supersedes certificate issued

Approved:

Inspector

Inspector of Buildings

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.