A INTERIOR "FRAMELESS GLASS" HINGE DOOR

C INTERIOR

GENERAL NOTES:

1.) ALL DOORS TO RECEIVE STANDARD HARD LOCK KEY SET

2.) G.C. TO SUBMIT HARDWARE SPECS FOR APPROVAL PRIOR TO ORDERING (HARDWARE TO MATCH EXISTING)

3.) ALL GLASS TO BE TEMPERED

4.) V.I.F. = VERIFY IN FIELD (ALL DOOR HEIGHTS TO EXTEND TO BOTTOM OF SOFFIT)

1 DOOR TYPES

1/4" = 1'-0"

DOOR SCHEDULE

DOOR								FRAME						GENERAL			
		SIZE									DETAILS						
DOOR NO.	TYPE	WIDTH	HEIGHT	THICKNESS	MATERIAL	FINISH	INSULATED	TYPE	MATERIAL	THRESHOLD	HEAD	JAMB	SILL	CLOSER	FIRE RATING (MINUTES)		HARDWARE KEY MLS - MORTISE LOCK SET LS - LOCK SET PR - PRIVACY SET PS - PASSAGE SET LP - LEVER PULL PH - PEEPHOLE LENSE REMARKS
102.1	A	3'-0"	V.I.F.	-	GLASS	-	-	-	-	-	-	-	-	-	-	-	NEW FRAMELESS GLASS DOOR TO MATCH EXISTING
104.1	A	3'-0"	V.I.F.	-	GLASS	-	-	-	-	-	-	-	-	-	-	-	RELOCATED GLASS DOOR WITH NEW STOREFRONT
105.1	A	3'-0"	V.I.F.	-	GLASS	-	-	-	-	-	-	-	-	-	-	-	NEW FRAMELESS GLASS DOOR TO MATCH EXISTING
106.1	EX	3'-0"	V.I.F.	-	WD	-	Y	STL	-	AL	-	-	-	Y	90	-	RE-USE EXISTING DOOR PANEL, NEW FIRE RATED FRAME TO ACCOMMODATE 2HR RATING RE-USE EXISTING HARDWARE

1

1

REGISTERED ARCHITECT
RYAN J. SENATORE
No. 3322
STATE OF MAINE

© 2016 RYAN SENATORE ARCHITECTURE

THE OLYMPIA COMPANIES

7 CUSTOM HOUSE STREET, 5TH FLOOR
PORTLAND, MAINE

RSA
RYAN SENATORE
ARCHITECTURE
565 CONGRESS STREET
PORTLAND, MAINE 04101
207-650-6414
senatorearchitecture.com

CONSULTANTS:

REVISIONS:
1 REVISION #1 - 10/14/16

DATE: 07 SEPTEMBER 2016
PROJECT No. 1640
DRAWN BY: RRT
CHECKED BY: RJS
SCALE: AS NOTED

SHEET TITLE:
DOOR SCHEDULE

A7-0