



1 ENLARGED PLAN
SCALE: 1/4" = 1'-0"

BEARING PLATE SCHEDULE

MARK	SIZE (W x D x T)
BP1	6" x 4" x 1/2"
BP2	8 1/2" x 4" x 5/8"
BP3	8 1/2" x 6" x 3/4"
BP4	10" x 4" x 1"
BP5	12" x 6" x 3/4"

1. REFER TO 11/51.6 FOR TYPICAL DETAIL
2. TOP OF BASE PLATE ELEVATION NOTED WITH BASE PLATE MARK ON PLAN

PIER SCHEDULE

MARK	SIZE	REINFORCING	DETAIL
P1	1'-6" x 1'-8"	(6)-#7 VERT	1/51.5
P2	2'-0" x 2'-0"	(8)-#8 VERT	2/51.5
P3	1'-8" x 1'-8"	(6)-#7 VERT	3/51.5
P4	2'-0" x 2'-0"	(8)-#7 VERT	4/51.5
P5	2'-0" x 2'-0"	(8)-#7 VERT	9/51.5
P6	2'-0" x 2'-0"	(6)-#8 VERT	11/51.5
P7	1'-4" x 1'-4"	(4)-#6 VERT	12/51.5
P8	1'-6" x 1'-8"	(4)-#6 VERT	13/51.5
P9	1'-6" x 2'-0"	(8)-#7 VERT	14/51.5
P10	1'-6" x 1'-8"	(6)-#6 VERT	15/51.5
P11	1'-6" x 1'-8"	(6)-#6 VERT	16/51.5
P12	2'-0" x 2'-0"	(8)-#7 VERT	17/51.5
P13	1'-4" x 1'-4"	(4)-#6 VERT	-

SEE TYPICAL PIER TIE DETAILS SHEET 51.5

SYMBOLS LEGEND:

	PIER / FOOTING
	TOP OF WALL
	TOP OF FOOTING
	TOP OF BRICK SHELF
	STEP BRICK SHELF
	SLAB CONTROL JOINT
	WALL CONTROL JOINT
	STEP WALL
	STEP FOOTING
	FACE OF FOUNDATION

NOT FOR CONSTRUCTION
05/26/06

FOUNDATION PLAN

SCALE: 1/8" = 1'-0"

- NOTES:**
- SEE SHEET S1.1 FOR PILE AND PILE CAP INFORMATION
 - SEE SHEET S0.1 FOR ADDITIONAL INFORMATION
 - PROVIDE POCKETS IN CONCRETE FOUNDATION WALLS FOR ALL STEEL BEAM BEARING PLATES SHOWN. A MINIMUM WALL THICKNESS OF 2" MUST BE MAINTAINED BEHIND THE POCKET, WITH A MAXIMUM DIMENSION OF 2" AROUND THE BEARING PLATE TO THE EXTENTS OF THE POCKET. VOLUME OF WALL OCCUPIED BY POCKET MUST BE FILLED WITH CONCRETE AFTER BEAM INSTALLATION

CUSTOM HOUSE SQUARE
300 FORE STREET
PORTLAND, MAINE
FOUNDATION PLAN

PROJECT ARCHITECT:
MW
DRAWN BY:
AC, SO
PROJECT #:
300506

S1.2