



- NOTE:**
1. SEE S6001 FOR STRUCTURAL GENERAL NOTES.
 2. SEE SF501 FOR TYPICAL DETAILS.
 3. TOP OF STEEL (T.O.S.) ELEVATION = 82'-11 1/2" UNLESS NOTED OTHERWISE.
 4. ROOF DECK 1.5820 GALV. STEEL DECK FASTENED WITH 5/8" PHILLIPS HEAD SCREWS. SUPPORTS IN 35/77 PATTERN WITH 5 WELDS AT SIDE LAP PER SPAN.
 5. FORCES SHOWN ON PLAN PREFIXED WITH AN ASTERISK ARE UTMATE AXIAL (SEISMIC) LOADS TO BE RESISTED BY END CONNECTIONS.
 6. BEAMS WITH (**) REQUIRE WEB STIFFENERS @ 8"-6" MAX.
 7. BOX BEAMS BOTTOM CHORD EXTENSIONS.



REV.	DESCRIPTION	DATE
0	ISSUED FOR CONSTRUCTION	12-15-03

ISSUED FOR CONSTRUCTION
12-15-03



ARCHITECTURE ENGINEERING PLANNING
SWIFT
144 Essex Street, Suite 408
Portland, ME 04104
Tel: (207) 773-3846
Fax: (207) 773-0070

FORE STREET
OFFICE BUILDING
PORTLAND, MAINE

ROOF
FRAMING PLAN

SHEET TITLE:	1/8"=1'-0"	DATE:	12-15-03
PROJECT MANAGER:	JLU	GRAPHIC SCALE:	0"
JOB CAP/DRWN:	RLJ/SSG		
A/E OF RECORD:	JLU	SHEET No.	SF106
SMART CAD FILE:	SF106-03087		
PROJECT No.	03087		

A1 **ROOF FRAMING PLAN**

1/8"=1'-0"