

TRANSFER SHOWER
SCALE: 1/2" = 1'-0"







MULTI-USER TOILET
SCALE: 1/2" = 1'-0"



SINK OR VANITY
SCALE: 1/2" = 1'-0"



DRINKING FOUNTAIN
SCALE: 1/2" = 1'-0"



X IS THE 1'-0" MINIMUM HANDRAIL EXTENSION REQUIRED AT EACH TOP RISER

Y IS THE MINIMUM HANDRAIL EXTENSION OF 1'-0" PLUS THE WIDTH OF ONE TREAD THAT IS REQUIRED AT EACH BOTTOM RISER.

HANDRAIL EXTENSIONS
SCALE: 1/2" = 1'-0"



REACH RANGES/CLR FLR
SCALE: 1/2" = 1'-0"



PROTRUDING OBJECTS
SCALE: 1/4" = 1'-0"



CLEARANCES
SCALE: 1/4" = 1'-0"



LEVEL CHANGES
SCALE: 1'-0" = 1'-0"



TYPICAL TOILET LOCATIONS
SCALE: 1/2" = 1'-0"

ciee
Council on International Educational Exchange
300 Fore Street
Portland, ME

Gensler
One Beacon Street
Third Floor
Boston MA 02108
(617) 619-5700
(617) 619-5701

Date & Issue Description		By	Check
09/16/16	ISSUED FOR PERMIT	ACH / AQ	GL

Seal/Signature

LICENSED ARCHITECT
KENNETH I. FISHER
No. 3181
STATE OF MAINE

Project Name
CIEE HQ Renovations

Project Number
11.7086.000

Description
TYPICAL ADA INFORMATION

Scale
1/2" = 1'-0"

A00.020

© 2016 Gensler