Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 04/07/15

DOOR SCHEDULE									
	DOOR					FRAME			
	Size								
MARK	WD	HGT	THK	TYPE	MATL	MATL	FIRE RATING	HARDWARE SET NO.	NOTES
A	3' - 0"	6' - 8"	1 3/4"	D1	WOOD	HM	20 MIN.	1	
B	2' - 10 1/2"	6' - 8"	1 3/4"	D2	WOOD	WOOD		2	3'-2 1/2" WOOD DOOR LEAF FOR 2'-10 1/2" WIDE OPENING. SEE DETAIL 8/A1.2

NOTE: PAINT HOLLOW METAL FRAMES PER GENERAL NOTES.

D1
WOOD DOOR TO MATCH EXISTING (FACTORY PAINTED)

D2
WOOD STILE AND RAIL BARN DOOR WITH MIRROR GLASS PANEL ON GUESTROOM SIDE (FACTORY PAINTED)

HARDWARE SETS:

SET 1:

HINGES
CLOSER
CARD READER
DOOR VIEWER
SOUND/SMOKE SEAL
DOOR SWEEP
DOOR LATCH
SILENCERS
WALL STOP
NIGHT LATCH SOLID BAR DOOR GUARD WITH PROTECTIVE PLATE
VINYL THRESHOLD (DHSI ST 2.75 OR CTT 2.75)

**MATCH EXISTING TYPE AND MANUFACTURER FOR ALL HARDWARE THIS SET.

**US26D FINISH

SET 2:

BARN DOOR HARWARE: HAFELE, SLIDING DOOR PART# 940.064.1X0.H PER HILTON STANDARDS.

INCLUDE ALL NECESSARY STOPS AND FLUSH PULLS FOR A COMPLETE WORKING SYSTEM

**US26D FINISH

DOOR SHOWN IN THE OPEN POSITION

DOOR SHOWN IN THE CLOSED POSITION

8 GUESTROOM BATHROOM SLIDING DOOR DETAIL
1 1/2" = 1'-0"

1 ENLARGED DOUBLE QUEEN RESTROOM
3/8" = 1'-0"

2 BATHROOM ELEVATION - TUB WALL
3/8" = 1'-0"

NOTE: VANITY SUPPORT FRAME: AT VANITY LOCATION, PROVIDE DOUBLE 20 GA. STUDS AT 16" O.C. WITH 3x3x3/16 ANGLE FRAME BOLTED THROUGH DOUBLE STUDS WITH 1/2" DIA. BOLTS AT 8" O.C. PROVIDE SOLID WOOD BLOCKING TO ALLOW ANCHORING OF FRAME.

3 BATHROOM ELEVATION - ENTRY WALL
3/8" = 1'-0"

4 BATHROOM ELEVATION - VANITY WALL
3/8" = 1'-0"

5 BATHROOM ELEVATION - TOILET WALL
3/8" = 1'-0"

6 SECOND FLOOR RCP - DEMO
1/8" = 1'-0"

7 SECOND FLOOR RCP - NEW
1/8" = 1'-0"

CEILING TYPES

LEGEND:	DESCRIPTION:
	TYPE 1 (1) LAYER OF 5/8" TYPE 'C' GYPSUM BOARD OVER 7/8" 25 GA. METAL FURRING CHANNELS AT 24" O.C. TIED TO 1 1/2" 16" GAUGE COLD ROLLED MAIN CHANNELS AT 48" O.C. SUSPENDED WITH HANGER WIRE FROM METAL FLOOR DECK (PART OF EXISTING 2-HR RATED UL ASSEMBLY G561)
	TYPE 3 2' X 2' FIRE-RATED ACOUSTICAL CEILING TILE WITH HOLD-DOWN CLIPS ONE PER 24" LENGTH. SUSPENDED WITH HANGER WIRE ATTACHED TO METAL FLOOR DECK OR JOISTS ABOVE. (PART OF EXISTING 2-HR RATED UL ASSEMBLY G205). PATCH AND REPLACE THIS ASSMEBLY AS NEEDED AT CORRIDOR FOR NEW CONSTRUCTION.

GUEST BATHROOM SPECIFICATIONS

ID NO.	DESCRIPTION	MANF/MODEL
TA-1	TOILET PAPER ROLL HOLDER	WINGITS MODERN ELEGANCE DECO TOILET PAPER HOLDER - POLISHED CHROME DELTA ARZO TOILET PAPER HOLDER - POLISHED CHROME
TA-2	TOWEL/ROBE HOOK SURFACE MTD.	WINGITS MODERN ELEGANCE SINGLE ROBE HOOK - POLISHED CHROME DELTA ARZO ROBE HOOK - POLISHED CHROME
TA-3	SHOWER CURTAIN ROD (BOWED)	WINGITS MODERN ELEGANCE CURVED SHOWER ROD - POLISHED CHROME
TA-4.7	GRAB BAR VERTICAL SURF. MTD.	WINGITS MODERN ELEGANCE 24" GRAB BAR - POLISHED CHROME
TA-21	3-SHELF TOWEL HOLDER	PER INTERIOR DESIGN DRAWINGS
TA-25.1	SOAP DISH CORNER MTD.	SYNTHETIC MARBLE - PROVIDED WITH TUB SURROUND PER INTERIOR DESIGN DRAWINGS

ENLARGED PLANS, ELEVATIONS, & SCHEDULES

HAMPTON INN PARTIAL RENOVATION
209 FORE ST, PORTLAND, MAINE 04101

GERRI A KIELHOFNER, AIA ARCHITECT
319 N MAIN ST. SUITE 200, SPRINGFIELD, MISSOURI, 65806 T: 417-521-6107

COPYRIGHT 2014 GERRI A KIELHOFNER AIA

LICENSED ARCHITECT
GERRI A. KIELHOFNER
No. 4229
STATE OF MAINE
02/27/2015
GERRI ANN KIELHOFNER
ARC 4229

DRAWN BY	ISSUE DATE
LMD	FEBRUARY 27, 2015
CHECKED BY	PROJECT
GAK	15012.PMHR

A1.2

C:\Users\ldaugherty\Documents\A-ARCH-PMHR_ldaugherty.rvt 2/27/2015 11:44:11 AM