



**GENERAL NOTES:**

PART 1 - GENERAL

1.01 GENERAL

A. NO PROVISIONS HAVE BEEN MADE FOR ANY TEMPORARY CONDITIONS THAT STRUCTURING THE CONTRACTOR SHALL BE RESPONSIBLE FOR ADEQUATE BRACING DURING THE PROGRESS OF CONSTRUCTION AND TEMPORARY BRACING SHALL BE PROVIDED BY THE CONTRACTOR FOR ALL STRUCTURAL ELEMENTS.

B. ALL MATERIAL CONNECTIONS OF ALL METAL SHALL BE USED IN SUCH MANNER AS TO BE PROTECTED FROM CORROSION BY THE CONTRACTOR. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE SELECTION OF THE PROTECTIVE MATERIALS AND FOR THE APPLICATION OF THE SAME. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

C. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

D. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

E. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

F. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

G. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

H. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

I. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

J. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

K. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

L. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

M. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

N. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

O. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

P. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

Q. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

R. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

S. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

T. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

U. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

V. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

W. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

X. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

Y. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

Z. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING MATERIALS AND FOR THE PROTECTION OF ALL STRUCTURAL ELEMENTS.

**WOOD NOTES:**

PART 1 - GENERAL

1.01 MANUFACTURER'S INFORMATION

A. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE SELECTION OF THE MANUFACTURER'S INFORMATION FOR ALL MATERIALS.

1.02 MATERIALS

A. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

B. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

C. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

D. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

E. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

F. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

G. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

H. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

I. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

J. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

K. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

L. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

M. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

N. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

O. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

P. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

Q. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

R. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

S. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

T. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

U. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

V. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

W. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

X. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

Y. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

Z. ALL WOOD SHALL BE PROVIDED UNLESS OTHERWISE NOTED AND SHALL BE DRIED TO A MOISTURE CONTENT OF 19% MAXIMUM.

**DESIGN LOADING:**

PART 1 - LOADS

1.01 DEAD LOADS

A. ROOF DEAD LOAD SHALL BE 10 PSF.

B. ROOF LIVE LOAD SHALL BE 20 PSF.

C. ROOF WIND LOAD SHALL BE AS SHOWN BY CONTRACTOR.

1.02 FLOOR LOADS

A. FLOOR DEAD LOAD SHALL BE 10 PSF.

B. FLOOR LIVE LOAD SHALL BE 40 PSF.

C. FLOOR WIND LOAD SHALL BE AS SHOWN BY CONTRACTOR.

1.03 CEILING LOADS

A. CEILING DEAD LOAD SHALL BE 5 PSF.

B. CEILING LIVE LOAD SHALL BE 10 PSF.

C. CEILING WIND LOAD SHALL BE AS SHOWN BY CONTRACTOR.

1.04 WALL LOADS

A. WALL DEAD LOAD SHALL BE 15 PSF.

B. WALL LIVE LOAD SHALL BE 20 PSF.

C. WALL WIND LOAD SHALL BE AS SHOWN BY CONTRACTOR.

1.05 EARTHQUAKE LOADS

A. EARTHQUAKE LOADS SHALL BE AS SHOWN BY CONTRACTOR.

1.06 SNOW LOADS

A. SNOW LOAD SHALL BE AS SHOWN BY CONTRACTOR.

1.07 ICE LOADS

A. ICE LOAD SHALL BE AS SHOWN BY CONTRACTOR.

1.08 WIND LOADS

A. WIND LOAD SHALL BE AS SHOWN BY CONTRACTOR.

1.09 SEISMIC LOADS

A. SEISMIC LOAD SHALL BE AS SHOWN BY CONTRACTOR.

1.10 COLLISION LOADS

A. COLLISION LOAD SHALL BE AS SHOWN BY CONTRACTOR.

1.11 CRASH LOADS

A. CRASH LOAD SHALL BE AS SHOWN BY CONTRACTOR.

1.12 THERMAL LOADS

A. THERMAL LOAD SHALL BE AS SHOWN BY CONTRACTOR.

1.13 SOUND LOADS

A. SOUND LOAD SHALL BE AS SHOWN BY CONTRACTOR.

1.14 VIBRATION LOADS

A. VIBRATION LOAD SHALL BE AS SHOWN BY CONTRACTOR.

1.15 OTHER LOADS

A. OTHER LOADS SHALL BE AS SHOWN BY CONTRACTOR.

	CLIENT & PROJECT <b>80-90 MIDDLE STREET          COMMERCIAL PROPERTIES, INC.</b>	SHEET TITLE <b>ROOF FRAMING PLAN</b>	DATE <b>APRIL 15, 2014</b>	DRAWN BY <b>JPK</b>	CHECKED BY <b>REM</b>
	LOCATION <b>80-90 MIDDLE STREET</b>	STATE <b>AS SHOWN</b>	DATE <b>APRIL 15, 2014</b>	DRAWN BY <b>JPK</b>	CHECKED BY <b>REM</b>
CITY <b>PORTLAND</b>	COUNTY <b>CUMBERLAND</b>	STATE <b>MAINE</b>	DATE <b>APRIL 15, 2014</b>	DRAWN BY <b>JPK</b>	CHECKED BY <b>REM</b>
SHEET NO. <b>S-1</b>	PROJECT NO. <b>2014-001</b>	DATE <b>APRIL 15, 2014</b>	DATE <b>24/22/14</b>	DATE <b>24/22/14</b>	DATE <b>24/22/14</b>