

Strengthening a Remarkable City, Building a Community for Life . www.portlandmaine.gov

Lee Urban-Director of Planning and Development Jeanie Bourke - Inspections Division Director

February 12, 2008

LERMAN RUSSELL E 4 GREEN NEEDLE DR SCARBOROUGH, ME 04074

CBL: 029 N009001 Located at 0 INDIA ST Certified Mail 7003 3110 0002 6063 6028

Dear LERMAN RUSSELL E,

The City has received a complaint that you did not remove the snow accumulation on the public sidewalk in front of your property. This condition is a violation of Section 25-173 of the Code of Ordinances of the City of Portland, Removal of Snow and Ice.

This is a notice of violation pursuant to the Ordinance. A four foot path must be properly cleared the length of your frontage along the public street (s) within 24 hours of the date of this notice. A reinspection of the premises will occur, at which time compliance is required. Failure to comply will result in this office referring the matter to the City of Portland Corporation Counsel for legal action and possible civil penalties, as provided for in Section 1-15 of the Code.

If a property owner fails to clear their sidewalks 24 hours after receiving a notice of violation, the City can clear the sidewalk and bill the property owner the cost of doing so plus a 10% administrative charge.

This constitutes an appealable decision pursuant to Section 25-204 of the Code.

Enclosed is a copy of an informational brochure that outlines Property owner's responsibility with regard to the removal of snow and ice from the public sidewalk in front of the property. Please review the material and feel free to contact me at 874-8693 if you have questions.

Sincerely,

Suzanne Hunt @ (207) 874-8707

Sugan Huns

Building Inspector

For St Side of Parking Cot must Be cleares - Thankyov-