

E1 PARTITION CONFIGURATIONS

NO SCALE

C1010FP-03-MOD



NOTES:
1. SEE SPECIFICATION FOR STUD SPACING AND GAGE.
2. WHERE FIRE AND/OR SOUND RATINGS ARE INDICATED, THE GYPSUM BOARD REQUIRED SHALL BE CONTINUOUS BEHIND ABUTTING NONRATED PARTITIONS SO THAT FIRE AND/OR ACOUSTIC PERFORMANCE IS NOT COMPROMISED.

C1 PARTITION-TYPE LEGEND

NO SCALE C1010FP-01



1	3 5/8" METAL STUDS
2	2 1/2" METAL STUDS
3	6" METAL STUDS

PARTITION

NO SCALE C1010FP-21



4	3 5/8" METAL STUDS
5	6" METAL STUDS
6	8" METAL STUDS

PARTITION

NO SCALE C1010FP-22



4	3 5/8" METAL STUDS
5	6" METAL STUDS
6	8" METAL STUDS

PARTITION

NO SCALE C1010FP-22



10	7/8" HAT CHANNEL
11	1 1/2" HAT CHANNEL
12	

FURRING

NO SCALE C1010FP-76

OWNER:
WILLIAMS-SONOMA, INC.
3250 Van Ness Avenue
San Francisco, CA 94
T 415 616 8602
F 415 439 8164
www.williams-sonomair

Reviewed for Code Compliance
Approved Architectural Plans
Date: 04/26/17
Authority Having Jurisdiction

LICENSED ARCHITECT TODD K. ROWE 4/26/2017 STATE OF MAINE

CALLISONRTKL™
A DESIGN CONSULTANCY OF ARCADIS
CALLISONRTKL, INC.
www.callisonrtkl.com

west elm

Downtown Portland
164 Middle Street
Portland, ME 04101

PROJECT #006-160335.00

ISSUED / REVISED	DATE
PRELIMINARY SET	09/08/16
LL COORDINATION SET	11/08/16
LL/PERMIT SET	11/21/16

WALL TYPES & PARTITION TYPES

A-801

COPYRIGHT © 2016 CallisonRTKL Inc.