Inspections Division
Date: 05/11/17

E1 PARTITION CONFIGURATIONS

NO SCALE

C1010FP-03-MOD

THE PARTITION-TYPE DESIGNATION OR WALL-TYPE DESIGNATION IS A THREE-UNIT CODE THAT INDICATES THE CONFIGURATION, CONSTRUCTION AND INSULATION OF THE PARTITION AS FOLLOWS:

- INSULATION (PER THIS DETAIL, BELOW)
- CONSTRUCTION OF PARTITION/WALL
- VERTICAL CONFIGURATION OF PARTITION/WALL

PARTITION/WALL SYMBOLOGY

—	NO INSULATION
a	BATT ACOUSTICAL INSULATION
t	THERMAL INSULATION

INSULATION DESIGNATION

NOTES:
1. SEE SPECIFICATION FOR STUD SPACING AND GAGE.
2. WHERE FIRE AND/OR SOUND RATINGS ARE INDICATED, THE GYPSUM BOARD REQUIRED SHALL BE CONTINUOUS BEHIND ABUTTING NONRATED PARTITIONS SO THAT FIRE AND/OR ACOUSTIC PERFORMANCE IS NOT COMPROMISED.

C1 PARTITION-TYPE LEGEND

NO SCALE C1010FP-01

1	3 5/8" METAL STUDS
2	2 1/2" METAL STUDS
3	6" METAL STUDS

PARTITION

NO SCALE C1010FP-21

4	3 5/8" METAL STUDS
5	6" METAL STUDS
6	8" METAL STUDS

PARTITION

NO SCALE C1010FP-22

4	3 5/8" METAL STUDS
5	6" METAL STUDS
6	8" METAL STUDS

PARTITION

NO SCALE C1010FP-22

10	7/8" HAT CHANNEL
11	1 1/2" HAT CHANNEL
12	

FURRING

NO SCALE C1010FP-76

OWNER:
WILLIAMS-SONOMA, INC.
3250 Van Ness Avenue
San Francisco, CA 94109
T 415 616 8602
F 415 439 8164
www.williams-sonomainc.com

CALLISONRTKL™
A DESIGN CONSULTANCY OF ARCADIS
CALLISONRTKL, INC.
www.callisonrtkl.com

west elm

Downtown Portland
164 Middle Street
Portland, ME 04101

PROJECT #006-160335.00

ISSUED / REVISED	DATE
PRELIMINARY SET	09/08/16
LL COORDINATION SET	11/08/16
LL/PERMIT SET	11/21/16
HP REVIEW SET	01/11/17
BID SET	01/26/17
PERMIT CORRECTIONS	03/22/17
PERMIT CORRECTIONS-2	04/06/17

WALL TYPES & PARTITION TYPES

A-801

COPYRIGHT © 2016 CallisonRTKL Inc.