Approved for Historic Preservation
Certificate of Appropriateness
Date: 02/10/17

CITY OF PORTLAND, MAINE · RESURGAM

SIGN A NON-ILLUM STOREFRONT SIGN | PLATE LETTERS & PANEL
Scale: 1" = 1'-0"
QTY. REQ'D: TWO (2)

17.34 SQ. FT.

- LETTER MATERIAL | 3/8" PLATE
- LETTER COLOR | SATIN WHITE
- APPLICATION | FLUSH MTG W/ BLIND SCREWS FROM BEHIND
- PANEL | 1/8" ALUMINUM
- PANEL COLOR | SATIN BLACK
- INSTALLATION | STUD MOUNT PANEL W/ 1/4" SPACERS

SIGN A SECTION | DETAIL
Scale: 1 1/2" = 1'-0"

ATTACHMENT 5

TRIANGLE SIGN & SERVICE	CLIENT & LOCATION		LEAD NO.	DATE	REVIEWED BY	REVISIO	SHEET NO.
	west elm	WEST ELM DOWNTOWN PORTLAND 164 MIDDLE STREET PORTLAND, MD 04101	159911	11/21/2016			8 of 31
			SALESMAN: HS	DRAWN BY: LPR	SEGMENT NO.		

Approved for Historic Preservation
Certificate of Appropriateness
Date: 02/10/17

CITY OF PORTLAND, MAINE · RESURGAM

SIGN B

west elm

PLATE LETTERS / NON-ILLUM. / FLUSH MOUNT W/ D/F TAPE - SILICONE / ON GLASS

SCALE: N.T.S.

(A) FACE	
MATERIAL:	3/8" ACRYLIC PLATE
COLOR:	WHITE
FINISH:	SATIN
BORDER:	N/A
VINYL:	N/A
COLOR INFO.:	N/A

(C) RETURNS	
DEPTH:	1/2"
COLOR:	WHITE
FINISH:	SATIN

(M) MOUNTING	SEE MOUNTING NOTE.
M-1	D/F TAPE & SILICONE.
M-2	VINYL LETTER, APPLIED TO GLASS
M-3	EXISTING GLASS

TRIANGLE SIGN & SERVICE

CLIENT & LOCATION		LEAD NO.	DATE	REVIEWED BY	REVISION	SHEET NO.
west elm	WEST ELM DOWNTOWN PORTLAND 164 MIDDLE STREET PORTLAND, MD 04101	159911	11/21/2016			10 of 31
		SALESMAN: HS	DRAWN BY: LPR	SEGMENT NO.		

Approved for Historic Preservation
Certificate of Appropriateness
Date: 02/10/17

CITY OF PORTLAND, MAINE · RESURGAM

SIDE 'A'

SIGN C D/F ILLUMINATED BLADE SIGN | FRONT VIEW
Scale: 1/2" = 1'-0"
QTY. REQ'D: ONE (1)

16.67 SQ. FT.

END VIEW
Scale: 3/4" = 1'-0"

SIDE 'B'

D/F ILLUMINATED BLADE SIGN | FRONT VIEW
Scale: 1/2" = 1'-0"

TRIANGLE SIGN & SERVICE	CLIENT & LOCATION		LEAD NO.	DATE	REVIEWED BY	REVISION	SHEET NO.
	west elm	WEST ELM DOWNTOWN PORTLAND 164 MIDDLE STREET PORTLAND, MD 04101	159911	11/21/2016			11 of 31
			SALESMAN HS	DRAWN BY LPR	SEGMENT NO.		

Approved for Historic Preservation
Certificate of Appropriateness
Date: 02/10/17

SIGN C **C-1** EXTERNAL PLATE DETAILS
Scale: 3/4"=1'-0"

C-2 MOUNTING PLATE - DETAIL
Scale: 3"=1'-0"

TRIANGLE SIGN & SERVICE	CLIENT & LOCATION	LEAD NO.	DATE	REVIEWED BY	REVISION	SHEET NO.
	west elm — WEST ELM, DOWNTOWN PORTLAND, 164 MIDDLE STREET, PORTLAND, MD 04101	159911	11/21/2016			12 of 31
		SALESMAN: HS	DRAWN BY: LPR	SEGMENT NO.		

Approved for Historic Preservation
Certificate of Appropriateness
Date: 02/10/17

SIGN D

D/F CANVAS BLADE SIGN W/ BRACKETS | ELEVATION
Scale: 1/2" = 1'-0"
QTY. REQ'D: ONE (1)

15.17 SQ. FT.

BRACKET | DETAIL
Scale: 1 1/2" = 1'-0"

MOUNTING PLATE | DETAIL
Scale: 3" = 1'-0"

TRIANGLE SIGN & SERVICE	CLIENT & LOCATION		LEAD NO.	DATE	REVIEWED BY	REVISION	SHEET NO.
	west elm	WEST ELM DOWNTOWN PORTLAND 164 MIDDLE STREET PORTLAND, MD 04101	159911	11/21/2016			14 of 31
			SALESMAN HS	DRAWN BY LPR	SEGMENT NO.		

11 AZAR COURT • P.O. BOX 24186 • BALTIMORE, MARYLAND 21227 • T: 410-247-5300 • F: 410 247-1944 • REPRODUCTION IN WHOLE OR PART PROHIBITED WITHOUT EXPRESS PERMISSION OF TRIANGLE S & S • WWW.TRIANGLESIGN.COM

Approved for Historic Preservation
Certificate of Appropriateness
Date: 02/10/17

CITY OF PORTLAND, MAINE · RESURGAM

ARE

Note: These signage details were taken from another project and are illustrative of what the signage on the canopy for West Elm- Downtown Portland would look like. Please refer to the elevation and canopy details included within this package.

ILLUM. FACE-LIT CH LTRS, CUSTOM STEM-MOUNT

TYP. FRONT A.1

TYP. SIDE A.2

TRIANGLE SIGN & SERVICE	CLIENT & LOCATION		LEAD NO.	DATE	REVIEWED BY	REVISION	SHEET NO.
	west elm	343 SPRINGFIELD AVE SUMMIT, NJ 07901	154484	7.6.2016			6 of 28
			SALESMAN H. SOMMER	DRAWN BY JJH	SEG. NO.		

Approved for Historic Preservation
Certificate of Appropriateness
Date: 02/10/17

Note: These signage details were taken from another project and are illustrative of what the signage on the canopy for West Elm- Downtown Portland would look like. Please refer to the elevation and canopy details included within this package.

ILLUM. FACE-LIT CH LTRS, CUSTOM STEM-MOUNTED WIREWAY - MTG ST

TYP. FRONT A.1

TRIANGLE SIGN & SERVICE	CLIENT & LOCATION		LEAD NO.	DATE	REVIEWED BY	REVISION	SHEET NO.
	west elm	343 SPRINGFIELD AVE SUMMIT, NJ 07901	154484	7.6.2016			7 of 28
			SALESMAN H. SOMMER	DRAWN BY JJH	SEG. NO.		

Approved for Historic Preservation
Certificate of Appropriateness
Date: 02/10/17

CITY OF PORTLAND, MAINE RESURGAM

ILLUM. FACE-LIT CH LTRS, CUSTOM STEM-MOUNTED WIREWAY - SE

(A) FACE	
MATERIAL:	3/16" WHITE ACRYLIC #2447
BORDER:	N/A
VINYL:	N/A
COLOR INFO.:	N/A
(B) TRIMCAPS:	
SIZE / FINISH	1" / MATCH RETURNS
(C) RETURNS	
DEPTH:	5"
MATERIAL:	ALUM. .063"
COLOR:	BLACK
FINISH:	SATIN
(D) BACKS:	
MATERIAL:	3MM ACM
COLOR/FINISH:	BLACK / SATIN
(E) INSIDE OF CAN	
COLOR:	PRE-COAT WHITE
(F) ILLUMINATION:	6500K WHITE LEDS
(G) WIREWAY	
DEPTH:	4"
MATERIAL:	2" x 4" x 1/8" ALUM. w/ TOP ACCESS
COLOR:	PAINTED 'WEST ELM' DARK GREY
FINISH:	EGGSHELL

(I) WIRING	
I-C	RUBBER GROMMETS @ PASS-THRU POINTS
I-F	TO ELECTRICAL FEED
I-J	STANDARD JUNCTION BOX. (WATERPROOF)
I-P	SEAL-TITE (WATERPROOF) CONNECTOR
I-S	U.L. APPROVED LOW VOLTAGE CLASS II WIRING
	ALL CONNECTIONS TO BE IN WATERPROOF BOXES
(J) POWER SUPPLY	
TYPE:	LED POWER SUPPLY HOUSE IN WIREWAY
VOLTAGE;	120V
(M) MOUNTING	SEE MOUNTING NOTE.
M-1:	EXISTING STEEL STRUCTURE
M-2:	MIN. SIX (6) 3/8" BOLTS w/ NUTS&WASHERS
	(APPROPRIATE MTG. HDW. T.B.D. AT INSTALLATION)
M-3:	NEOPRENE GASKET MATERIAL
M-4:	STRUCTURAL SUPPORT BY L.L.
	VIF SIZE OF SUPPORT & POSITION
M-5:	3/8" THK. ALUM. BASE PLATE WELDED TO....STEMS....
M-6:	1" x 1" x 1/4" SQ. ALUM. TUBE STEMS
FINISH:	BLACK / SATIN
M-7:	SELF-TAPPING TEK SCREWS
(W) WEEP HOLES:	1/4" DIA. WITH COVER

NOTE: A LOCK OUT AT THE PANEL BOX TO BE INSTALLED FOR ALL ELECTRONIC SIGNS

NOTE: MANUFACTURER & UL LABELS APPLIED & VISIBLE FROM GROUND, LOCATED ON LAST LETTER (AT A MINIMUM) OR END OF BOX SIGN OR END OF FREESTANDING SIGN.

120V

INSTALLATION NOTES:
1. CUSTOMER G.C. TO PROVIDE ADEQUATE WOOD OR MTL. BLOCKING IN CORRELATION W/ FACADE FRAMING AS REQUIRED.
2. INSTALLER IS TO V.I.F. & PROVIDE THE PROPER NON-CORROSIVE MOUNTING HARDWARE TO ENSURE SAFE INSTALLATION.
3. ALL EXTERIOR FACADE PENETRATIONS TO BE WATERTIGHT.
4. INSTALLATION TO MEET CURRENT N.E.C., U.L. & LOCAL CODES.

ELECTRICAL NOTES:
1. ALL ELEC. COMPONENTS TO BE U.L. APPROVED.
2. CUSTOMER IS RESPONSIBLE FOR ONE (1) 120v/ 20a DEDICATED CIRCUIT w/ GROUND PER SIGN TO WITHIN 6' OF SIGN.
3. LOCKOUT SWITCH INSTALLED @ PANEL BOX FOR ALL ELEC. SIGNS.
4. INSTALL IN ACCORDANCE w/ N.E.C. ARTICLE 600 &/ OR LOCAL CODES. THIS INCLUDES PROPER GROUNDING & BONDING OF SIGN.

FABRICATOR NOTES:
1. PLACEMENT OF LIGHTING ELEMENTS FOR OPTIMUM ILLUMINATION OF SIGN TO BE DETERMINED IN PRODUCTION.
2. MANUFACTURER & U.L. LABELS TO BE APPLIED & VISIBLE FROM THE GROUND. ON THE LAST CHANNEL LETTER OR END OF THE SIGN BOX.

ALL ELECTRICAL COMPONENTS ARE TO BE UL APPROVED

TRIANGLE SIGN & SERVICE

CLIENT & LOCATION	LEAD NO.	DATE	REVIEWED BY	REVISION	SHEET NO.
west elm — 343 SPRINGFIELD AVE SUMMIT, NJ 07901	154484	7.8.2016			8 of 28
	SALESMAN H. SOMMER	DRAWN BY JJH	SEG. NO.		

Approved for Historic Preservation
Certificate of Appropriateness
Date: 02/10/17

Ground Floor

1)

Example of a similar sign from another West Elm project.

2)

schiavello

Approved for Historic Preservation
Certificate of Appropriateness
Date: 02/10/17

Example of similar canopy and canopy mounted sign from another West Elm project.