City of Portland, M	Iaine - Buil	ding or Use	Permi	t Application	1 Per	rmit No:	Issue Date	:	CBL:			
389 Congress Street, 0		_			1	01-1102	055		029 O0	20		
Location of Construction:		Owner Name:		W-W	Owner	r Address:	VI-II	1 ()	Phone:			
164 Middle Street		164 Realty< L	LC		164 1	Middle Street			207-879-2277			
Business Name:		Contractor Name	:		Contra	actor Address:			Phone			
n/a		Maine Bay Ca	nvas		53 In	ndustrial Way	Portland		2078788888			
Lessee/Buyer's Name		Phone:		1	Permi	t Type:			Zone:			
n/a		n/a			Ten	ts						
Past Use:		Proposed Use:		7 4.	Permi	it Fee:	Cost of Wor	k:	CEO District:	i i		
Street	Street / Free st	anding	70' x 30' tent			:	\$0.00	1	1 .			
		over the street			FIRE	DEPT:	Approved	INSPE	CTION:	2//		
		entertainment;		September 11,			Denied	Use G	roup: len	Type / 10		
		from 2pm - 8p	m.				Denied	سدها	2 LEVY	ے کی		
							_	WOC.	A SECURITY			
Proposed Project Description	on:				1			PED'A	11/	,		
70' X 30' Free standing	g tent				Signat	ture:	M					
					PEDE	STRIAN ACTI	VITIES DIS	RICT (CT (FAGE)			
					Action	n: Approv	ed Ap	proved w	/Conditions	Denied		
					Signat	ture			Date:			
Permit Taken By:	Date Ar	oplied For:	I		J. J		Approva	•	- Duic.			
1	1	-										
	gg 09/06/2001					Zonir	g Appeal	Т	Historic Preservation			
1. This permit application Applicant(s) from a Federal Rules.	-	l	cial Zone or Revie	☐ Variance				Not in District or Landma				
2. Building permits d septic or electrical	☐ Wetland			Miscella	neous		Does Not Require Review					
3. Building permits a within six (6) month	☐ Flo	ood Zone		Conditio	nal Use		Requires Rev	view				
False information repermit and stop all	☐ Su	bdivision	☐ Interpretation				Approved					
			☐ Si	te Plan		Approve	d		Approved w/	Conditions		
			Maj [Minor MM	W.	Denied			Denied			
			Date:	Mayanel	,	Date:			ate:			
			4	al ala	1	1	· · · · · · · · · · · · · · · · · · ·					
				4/(0/0	'\			P' WIT'	_{ERMI} T ISSU' H REQUIREN	ED MENTS		
I hereby certify that I am I have been authorized b jurisdiction. In addition shall have the authority to such permit.	by the owner to , if a permit fo	make this appli work described	med pro ication a d in the	as his authorized application is is	e prop l agent	t and I agree t I certify that t	authorized to conform the code of	by the to all afficial's	owner of recorpplicable laws	rd and that of this esentative		
SIGNATURE OF APPLICA	NT			ADDRESS	<u> </u>		DATE	7	РНО	NE		

DATE

PHONE

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements most be made before permits of any kind are accepted. Location/Address of Construction: M St., Portland Square Footage of Lot Total Square Footage of Proposed Structure י30' *ג* '30' 164 Realty, LLC Telephone: Tax Assessor's Chart, Block & Lot Owner: 846.4800 Block# / Cost Of Lessee/Buyer's Name (If Applicable) Applicant name, address & telephone: M. Mastro nardi Work: \$_ NIA 846.4800 city street Current use: If the location is currently vacant, what was prior use: _ Approximately how long has it been vacant: _ Proposed use:__ 4th Annual Celebration of Technology 010 Part Technology Center Project description: 164 Middle Street, Partland Contractor's name, address & telephone: Moune Bay Carras, 53 Industrial Way Portland, ME 04103 878.8888 Katrina Mastroluca MSCM. Who should we contact when the permit is ready: Katrina Mastroluca MSCM. Mailing address: 164 Middle St. xx Cal Purland, ME 04/61 IF THE REQUIRED INFORMATION IS NOT INCLUDED IN THE SUBMISSIONS THE PERMIT WILL BE AUTOMATICALLY DENIED AT THE DISCRETION OF THE BUILDING/PLANNING DEPARTMENT, WE MAY REQUIRE ADDITIONAL INFORMATION IN ORDER TO APROVE THIS PERMIT. I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued. I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit. Date: Signature of applicant: This is not a permit you may not commence ANY work until the permit is issued

DITT DING PERMIT DEPORT

BUILDENG I ENGLAT REPORT
DATE: 7 Sept. 2001 ADDRESS: 164 Middle ST. CBL: 429-0020
REASON FOR PERMIT: Temp - TenT
BUILDING OWNER: /64/Rea/Ty
PERMIT APPLICANT: /CONTRACTOR Moine Bay Can Va.
USE GROUP:CONSTRUCTION TYPE:CONSTRUCTION COST:PERMIT FEES:
The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions shall be meter 1, 438 k39

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6' of the same material. Section 1813.5.2

Foundations anchors shall be a minimum of 1/2" in diameter, T' into the foundation wall, minimum of 12" from corners of foundation and a

maximum 6' O.C. between bolts. Section 2305.17

Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.

Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.

It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the

proper setbacks are maintained.

Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)

All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical

Code/1993). Chapter 12 & NFPA 211

10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.

11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/2" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7) R-3 (ONE & TWO FAMILY DWELLINGS) GUARD HEIGHT IS 36" MINIMUM.

12. Headroom in habitable space is a minimum of 7'6'. (Section 1204.0)

13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread. 7' maximum rise. (Section 1014.0)

14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4

- 15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria wider section 1011.3 but not less then 36".
- 16. Every sleeping room below the fourth story in buildings of Use Groups R and I-I shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of exress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)

17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly

from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's.

(Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)

19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms.
 - In each story within a dwelling unit, including basements
- 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 25. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 29. All requirements must be met before a final Certificate of Occupancy is issued.
- 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 32. Please read and implement the attached Land Use Zoning report requirements.
- 33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.

34. Bridging shall comply with Section 2305.16.

35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)

36. All flashing shall comply with Section 1406.3.10.

	JO	AH H	az nuni	S 2tmit	compi	ymuu	26cm	00 140	0.3.10	<i>)</i> .																	
	37.	All si	gnage	shall	be don	e in ac	:corda	nçe wi	th Sec	tion 3	3102	.0 si	gns 9	fthe	Cit	لدي	Buildi	ng Co	ođe,	(The	BOÇA	Natio	onal l	Buildir	ig Coo	1/199	9)1
	38.	F		Ze!	2 B	6/	al	/ C	on	DA.	/_	Wi	11	S	le	11	07	3	3 1	$\sigma \mathcal{U}$	d.	(2	54.	(91	Tac	hea	
久	37	A	77	~~	x T	₹ -	<u> </u>	501	//	bal		154	00	Y	d		2/	· 7	70	du	Ice	d	$\Box b$	V.	The	10	Tex
רי	4	01	CC	Tion	20	r	71	15	ve	10	17	-7	5	10	id									7			
									/															-			
		, .													•	•											
					- -	•											1.5										
			-														-					-			•		

P. Somool Parses, Building Inspector
C. McDougall, PFD

Marge Schmuckal, Zoning Administrator
Michael Nugent, Inspection Service Manager

BSW INTERN

** This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

...THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

****ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

*****CERTIFICATE OF OCCUPANCY FEE \$50.00

maintain the inflation of the structure in case of primary system failure. The auxiliary inflation system shall operate automatically when there is a loss of internal pressure and when the primary blower system becomes inoperative.

Blower equipment shall meet the following requirements:

- 1. Blowers shall be powered by continuous-rated motors at the maximum power required for any flow condition as required by the structural design.
- 2. Blowers shall be provided with inlet screens, belt guards and other protective devices as required by the code official to provide protection from injury.
- Blowers shall be housed within a weather-protecting structure.
- 4. Blowers shall be equipped with backdraft check dampers to minimize air loss when inoperative.
- 5. Blower inlets shall be located to provide protection from air contamination. The location of inlets shall be approved.

3103.4.2 Standby power: Wherever an auxiliary inflation system is required, an approved standby power-generating system shall be provided. The system shall be equipped with a suitable means for automatically starting the generator set upon failure of the normal electrical service and for automatic transfer and operation of all of the required electrical functions at full power within 60 seconds of such service failure. Standby power shall be capable of operating independently for a minimum of 4 hours.

3103.5 Support provisions: A system capable of supporting the *membrane* in the event of deflation shall be provided for in all air-supported and air-inflated structures having an occupant load of more than 50 or where covering a swimming pool regardless of occupant load. The support system shall be capable of maintaining *membrane* structures used as a roof for Type 1 or 2 construction not less than 20 feet (6096 mm) above floor or seating areas. The support system shall be capable of maintaining all other *membranes* at least 7 feet (2134 mm) above the floor, seating area or surface of the water.

3103.6 Engineering design: All *membrane* structures shall be structurally designed in accordance with approved criteria that are developed by a *registered design professional*.

SECTION 3104.0 TEMPORARY STRUCTURES

3104.1 General: The provisions of this section shall apply to tents, *membrane* structures and other structures erected for a period of less than 180 days. Those erected for a longer period of time shall comply with Section 3103.0 or with all applicable sections of this code where Section 3103.0 is not applicable.

3104.1.1 Permit required: All temporary structures that cover an area in excess of 120 square feet (11.16 m²), including all connecting areas or spaces with a common means of egress or entrance which are used or intended to be used for the gathering together of ten or more persons, shall not be erected, operated or maintained for any purpose without obtaining a permit from the code official. Tents used exclusively for recreational camping purposes shall be exempt from the above requirements. Special permits required by this code shall be secured from the code official.

3104.2 Construction documents: A permit application and construction documents shall be submitted for each installation of a temporary structure. The construction documents shall include a site plan indicating the location of the temporary structure and information delineating the means of egress and the occupant load.

3104.3 Location: All temporary structures shall be located in accordance with the requirements of Table 705.2 based on the fireresistance rating of the exterior walls for the proposed type of construction.

3104.4 Construction: Tents and air-supported structures shall be constructed as required by this code and NFPA 102 listed in Chapter 35.

3104.5 Membrane material: The *membrane* material for all tents shall be of: approved noncombustible material as defined in Section 704.4; flameresistant material as determined in accordance with NFPA 701 listed in Chapter 35; or material treated in an approved manner to render the material flameresistant.

3104.6 Certification: An affidavit or affirmation shall be submitted to the code official and a copy retained on the premises on which the tent or air-supported structure is located. The affidavit shall attest to the following information relative to the flameresistance of the fabric:

- Names and addresses of the owners of the tent or air-supported structure.
- Date the fabric was last treated with flameresistant solution.
- 3. Trade name or kind of chemical used in treatment.
- 4. Name of person or firm treating the material.
- 5. Name of testing agency and test standard by which the fabric was tested.

3104.7 Inflation pressure: Operating pressure shall be maintained at the design pressure specified by the manufacturer to assure structural stability and to avoid excessive distortion during high wind or snow loads.

3104.8 Door operation: In high winds over 50 mph (80.45 km/h) or in snow conditions, the doors in air-supported structures shall be controlled to avoid excessive air loss. Doors shall not be left open under any conditions.

3104.9 Means of egress: All temporary structures including tents and *membrane* structures shall conform to the *means of egress* requirements of Chapter 10 and shall have a maximum exit access travel distance of 100 feet (30480 mm).

SECTION 3105.0 CANOPIES AND AWNINGS

3105.1 General: Rigid canopies or awnings supported in whole or in part by members resting on the ground and used for patio covers, car ports, summer houses or other similar uses shall comply with the requirements of Sections 3105.2 through 3105.5 for design and construction. Such structures shall be braced as required to provide rigidity.

3105.2 Definitions: The following words and terms shall, for the purposes of this section and as used elsewhere in this code, have the meanings shown herein.

Denise C. Albert, CPRP, Director Parks & Recreation



Joseph E. Gray, Jr. City Manager

CITY OF PORTLAND

Mr. Michael Mastronardi Old Port Tech Center 164 Middle Street Portland, Maine 04101 846-4800 fax: 846-3574

August 30, 2001

Dear Michael:

This will acknowledge receipt of your park use application requesting permission to close Market Street, between Middle and Milk St., on Tuesday, September 11, from 2pm - 8pm, in order to hold the 4th Anniversary Old Port Tech Center Celebration in the street (the party itself would run 4pm - 7pm). This year you have asked permission to place a free-standing tent over the street and to set up a stage for entertainment underneath. A volunteer will be posted at the Milk & Market Street barricaded intersection to assist with traffic flow. Approximately 600 people are expected. There is no rain date.

Please be advised that I have forwarded a street closure memo to the City Manager for his approval Liz Darling at Economic Development, has asked that city fees be waived for your event (I have also forwarded that information for City Manager review and approval). Once approved, you are authorized to hold the Anniversary Celebration on Market Street subject to the following conditions:

- 1. Please forward a certificate of insurance listing the city of Portland as additional insured (\$400,000 general liability coverage) to this office. Our fax number is 756-8390. If the City Manager does not approve the fee waiver, then you will be responsible for covering the \$35 permit fee.
- 2. Please call Sgt. Janine Roberts, 874-8554, for required police assistance. The Police Department is requiring that you hire at least one officer to cover the event and street closures. Again, if the City Manager does not approve the fee waiver, then you will be responsible for covering police costs.
- 3. Please call Tom Higgins, P&R Downtown Div., 232-1787, to reserve and arrange for barricades. You may need to pick these up and return them yourself. There will be a security deposit charged.

If you would like to reserve meters in the closed off section of the street, please call Carol Merritt at Public Works Administration, 874-8822, for "emergency no parking" signs. You will need to write the date and times for no parking on the signs. They should be attached to meters with masking tape. Remind Carol that no fees should be charged as you are anticipating City Manager approval.

- 4. For the playing of amplified music outdoors at the celebration, please speak to Jonathan Pratt at the City Clerk's Office, 874-8557, for a concert license. If you are serving refreshments at the event, please procure a temp. food service license from Jonathan. Remind Jonathan that no fees should be charged as you are anticipating City Manager approval.
- 5. Even though the tent is free-standing, it still requires a tent permit from the Inspections Division, 874-8703 or 8700. You'll need to show them a site plan and the certificate of flammability (your tent company could complete this application). Please remind Inspections Staff that no fees should be charged as you are anticipating City Manager approval. Installation of the tent in the street is planned to begin at 2pm.
- 6. Please call the Fire Dept. (874-8400) on the morning of the event to remind them that a tent is being located on Market Street itself (please give them the exact address location).
- 7. Please make sure that all residents affected by the street closure are notified well in advance and please ask the Portland Newspapers to run a PSA announcing the street closure.
- 8. You should plan on taking care of (and disposing of) any trash generated by your event. Please make sure the areas used are left as were found.

(continued)

Good luck with the anniversary celebration. If I may be of further assistance, please call me: 874-8793. (I will be on vacation August 27 - September 17. Please ask for Tandy Boynton, P&R Secretary, or Carol McClure, P&R Operations Manager, during my absence.) As I anticipate the City Manager approving the street closure and the certificate of insurance arriving shortly, this letter will act as your formal permit to close the street and to hold the anniversary party. Please bring a copy of it with you to the event.

If the City Manager does not approve the fee waiver and in-kind services, then you will be responsible for covering those costs; city departments will then send out invoices to your office.

cc: Carol McClure, P&R Operations Manager
Sgt. Janine Roberts / Lt. Ted Ross / Pam McNally, Police
Peter DeWitt / Steve Early, PW's
John Peverada, Parking Control Dir.
Tom Higgins / Mike Murray, P&R Downtown Div.
Jonathan Pratt, City Clerk's Office
Carol Merritt, PW's
Arthur Rowe / Mike Nugent, Inspection Services
Chief Martin Jordan / John Brady / Terry Walsh, Fire and EMS
Liz Darling, Econ. Dev.
Tandy Boynton, P&R Secretary

Barb Hager / Amy Krawczyk, PDD

Yours truly. 🔥 🗸

Ted Musgrave Special Activities 164 Realty, LLC 164 Middle Street Portland, ME 04101

September 6, 2001

Inspections Division City Hall 389 Congress Street Portland, ME 04101

Dear Mam or Sir,

Pursuant to the enclosed letter from Ted Musgrave, we are notifying you of our intention to locate a 70'x30' tent on Market Street between Middle and Milk on Tuesday, September 11th for the Old Port Technology Center's 4th Annual Celebration of Technology. Governor King will be in attendance.

I apologize for the lateness of this application. Plans have been made since January, but we didn't realize until Tuesday that we needed a separate permit for a tent.

We paid for the tent in advance, and have advertised the event heavily. The City of Portland's Economic Development Corporation is one of the sponsors, and we would appreciate a waiver of the traditional \$35 fee.

Maine Bay Canvas has been hired to install and remove the tent on the same day, and we have every reason to trust their word.

Sincerely yours,

Michael F. Mastronardi

Owner

164 Realty, LLC

Certificate of Flame Resistance



REGISTERED FABRIC NUMBER

140.01

ISSUED BY

TOPTEC, INC. 1905 N.E. MAIN ST. SIMPSONVILLE, S.C. 29681

Date manufactured 1/8/95

This is to certify that the materials described on the obverse side hereof have been flame-retardant treated for are inherently proflammeble)

•	•	name-retaruant treateu (or a	re innerent	iy nc	ontiammable).
FOR_	MAI	INE BAY CANVAS	ADDRESS	53	INDUSTRIAL WAY
CITY_	POR	RTLAND	_STATE		04103
	(Certification is hereby made that: (Ch	-	. "b'	
		The articles described on the obverse side of chemical approved and registered by the chemical was done in conformance with Regulations of the State Fire Marshal.	f this Certific	cate i	have been treated with a flame-retardant
		Name of chemical used			Chem. Rea. No
		Method of application		•	
\boxtimes	(b)	The articles described on the obverse side I registered and approved by the State Fire	nereof are m	nade	from a flame-resistant fabric as material
Th		Flame Retardant Process Used	WILL N	OT	Be Removed By Washing
	, :: 1	and Mhid.	MO	DEL	TEM3015M00 (30' x 70' viny1 Top)

Name of Production Superintendent

SERIAL# 950112

116 of com inch segual to 1ft. OPTC 164 Middle St. Parking Lutu STAIRS STAIRS BIRNEY building is 166' long -> sidewalk. 30' x 70' 14' high EXIT EXIT TENT 40 EXIT MARKETST 10 71 sidewalk