

City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:		Owner:		Phone:		Permit No: 980029	
Owner Address:		Lessee/Buyer's Name:		Phone:		Business Name:	
Contractor Name:		Address:		Phone:		<div style="border: 2px solid black; padding: 5px; text-align: center;"> PERMIT ISSUED Permit Issued: JAN 16 1998 CITY OF PORTLAND </div>	
Past Use:		Proposed Use:		COST OF WORK: \$ 1,500.00			
				FIRE DEPT. <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: Type:	
Proposed Project Description:		Signature:		Signature:		Zone: CBL: 003-P-001	
Create lunch room within Mail Room Space		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/>		Signature: Date:		Zoning Approval: Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
Permit Taken By:		Date Applied For:		07 January 1998		Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied	

- This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
- Building permits do not include plumbing, septic or electrical work.
- Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

**PERMIT ISSUED
WITH REQUIREMENTS**

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE	PHONE:		

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

CEO DISTRICT



COMMENTS

10/30/98 Completed - A.R.

Inspection Record

Type

Date

Foundation: _____

Framing: _____

Plumbing: _____

Final: _____

Other: _____

BUILDING PERMIT REPORT

DATE: 1/13/98 ADDRESS: 39 Commercial St
REASON FOR PERMIT: renovation
BUILDING OWNER: Auto Europe
CONTRACTOR: Connolly + Co.
PERMIT APPLICANT: Robert Connolly APPROVAL: *1748*19*20 **PERMITTED**
USE GROUP B BOCA 1996 CONSTRUCTION TYPE 3B

CONDITION(S) OF APPROVAL

- *1. This permit **does not** excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
3. Precaution must be taken to protect concrete from **freezing**.
4. **It is strongly recommended that** a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be **separated from** adjacent interior spaces by fire **partitions and floor/ceiling assembly** which are constructed with **not less than 1-hour fire resisting rating**. Private garages attached side-by-side to rooms in the above occupancies shall be completely **separated from** the interior spaces and the attic area by means of $\frac{1}{2}$ inch gypsum board or the equivalent applied to the garage means of $\frac{1}{2}$ inch gypsum **board** or the equivalent applied to the **garage side**. (Chapter 4 Section 407.0 of the BOCA/1996)
6. **All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code.** (The BOCA National Mechanical Code/1993).
7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 12 14.0 of the city's building code.
8. **Guardrails & Handrails:** A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental **fall** from the walking surface to the **lower level**. Minimum height **all Use Groups 42"** - except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, 1-2 M and R and public garages and open parking structures, open guards shall have balusters or be of **solid material** such that a sphere with a diameter of 4" cannot pass through **any** opening. Guards shall not have an ornamental pattern that **would provide a ladder effect.** (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".)
9. Headroom in habitable space is a minimum of 7'0".
10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum **Rise**. All other Use group minimum 11" tread, 7" maximum rise.
11. The minimum headroom in all parts of a **stairway** shall not be less than **X0 inches**. (6' 8")
12. Every sleeping room below the fourth story in buildings of use **Groups R and I-1** shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height **not more than 44 inches** (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable **when it exits directly from the apartment to the building exterior** with no communications to other apartment units.
14. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire **doors** with self-closers.
15. **The boiler shall be protected by enclosing with (1) hour fire-rated construction** including fire doors and ceiling, or by providing **automatic extinguishment**.
16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and **NPPA 101** Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms

Connolly & Company

Cabinetry • Passive Solar
Building • Remodeling

Robert J. Connolly

(207) 688-4223

Employee lunch RM @ Auto Europe #39 commercial ST.

22 linear ft of new 2x4 KD Spruce wall + or - 8' tall

5/8 Dry wall both sides

2x8 KD ceiling with 1/2" CDx deck

5/8 Dry wall ceiling

3-0 6-8 steel entry dr. with closure.