## City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner: Owner: LLC		775-2252	Permit No:
Owner Address:	Lessee/Buyer's Name:	Phone: Busin	essName:	
Contractor Name:	Address:	Phone:		Permit Issued:
Mounghan Woodworks		sid, ME DAID! *Mros	1 775-2683	DEC 6 1999
Past Use:	Proposed Use:	COST OF WORK:	PERMIT FEE:	0 1555
Office	Same	\$ 2,000	\$ 36.00	VOUNTALIAND
172 T T T T	Same	FIRE DEPT. ☐ Approve ☐ Denied	d INSPECTION: Use Group: B Type: 3 &	Y OF PURILAND
		□ Denied	Boc496 (100	Zone: CDL
		Signature:	Signature: Hollsee.	030-C-001
Proposed Project Description:		PEDESTRIAN ACTIVIT		Zoning Approval:
Office Fit Up		Action: Approve		Special Zone or Reviews:
			d with Conditions:	☐ Shoreland
		Denied	Colore Ba	☐ Wetland ☐ Flood Zone
		Signature:	Date:	☐ Subdivision
Permit Taken By:	Date Applied For:		1 11 11 11 11 11	☐ Site Plan maj ☐minor ☐mm ☐
UB		12-1-99	MA TING !	Zoning Appeal
2. Building permits do not include plum	ot started within six (6) months of the date of is and stop all work	suance. False informa-	5-2663	☐ Variance ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
				Historic Preservation  ☐ Not in District or Landmark  ☐ Does Not Require Review  ☐ Requires Review  Action:
				Addon
authorized by the owner to make this applif a permit for work described in the applie	CERTIFICATION ord of the named property, or that the proposed vication as his authorized agent and I agree to cation is issued, I certify that the code official's mable hour to enforce the provisions of the code	onform to all applicable laws of authorized representative shall	this jurisdiction. In addition,	☐ Denied
		12-1-99		
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	- INCLIED
				PERMIT ISSUED WITH REQUIREMENTS
RESPONSIBLE PERSON IN CHARGE O	F WORK, TITLE		PHONE:	
	/hite_Permit Desk Green_Assessor's Car	any_D DW   Dink Bublic Ella	V 3	CEO DISTRICT

COMMENTS

	8 (DC)				Date	
	Merzanine sobs			g S	Inspection Kecord	
	Var mez				Type	
	handwell by				Foundation:	Plumbing: Final: Other:
Plose-in Oh De	Leanbar					
	1-ina/-					
12/6/44	12/12/94					

# THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL 1. PERMIT IS ISSUED

#### **Building or Use Permit Pre-Application**

### Attached Single Family Dwellings/Two-Family Dwelling

#### Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Locati	on/Addressof Construction (include Portion of Building): 100 COMMERCIAL STREET (154 FLR)
Total	Square Footage of Proposed Structure 6610 Square Footage of Lot
Tax A	ssessor's Chart, Block & Lot Number Owner: Soley Wharf LLC Telephone#:
Chart	# 030 Block# C Lot#00   775-2252
11	Cost Of Work: Fee \$2000.00 \$36
	sed Project Description: (Please be as specific as possible) (OFFICE 10T), CONSTRUCT NEW PARTITION.  REMOVE EXISTING PARTITION (OFFICE 10T), CONSTRUCT NEW PARTITION.  REMOVE 3 STEPS AND COMSTRUCT NEW WRAP AROUND SEAT/STEPS  ADD DOWN (102) - OFFICE FIT UP
Contr	actor's Name, Address & Telephone MONAGHAN WOODWORKS  Rec'd By WB  OF 7752683 X 111 COMMERCIAL ST PORTLAND, ME (A10)
Curre	nt Use: OFFICE Proposed Use: SAME
You n	*All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.  HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.  nust Include the following with you application:  1) ACopy of Your Deed or Purchase and Sale Agreement  2) A Copy of your Construction Contract, if available  3) A Plot Plan/Site Plan  or Major site plan review will be required for the above proposed projects. The attached
check	list outlines the minimum standards for a site plan.
A con	4) Building Plans  Unless exempted by State Law, construction documents must be designed by a registered design professional ND, ME nplete set of construction drawings showing all of the following elements of construction:
	Cross Sections w/Framing details (including porches decks w/ railings and accessory structures)
	Floor Plans & Elevations
•	Window and door schedules
•	Foundation plans with required drainage and dampproofing  Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
•	equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.
	Certification
owner t	y certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the to make this application as his her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this tion is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to

Date:

enforce the provisions of the codes applicable to this permit.

Signature of applicant:

	BUILDING PERMIT REPORT
DA	ATE: 3/DEC/99 ADDRESS: 196 Commercia/ST- CBL: 939-C-00/
RE	CASON FOR PERMIT: OFFICE FITUP
BU	JILDING OWNER: Soley What ILC
PE	RMIT APPLICANT: 1000 Work
US	RMIT APPLICANT: /CONTRACTOR Mona cypan Wood work  E GROUP: B CONSTRUCTION TYPE: 3 B CONSTRUCTION COST \$\frac{A2,000,0}{2}\$ PERMIT FEES: 36.00
	e City's Adopted Building Code (The BOCA National Building code/1996 with City Amendments) e City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
	CONDITION(S) OF APPROVAL
Thi	is permit is being issued with the understanding that the following conditions are met: */, *11, *17 *29 *2 >
(1. 2.	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.  Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) *ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
3.	Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain

shall be covered with not less than 6" of the same material. Section 1813.5.2

4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17

tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and

- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing, Section 1908.0
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of 1.2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- Guardrails & Handrails: A guardrail system is a system of building components located near the oopen sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A,B.H-4, I-I, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38"). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
  - 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
  - 13. Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 %" maximum rise</u>. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
  - 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
  - 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
  - 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
  - 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
  - 18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

19.	. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's
	Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be
	installed and maintained at the following locations):
	In the immediate vicinity of bedrooms
	• In all bedrooms
	In each story within a dwelling unit, including basements
20	A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
Q1,	
	The Sprinkler System shall maintained to NFPA #13 Standard.
× 23.	All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
24.	Section 25 – 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25.	The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a
	design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26.	Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
<del>X</del> -27.	All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
28.	All requirements must be met before a final Certificate of Occupancy is issued.
	All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
30.	Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical
(31)	Please read and implement the attached Land Use Zoning report requirements. Sep. permit req. for New SugnA Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.7 of the City's Building Code.
32.	Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.7 of the City's Building Code.
	Bridging shall comply with Section 2305.16.
34. 35.	Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0)  All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1996).
$\overline{}$	

Columnia Lit. McDougall, PFD

Marge Schmuckal, Zoning Ad

Marge Schmuckal, Zoning Administrator

Building Inspector

PSH 11/25/99

\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

\*\*\*THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.