Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 12/04/13

SECOND FLOOR FRAMING PLAN

1/4"=1'-0"

TOP OF STEEL ELEV = 116'-4"

FLOOR SLAB IS GALVANIZED, 22 GAGE, 0.6C CSV CONFORM STEEL DECK BY VULCRAFT WITH 2" CONCRETE TOPPING (TOTAL THICKNESS = 2 1/2") WITH 6x6-W1.4xW1.4 WWF LOCATED 1" FROM THE TOP SURFACE.

● INDICATES MOMENT CONNECTION

Key Plan

PROJECT NORTH

STATE OF MAINE
DANIEL TERRALT
4840
PROFESSIONAL ENGINEER

Prepared For:
MAINE WHARF, LLC
P.O. Box 535
BUXTON, ME 04093

Consulting Engineer:
STRUCTURAL DESIGN CONSULTING
22 Quincy Drive
Old Orchard Beach ME
04064-4121
Tel 207.934.8038
Fax 207.934.8039

Architect:
ARCHETYPE architects
48 Union Wharf Portland, Maine 04101
(207) 772-6022 Fax (207) 772-4056

Project:
Maine Wharf
Building 1
Section A
68 Commercial Street
Portland, ME

Revisions:
Phase 1 Permit & Const. 11/22/13

Scale: As Noted

Date: 22 Nov 2013

SECOND FLOOR
FRAMING PLAN

S1.02