



FRAMING PLAN SYMBOLS KEY	
	WOOD POST
	NUMBER OF STUDS IN POST BELOW
	COLUMN ABOVE THIS LEVEL
	COLUMN CONTINUOUS THROUGH THIS LEVEL
	TRUSS OR JOIST BEARING
	FLUSH FRAMED JOIST BEARING WITH HANGER
	INDICATES OVER FRAMING, SEE PLAN
	STUD BEARING WALL BELOW
	SHEAR WALL
	NUMBER OF TRIM STUDS UNDER HEADER
	NUMBER OF KING STUDS ADJACENT TO HEADER

NEW HIGH ROOF FRAMING PLAN
 SCALE 1/4"=1'-0"

NOTES:
 1. SEE SHEET S1.0 FOR GENERAL STRUCTURAL NOTES
 2. ROOF SHEATHING SHALL BE 1/2" FIRE RATED PLYWOOD, SEE GENERAL NOTES FOR ADDITIONAL INFO.
 3. PROVIDE LIGHT GAUGE BLOCKING BETWEEN LIGHT GAUGE JOISTS WHERE BEARING ON STRUCTURAL STEEL -TYP.

Prepared For:

Structural Integrity
 Consulting Engineers
 77 Oak Street
 Portland, ME, 04101
 P. 207-774-4041
 F. 866-793-7435
 www.structuralintegrity.com
 BUILD WITH CONSCIENCE
 #2014enr.com, p. 24

Consultant:
 SI# 13-0052

Architect:
ARCHETYPE architects
 48 Union Wharf Portland, Maine 04101
 (207) 772-6022 Fax (207) 772-4056

Project:
 MAINE WHARF
 OFFICE RENOVATION
 BUILDING B
 68 COMMERCIAL ST.
 PORTLAND, MAINE

Revisions:

Date: 06-05-13
 Scale: 1/4" = 1'-0"

NEW HIGH ROOF FRAMING PLAN