



ROOF FRAMING PLAN
 1/4"=1'-0"

ROOF DECKING IS 1.5B20 PAINTED STEEL DECK.

ALL STEEL BEAMS PARALLEL TO LETTERED GRIDS SHALL MATCH THE SLOPE AND TOP ELEVATION OF ADJACENT JOISTS.

● INDICATES MOMENT CONNECTION.

LAYOUT OF ROOF FRAMING MUST BE VERIFIED BY STRUCTURAL ENGINEER AFTER FINAL SELECTION AND LOCATIONS OF MECHANICAL EQUIPMENT. CONTRACTOR SHALL NOT BEGIN ERECTION OF ROOF FRAMING UNTIL FRAMING VERIFICATION HAS BEEN COMPLETED.



Prepared For: **MAINE WHARF, LLC**
 P.O. Box 535
 BUXTON, ME 04093

Consulting Engineer:
STRUCTURAL DESIGN CONSULTING
 22 Ocement Drive
 Old Orchard Beach, ME
 04064-4121
 Tel: 207.934.8038
 Fax: 207.934.8039

Architect:
ARCHETYPE architects
 48 Union Wharf Portland, Maine 04101
 (207) 772-6022 Fax (207) 772-4056

Project: **Maine Wharf Building 1 Section B**
 68 Commercial Street
 Portland, ME

Revisions:	Phase 2 Permit & Const.	12/04/13

Date: 04 Dec 2013
 Scale: 1/4"=1'-0"
ROOF FRAMING PLAN

S2.04