

**SECOND FLOOR FRAMING PLAN**


1/4"=1'-0"

TOP OF STEEL ELEV = 20'-2 1/2"

FLOOR SLAB IS GALVANIZED, 10 @GAGE, 15 VLI STEEL DECK BY VULCRAFT WITH 2" CONCRETE TOPPING (TOTAL THICKNESS = 3 1/2") WITH 6x6-W1.4xW1.4 W/W LOCATED 1" FROM THE TOP SURFACE.

(X) INDICATES NUMBER OF EVENLY SPACED 3/4"φx3" HEADED STUDS.

SEE S0.01 FOR COLUMN SCHEDULE.



	<p>Prepared For: <b>PROPRIETORS OF UNION WHARF</b> 36 Union Wharf Portland, Maine 04101</p>		
<p>Consulting Engineer:</p>	<p>2696 Lake Shore Road Unit 130 Glenis, ME 04249 Tel 603.293.8038</p>		
<p>Architect:</p>	<p><b>ARCHETYPE</b> architects 48 Union Wharf Portland, Maine 04101 (207) 772-6022 Fax (207) 772-4056</p>		
<p>Project:</p>	<p><b>WIDGERY WHARF BUILDING 1</b> 19 Union Wharf Portland, Maine</p>		
<p>Revisions:</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">Issued for Construction</td> <td style="width: 20%;">02/13/17</td> </tr> </table>	Issued for Construction	02/13/17
Issued for Construction	02/13/17		
<p>Date:</p>	<p>13 FEB 2017</p>		
<p>Scale:</p>	<p>1/4"=1'-0"</p>		
<p><b>SECOND FLOOR FRAMING PLAN</b></p>			
<p><b>S1.03</b></p>			