# City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner: Proprietors Of Uni	Phone:	07) 772-8160	Permit No: 90446
Owner Address: 36 Union Wharf / P.O. Box 7476 04	Lessee/Buyer's Name:		ssName:	PERMIT ISSUED
Contractor Name: *Youhi Bayashi *	Address:	04112 * Phone: (207) 780	-1234	Perhat Issued:
Past Use:	Proposed Use:	COST OF WORK:	PERMIT FEE: \$ 25.00	MAY 6 1999
Restouranty	Same	FIRE DEPT. □ Approved □ Denied	INSPECTION: Use Group: Type:	CITY OF PORTLAND Zone: CBL: 31-L-135
Proposed Project Description:		Signature: PEDESTRIAN ACTIVITIE	Signature:	Zoning Approval:
Outside D	Ining	Action: Approved	with Conditions:	☐ Shoreland
		Signature:	Date:	☐ Subdivision
Permit Taken By: U.B.	Date Applied For:	5th, 1999		☐ Site Plan maj ☐minor ☐mm ☐  Zoning Appeal
<ol> <li>This permit application does not preclude the</li> <li>Building permits do not include plumbing.</li> <li>Building permits are void if work is not start tion may invalidate a building permit and start</li> </ol>	septic or electrical work.  ed within six (6) months of the date of iss			☐ Variance ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
		WITH A	RMIT ISSUED REQUIREMENTS	Historic Preservation  Not in District or Landmark  Does Not Require Review Requires Review  Action:
I hereby certify that I am the owner of record of the authorized by the owner to make this application if a permit for work described in the application areas covered by such permit at any reasonable I	as his authorized agent and I agree to co is issued, I certify that the code official's	onform to all applicable laws of the authorized representative shall ha	is jurisdiction. In addition,	□ Denied
		liny 5th, 1999		
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	
RESPONSIBLE PERSON IN CHARGE OF WOL	RK, TITLE		PHONE:	CEO DISTRICT
White-F	ermit Desk Green-Assessor's Can	ary-D.P.W. Pink-Public File	Ivory Card-Inspector	

# THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

### **Building or Use Permit Pre-Application**

### Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building) .	230 CDI	MMERGAL ST. PORTO	AN	VD, ME	04-101			
Total Square Footage of Proposed Structure DAPKING	AREA	Square Footage of Lot						
Tax Assessor's Chart, Block & Lot Number  Chart# 3 1 - L Block# Lot#		OPPLETORS OF UNION	Telephone#: 7/12-8/160					
Owner's Address: 36 UNION WHARF POBOX 7476 PORTLAND M= 04112		Name (If Applicable) TEL 772-1233	Cost	t Of Work:	\$25-			
Proposed Project Description:(Please be as specific as possible)	DUT	SIDE DINNING			ив			
Contractor's Name, Address & Telephone	HAYAS	SHI P.O.BOX 4847	P	DRTLAND ME 04	Rec'd By TEL			
Current Use: DESTAURANT		Proposed Use: DINNING/						
		sternal Plumbing, HVAC and Electrical inst	tallatio	on.	780			

All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II
 All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

\*All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.

•HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1990 BOSA Mechanical Code

You must Include the following with you application:

A Copy of Your Deed or Purchase and Sale Agreement
 A Copy of your Construction Contract, if available

3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

#### 4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
  equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

#### Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Building Perm Fee: \$25.00 for the st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum

9

5 1999

## ACORD CERTIFICATE OF LIABILITY INSURANCE

HE NOT THE

24

PRODUCES

Art

CERT

ACORD 25-5 (1/05)

- T

West relief

AMOURD CORPORATION 1986

drift Salt-bi-190

RESTAURANT



230 COMMERCIAL ST.


P.O.BOX 4847

(207)772-1233 FAX(207)871-9275

JAPANESE CUISINE

COMMERCIAL ST 14 ft Side Walk 10f+ 28 F 20ft RESTAURANT SAPPORO IIFT PARKING

SAME AS LAST YEAR.



#### CONDITIONS FOR SIDEWALK OCCUPANCY PERMIT

Written	cons	sent	and	agr	eement	relat	ing	to	00	cupa	incy	of	the	City	of	Portland
sidewalk	c in	the	fron	it,	side,	and/or	rea	ır	of	the	bui	ldin	ig a	:		

2-30 COMMERCIAL STREET UNION WHARF
in Portland, Maine, by the owner of the establishment being:
YOSHI HAYASHI
doing business as: RESTAURANT SAPPORO

hereby, to the fullest extent permitted by law, shall defend, indemnify and hold harmless the City, its officers and employees, from and against all claims, damages, losses and expenses, just or unjust, including, but not limited to costs of defense and attorney's fees, arising out of the establishment's occupancy of the sidewalk, provided that any such claims, damage, loss or expense (1) is attributable to bodily injury, sickness, disease, or death, or to injury to or destruction of tangible property including the loss of use therefrom, and (2) is caused in whole or in part by any negligent act or omission of the estblishment, anyone directly or indirectly employed by it, or anyone for whose act it may be liable.

Signed and Acknowledged:

Establishment Owner

Dated:

5-5.99

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met:

Approved with the following conditions: 434

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained.

(A 24 hour notice is required prior to inspection)

- Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
- 5. Waterproofing and damp proofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing. Section 1908.0
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0) Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in <u>Use Group R-3 & R-4is a minimum of 10" tread and 7 %" maximum rise</u>. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)

- 18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.

- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements.
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.

33.	Glass and glazing shall meet the requirements of Chapter 24 of the building code.
/ 34.	This permit is being issued with The understanding
_	That You shall meet the conditions of The Sidewalk Occupancy exemple
35.	

P. Samuel Hoffises, Building Inspector

Marge Schmuckal, Zoning Administrator

PSH 12-14-98

36.

<sup>\*\*</sup>On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.