SEE 1/4" SCALE PLANS FOR TYPICAL UNIT PIPING.

1 FIFTH FLOOR PLAN - WATER

SCALE: 1/8"=1'-0"

ALL VENT STACK SHALL BE EXTENDED FULL SIZE TO 2'-0" BELOW ROOF AND INCREASED TO 3". ALL VTR SHALL BE 3" MIN.

SEE 1/4" SCALE PLANS FOR CONDENSATE DRAIN PIPING. COORDINATE WITH HVAC DRAWINGS FOR EXACT QUANTITY AND LOCATIONS.

SEE 1/4" SCALE PLANS FOR TYPICAL UNIT PIPING.

2 FIFTH FLOOR PLAN - WASTE, VENT AND RAIN LEADER

SCALE: 1/8"=1'-0"

Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 01/22/14

Prepared For:
119 Development, LLC
P.O. Box 7468
Portland, ME 04112

Consultant:
CRABTREE ENGINEERING
278 AMELIA COVE
COLLIERVILLE, TN. 38017
PLUMBING: bobbygookin@gmail.com

Architect:
ARCHETYPE Architects
48 Union Wharf Portland, Maine 04101
(207) 772-6022 Fax (207) 772-4056

Project:
PRESS HOTEL
390 CONGRESS STREET
PORTLAND, ME 04101

Revisions:

1	13_10-14	Issue for Bid & Marriott Revw
2	13_10-21	Addendum #2
3	13_10-31	Addendum #3

Date: 13 October 2013

Scale: 1/8" = 1'-0"

FIFTH FLOOR PLANS - PLUMBING

P5.00