Date: 01/22/14
Approved with Conditions

PLAN VIEW (A)

ELEVATION (C)

EQUIPMENT SCHEDULE

ITEM	QTY.	MODEL	DESCRIPTION	GAS	ELEC.
1	1	C836-36-0	S/S WORKTOP W/ OPEN CABINET BASE		
2	1	C0836-1-1	VALVE CONTROLED GRIDDLE W/ CABINET BASE	90,000	
3	1	C836-1-35F	SINGLE RANGE MATCH FRYER	110,000	
4	1	C836-FMD	RANGE MATCH DUMP STATION W/ CABINET BASE		
5	1 2 2	CUSTOM 4522421 2670000	S/S END WORKTOP W/ OPEN & SERVICES CABINET BASE 1" N.P.T. GAS PRESSURE REGULATOR 1" N.P.T. GAS SHUT-OFF VALVES		
6	1	C0836-36A	CHARBROILER W/ CABINET BASE	108,000	
7	1	C836-6	(6) OPEN BURNERS W/ STANDARD OVEN BASE	220,000	
8	1	C836-6	(6) OPEN BURNERS W/ STANDARD OVEN BASE	220,000	
9	1	MIR-34C	SALAMANDER BROILER	40,000	
	1	CUSTOM	S/S TUBULAR OVERSHELF		
	2	CUSTOM	S/S FLUE RISERS		
	2	CUSTOM	S/S BACKRISER AND FLUECOVER		
	2	CUSTOM	S/S COMMON FRONT RAIL		

TOTAL GAS CONSUMPTION : 788,000 BTU / HOUR
SUGGESTED GAS SUPPLY LINE : 1 1/2" N.P.T. FOR NATURAL GAS
ELECTRICAL LOADING : NONE

SYMBOL	DESCRIPTION
(R)	PRESSURE REGULATOR
	GAS SHUT-OFF VALVE

NOTES:
- SPECIFY GAS SUPPLY TYPE: NATURAL OR L.P. GAS
- SUGGESTED GAS SUPPLY LINE: 1 1/2" N.P.T. FOR NATURAL GAS

ELEVATION (A)

ELEVATION (B)

U.S. RANGE CUISINE SERIES

REV.	DESCRIPTION	DATE	BY
	REVISIONS		

TOLERANCE ±0.015" UNLESS OTHERWISE SPECIFIED
ALL DIMENSIONS ARE IN INCHES

DR:	CHCK BY:	SCALE:	DATE:
INT.	D.C.	3/4"=1'-0"	10/11/13

TITLE: PRESS HOTEL
PORTLAND, MAINE

GARLAND U.S. Range
COMMERCIAL RANGES LIMITED FREELAND, PENNSYLVANIA, USA
COMMERCIAL RANGES LIMITED MISSISSAUGA, ONT. CANADA

SHT 1 OF 1

Prepared For: 119 Development, LLC

Consultant:

Architect: ARCHETYPE architects
48 Union Wharf Portland, Maine 04101
(207) 772-6022 Fax (207) 772-4056

Project: PRESS HOTEL
390 CONGRESS STREET
PORTLAND, ME 04101

Revisions:

1	13_07-01	30% Marriott Submission
2	13_09-09	60% Marriott Sub. & Pric.
3	13_10-14	Issue for Bid & Marriott Revw

Scale: 3/4" = 1'-0"

Date: 10 OCT 13

Foodservice Equipment
Range, Island Suite Detail

FS-9