

DOOR SCHEDULE - SUB-BASEMENT THRU FIRST FLOOR

DOOR No.	LOCATION	DOOR				FRAME		LABEL	OPER.	HW SET	CL.	REMARKS
		W	H	THCK	MATL	MATL						
SUB-BASEMENT												
B0A	STAIR A	3'-0"	7'-0"	1 3/4"	HM	HM	90 MINS	PASSAGE	-	Yes		GALV. FRAME & DOOR
B0B	STAIR B	3'-0"	7'-0"	1 3/4"	HM	HM	90 MINS	PASSAGE	-	Yes		GALV. FRAME & DOOR
B0C	ELEV. 1 PIT	3'-0"	6'-4"	1 3/4"	HM	HM	90 MINS	STORAGE	-	Yes		GALV. FRAME & DOOR
B01	ELEV. MACH. RM	3'-0"	7'-0"	1 3/4"	HM	HM	90 MINS	STORAGE	-	Yes		GALV. FRAME & DOOR
B02	ELEV. MACH. RM	3'-0"	7'-0"	1 3/4"	HM	HM	90 MINS	STORAGE	-	Yes		GALV. FRAME & DOOR
B10	DRY STORAGE	6'-0"	7'-0"	1 3/4"	HM	HM	-	DUMMY/ELEC STRIKE	-	Yes		GALV. FRAME & DOOR
B10B	ELEV. VEST.	3'-0"	7'-0"	1 3/4"	HM	HM	45 MINS	PASSAGE	-	Yes		INSULATED DOOR & FRAME
B10C	ELEV. VEST.	3'-0"	7'-0"	1 3/4"	HM	HM	45 MINS	PASSAGE	-	Yes		INSULATED DOOR & FRAME
B11	ELEV. VEST.	3'-0"	7'-0"	1 3/4"	HM	HM	-	PASSAGE	-	Yes		GALV. FRAME & DOOR
B12	SUMP ROOM	3'-0"	7'-0"	1 3/4"	HM	HM	-	STORAGE	-	Yes		GALV. FRAME & DOOR
B21	MECHANICAL	3'-0"	7'-0"	1 3/4"	HM	HM	45 MINS	STORAGE	-	Yes		GALV. FRAME & DOOR
B24	LAUNDRY CHUTE TERM.	3'-6"	7'-0"	1 3/4"	HM	HM	45 MINS	STORAGE	-	Yes		GALV. FRAME & DOOR
LOWER LEVEL												
00A	ADMIN	3'-0"	7'-0"	1 3/4"	HM	HM	90 MINS	PANIC-PASS	-	Yes		
00AB	STAIR A	3'-0"	7'-0"	1 3/4"	HM	HM	90 MINS	PANIC-PASS	-	Yes		
00B	STAIR B	3'-0"	8'-0"	1 3/4"	HM	HM - FL	90 MINS	PANIC-PASS	-	Yes		
00BA	STAIR B	3'-0"	7'-0"	1 3/4"	HM	HM	90 MINS	PANIC	-	Yes		
00E	ELEV. 3 - PIT	3'-0"	7'-0"	1 3/4"	HM	HM	90 MINS	STORAGE	-	Yes		
001	PREFUNCTION /GALLERY	6'-0"	8'-0"	1 3/4"	STL-GLS	STL	-	PANIC	-	Yes		STL & GL DOOR SYSTEM, PROVIDE HOLD OPEN. COORD. w/ FA/SMOKE DETECTORS
001A	PREFUNCTION /GALLERY	6'-0"	8'-0"	1 3/4"	STL-GLS	STL	-	PANIC	-	Yes		STL & GL DOOR SYSTEM, PROVIDE HOLD OPEN. COORD. w/ FA/SMOKE DETECTORS
003	MEN	3'-0"	8'-0"	1 3/4"	STL-GLS	STL	-	PUSH/PULL	-	Yes		STL & GL DOOR SYSTEM
004	WOMEN	3'-0"	8'-0"	1 3/4"	STL-GLS	STL	-	PUSH/PULL	-	Yes		STL & GL DOOR SYSTEM
005	MEETING ROOM #2	6'-0"	8'-0"	1 3/4"	STL-GLS	STL	-	PANIC	-	Yes		STL & GL DOOR SYSTEM, PROVIDE HOLD OPEN. COORD. w/ FA/SMOKE DETECTORS
005A	MEETING ROOM #2	3'-0"	8'-0"	1 3/4"	SCWD	HM - FL	-	PANIC	-	Yes		FLUSH PANEL TO MATCH WAINSCOTTING, SEE INTERIORS
005B	MROOM #2 AV	3'-0"	7'-0"	1 3/4"	HM	HM	-	STORAGE	-	Yes		
006	ELEC.	3'-0"	8'-0"	1 3/4"	SCWD	HM - FL	-	STORAGE	-	Yes		FLUSH PANEL TO MATCH WAINSCOTTING, SEE INTERIORS
007	HALL	3'-0"	7'-0"	1 3/4"	HM	HM	45 MINS	STORAGE	-	Yes		
007A	ELEC. SERVICE ENTRANCE	6'-0"	7'-0"	1 3/4"	HM	HM	-	STORAGE	-	No		
008	HALL	3'-0"	8'-0"	1 3/4"	SCWD	HM - FL	-	STORAGE	-	Yes		
008A	HALL	3'-0"	7'-0"	1 3/4"	HM	HM	-	PASSAGE	-	Yes		
008D	EMERG. TRANS. SWITCH CL.	6'-0"	7'-0"	1 3/4"	HM	HM	90 MINS	STORAGE	-	No		
009	COATS	3'-0"	8'-0"	1 3/4"	SCWD	HM - FL	-	OFFICE	-	Yes		
010	BOARD ROOM	3'-0"	8'-0"	1 3/4"	STL-GLS	STL	-	PANIC	-	Yes		STL & GL DOOR SYSTEM, PROVIDE HOLD OPEN. COORD. w/ FA/SMOKE DETECTORS
010A	BOARD ROOM	3'-0"	8'-0"	1 3/4"	SCWD	HM - FL	45 MINS	PANIC-PASS	-	Yes		FLUSH PANEL TO MATCH WAINSCOTTING
011	CORRIDOR	3'-0"	7'-0"	1 3/4"	SCWD	HM	45 MINS	PASSAGE	-	Yes		
011A	MEETING ROOM #1A	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	45 MINS	PANIC-PASS	-	Yes		FLUSH PANEL TO MATCH WAINSCOTTING
012	STORAGE VESTIBULE	3'-0"	8'-0"	1 3/4"	SCWD	HM - FL	45 MINS	PANIC-PASS	-	Yes		FLUSH PANEL TO MATCH WAINSCOTTING
013	STORAGE VESTIBULE	6'-0"	7'-0"	1 3/4"	HM	HM	-	PASSAGE	-	No		
014	PREFUNCTION /GALLERY	3'-0"	8'-0"	1 3/4"	SCWD	HM - FL	45 MINS	STORAGE	-	Yes		
020A	CORRIDOR	3'-0"	8'-0"	1 3/4"	SCWD	HM - FL	20 MINS	PASSAGE	-	Yes		
021	LAUNDRY	3'-0"	7'-0"	1 3/4"	SCWD	HM	45 MINS	PASSAGE	-	Yes		
021A	ELEV. VEST.	3'-0"	7'-0"	1 3/4"	HM	HM	-	PASSAGE	-	Yes		
021B	PANTRY	3'-0"	7'-0"	1 3/4"	HM	HM	-	PASSAGE	-	Yes		
021C	PANTRY	3'-0"	7'-0"	1 3/4"	HM	HM	-	PASSAGE	-	Yes		
022	ADMIN	3'-0"	7'-0"	1 3/4"	HM	HM	-	DUMMY/ELEC STRIKE	-	Yes		
022A	ADMIN	3'-0"	7'-0"	1 3/4"	SCWD	HM	-	OFFICE	-	No		
022B	ADMIN	3'-0"	7'-0"	1 3/4"	SCWD	HM	-	OFFICE	-	No		
022C	ADMIN	3'-0"	7'-0"	1 3/4"	SCWD	HM	-	OFFICE	-	No		
022D	ADMIN	3'-0"	7'-0"	1 3/4"	SCWD	HM	-	OFFICE	-	No		
023	EMPLOYEE BREAK ROOM	3'-0"	7'-0"	1 3/4"	HM	HM	20 MINS	DUMMY/ELEC STRIKE	-	Yes		
024	MENS	3'-0"	7'-0"	1 3/4"	HM	HM	45 MINS	DUMMY/ELEC STRIKE	-	Yes		
024A	MENS	2'-6"	7'-0"	1 3/4"	SCWD	HM	-	PRIVACY SET	-	No		
025	WOMENS	3'-0"	7'-0"	1 3/4"	HM	HM	45 MINS	DUMMY/ELEC STRIKE	-	Yes		
025B	WOMENS	2'-6"	7'-0"	1 3/4"	SCWD	HM	-	PRIVACY SET	-	No		
026	FITNESS	3'-0"	8'-0"	1 3/4"	STL-GLS	STL	20 MINS	DUMMY/ELEC STRIKE	-	Yes		STL & GL DOOR SYSTEM
027	CORRIDOR	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	-	PRIVACY SET	-	No		
028	JAN.	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	20 MINS	STORAGE	-	Yes		
120C	BOH	6'-0"	7'-0"	1 3/4"	HM	HM - FL	-	STORAGE	-	No		
F001	MEETING ROOM #1B	15'-0"	10'-2 1/2"	1 1/2"	-	-	-	-	-	No		OPERABLE PARTITION BY MODERNFOLD, SEE FINISH SCHED. FULLY CONCEALED HEADER AND JAMB
1ST FLOOR												
10A	STAIR A	2'-6"	7'-0"	1 3/4"	HM	HM	-	PANIC-PASS	-	Yes		MODIFIED EXISTING
10B	FEDERAL ENTRY	3'-0"	8'-0"	1 3/4"	HM	HM - FL	-	PANIC-PASS	-	Yes		STYLE AND RAIL DOOR w/ VISION PANEL
101	WOMENS	3'-0"	8'-0"	1 3/4"	STL-GLS	STL	20 MINS	PUSH/PULL	-	Yes		STL & GL DOOR SYSTEM
102	WOMENS	3'-0"	8'-0"	1 3/4"	STL-GLS	STL	20 MINS	PUSH/PULL	-	Yes		STL & GL DOOR SYSTEM
103	FLEX SPACE	6'-0"	8'-0"	1 3/4"	STL-GLS	STL	-	CLASSROOM	-	No		STL & GL DOOR SYSTEM, PROVIDE HOLD OPEN. COORD. w/ FA/SMOKE DETECTORS
104	CL.	3'-0"	8'-0"	1 3/4"	SCWD	HM - FL	-	STORAGE	-	No		
111	LUGGAGE	3'-0"	8'-0"	1 3/4"	SCWD	HM - FL	-	DUMMY/ELEC STRIKE	-	Yes		
112	OFFICE	3'-0"	8'-0"	1 3/4"	SCWD	HM - FL	-	DUMMY/ELEC STRIKE	-	Yes		
113	SAFE	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	-	STORAGE	-	No		
114	GM OFFICE	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	-	OFFICE	-	No		
115	BAR STORAGE	2'-6"	8'-0"	1 3/4"	WD	HM - FL	-	STORAGE	-	Yes		FLUSH PANEL TO MATCH WAINSCOTTING, PNT GRADE
120	CONGRESS ENTRY	6'-0"	7-10 3/4"	1 3/4"	WD	WD	-	ENTRY - PANIC	-	Yes		NEW DOOR TO MATCH HISTORIC SEE A8.03 & A8.04
120A	CONGRESS ENTRY	6'-1"	8'-0"	1 3/4"	STL-GLS	STL	1HR	PANIC - ENTRY	-	Yes		STL & GL DOOR SYSTEM
121	MARKET ENTRY	5'-0 1/16"	7-10 3/4"	1 3/4"	WD	WD	-	ENTRY - PANIC	-	Yes		NEW DOOR TO MATCH HISTORIC SEE A8.03 & A8.04
121A	MARKET ENTRY	6'-0"	8'-0"	1 3/4"	STL-GLS	STL	-	PANIC - ENTRY	-	No		STL & GL DOOR SYSTEM
122	FEDERAL ENTRY	5'-7"	11'-9 1/2"	1 3/4"	WD	WD	-	ENTRY - PANIC	-	Yes		NEW DOOR TO MATCH HISTORIC SEE A8.03 & A8.04
122A	ENTRY VESTIBULE	3'-0"	8'-0"	1 3/4"	SCWD	HM - FL	90 MINS	PANIC	-	Yes		
123	EXCHANGE ENTRY	3'-0"	9'-0"	1 3/4"	GLASS	GLASS	-	ENTRY - PANIC	-	Yes		
123A	EXCHANGE ENTRY	6'-0"	8'-0"	1 3/4"	STL-GLS	STL	-	PANIC - ENTRY	-	No		STL & GL DOOR SYSTEM, AUTOMATIC DOOR OPENER
131	LOBBY	3'-0"	8'-0"	1 3/4"	STL-GLS	STL	-	ENTRY	-	Yes		STL & GL DOOR SYSTEM

DOOR SCHEDULE - 2ND FL THRU ROOF

DOOR No.	LOCATION	DOOR				FRAME		LABEL	OPER.	HW SET	CL.	REMARKS
		W	H	THICK.	MATL	MATL						
2ND FLOOR												
20A	STAIR A	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	90 MINS	PASSAGE	-	Yes		
20B	STAIR B	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	90 MINS	PASSAGE	-	Yes		
200-C	HOUSE KEEPING	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	20 MINS	DUMMY/ELEC. STRIKE	-	Yes		
200-G	IT CL	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	-	STORAGE	-	Yes		
3RD FLOOR												
30A	STAIR A	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	90 MINS	PASSAGE	-	Yes		
30B	STAIR B	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	90 MINS	PASSAGE	-	Yes		
300-C	HOUSE KEEPING	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	20 MINS	DUMMY/ELEC. STRIKE	-	Yes		
300-D	HALL	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	-	PASSAGE	-	Yes		
300-E	ICE	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	-	STORAGE	-	Yes		
300-G	IT CL	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	-	STORAGE	-	Yes		
4TH FLOOR												
40A	STAIR A	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	90 MINS	PASSAGE	-	Yes		
40B	STAIR B	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	90 MINS	PASSAGE	-	Yes		
400-C	HOUSE KEEPING	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	20 MINS	DUMMY/ELEC. STRIKE	-	Yes		
400-D	HALL	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	-	PASSAGE	-	Yes		
400-E	CL	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	-	STORAGE	-	Yes		
400-F	HALL	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	-	STORAGE	-	Yes		
400-G	IT CL	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	-	STORAGE	-	Yes		
5TH FLOOR												
50A	STAIR A	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	90 MINS	PASSAGE	-	Yes		
50B	STAIR B	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	90 MINS	PASSAGE	-	Yes		
500-C	HOUSE KEEPING	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	20 MINS	DUMMY/ELEC. STRIKE	-	Yes		
500-D	HALL	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	-	PASSAGE	-	Yes		
500-E	CL	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	-	STORAGE	-	Yes		
500-F	HALL	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	-	PASSAGE	-	Yes		
500-G	IT CL	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	-	STORAGE	-	Yes		
6TH FLOOR												
60B	STAIR B	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	90 MINS	PANIC - PASS	-	Yes		
600-B	EXIT ACC. CORR.	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	90 MINS	PASSAGE	-	Yes		
600-C	HOUSE KEEPING	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	45 MINS	DUMMY/ELEC. STRIKE	-	Yes		
R601	JUNIOR SUITE	2'-11 1/2"	6'-3"	1 3/4"	WD	WD	-	STORAGE	-	Yes		PNT GRADE
R602	JUNIOR SUITE	3'-0"	6'-3"	1 3/4"	WD	WD	-	STORAGE	-	Yes		PNT GRADE
LANDING - ROOFTOP EXIT ACCESS												
R703	EXIT ACC. CORR.	3'-0"	7'-0"	1 3/4"	HM	HM	-	STORAGE	-	Yes		
7TH FLOOR												
70A	STAIR C	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	90 MINS	PASSAGE	-	Yes		
70B	STAIR B	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	90 MINS	PASSAGE	-	Yes		
700-B	HOUSE KEEPING	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	20 MINS	DUMMY/ELEC. STRIKE	-	Yes		
700-C	HOUSE KEEPING	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	45 MINS	STORAGE	-	Yes		
709-A	STAIR B	3'-0"	7'-0"	1 3/4"	SCWD	HM - FL	90 MINS	PRIVACY	-	Yes		
ROOF												
016	STAIR B	3'-0"	7'-0"	1 3/4"								
R802		3'-0"	7'-0"	1 3/4"								

DOOR SCHEDULE - UNITS

DOOR No.	DOOR				FRAME		LABEL	OPER.	HW SET	CL.	REMARKS
	W	H	THICK.	MATL	MATL						