Location of Construction:	Owner:	al vela to a	Phone:	Permit No:
380 38 Congrees St. 2nd & St. Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessName:	991371
Kap Wallingford, P.O. Box 1460	ortland, ME 04104 N		N/A	DEDIMIT ICCLIED
Contractor Name: Genter Line Coost, Lic.	Address: P.O. box 1264 Portland	Phone:	53303	Permit Issued:
Past Use:	Proposed Use:	COST OF WORK		DEC   3 1999
Nawspaper	Same	FIRE DEPT. A	pproved INSPECTION:	Zone: CBL:
Proposed Project Description:			Signature: TIVITIES DISTRICT (P.A.D.)	Zoning Approval:
Bathroom rehab on 2nd and 5th floors.		A	pproved with Conditions:	□       Special Zone or Reviews:         □       □ </td
		Signature:	Date:	□ Subdivision
Permit Taken By:	Date Applied For:	12-8-99		□ Site Plan maj □minor □mm □
<ol> <li>Building permits do not include plumbing, se</li> <li>Building permits are void if work is not started tion may invalidate a building permit and stop</li> </ol>	within six (6) months of the date of i			☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied Historic Preservation ☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review Action:
I hereby certify that I am the owner of record of the authorized by the owner to make this application a if a permit for work described in the application is areas covered by such permit at any reasonable ho	s his authorized agent and I agree to issued, I certify that the code official	conform to all applicable s authorized representative	aws of this jurisdiction. In addition e shall have the authority to enter a	n, Denied
		12-8-99		
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	PERMIT ISSUED WITH REQUIREMENTS
<b>RESPONSIBLE PERSON IN CHARGE OF WORK</b>	K, TITLE	and the second	PHONE:	CEO DISTRICT
	K, TITLE rmit Desk Green–Assessor's Ca	nary–D.P.W. Pink–Publ		

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

PLUI		PPLICATIO	ON É	032-C-4		Department of Human Services Division of Health Engineering		
Town Or Plantation	1	ADDRESS						
Street								
Subdivision Lot # 390 Congress Street PROPERTY OWNERS NAME		PORTLAND PERMIT # 7110 STATE COPY Permit 1 2 2 991 11(2 10 1 = "						
	land New			Issued:		\$ 40 FEE Charged		
Last: Applicant	1	First:		Local Plumbing Insecto	r Signature	L.P.I. # UIII IIII		
Name:	Thomas	R. Kelle	У			-		
Mailing Address of Owner/Applicant (If Different)		Box 1272	0407					
C		ant Statement	0407(		on: Inspec	tion Required		
l certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspector to deny a Permit.		f have inspected the installation authorized above and found it to be in compliance with the Maine Plumbing Rules.						
	Signature of Owner/A	pplicant	Date	Local Plumbing Ins	Local Plumbing Inspector Signature Date Approved			
			PER	MIT INFORMATION				
This Applic	ation is for	Тур		ture To Be Served:				
						STER PLUMBER		
1 IX NEW PI				DWELLING R OR MOBILE HOME		BURNERMAN		
2. C RELOC				Y DWELLING		G'D. HOUSING DEALER / MECHAN		
				FY <u>Office Bldg</u>		<ol> <li>4. □ PUBLIC UTILITY EMPLOYEE</li> <li>5. □ PROPERTY OWNER</li> </ol>		
					LICENSE # 0 1 6 8 7			
			1	0.1				
	k-Up & Piping Relo laximum of 1 Hook		Number	Column 2 Type of Fixture	Numbe	Column 1 r Type of Fixture		
	OK-UP: to public		Ţ	Hosebibb / Sillcock		Bathtub (and Shower)		
those cases where the connection is not regulated and inspected by the local Sanitary District. OR HOOK-UP: to an existing subsurface wastewater disposal system.			Floor Drain		Shower (Separate)			
		1	Urinal		Sink			
		Drinking Fountain		4	4 Wash Basin			
				Indirect Waste	3	3 Water Closet (Toilet)		
PIPING RELOCATION: of sanitary lines, drains, and piping without new fixtures.			Water Treatment Softener, Filter, etc.		Clothes Washer			
				Grease / Oil Separator		Dish Washer		
				Dental Cuspidor		Garbage Disposal		
OR TRANSFER FEE [\$6.00]			Bidet		Laundry Tub			
			Other:		Water Heater			
			Fixtures (Subtotal) Column 2	7	Fixtures (Subtotal) Column 1			
			<b></b>	*	▶ 1	Fixtures (Subtotal) Column 2		
	SEE PERMIT FEE SCHEDULE			8	Total Fixtures			
FOR CALCULATING FEE			\$	Fixture Fee				
					➡ s	Transfer Fee		
					→ s	Hook-Up & Relocation Fee		

## THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

**Building or Use Permit Pre-Application** 

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building): $\Im \Im \Diamond$	COAGREST 07
Total Square Footage of Proposed Structure Ex. 57.44	Square Footage of Lot 10033
	. Sunday TELECROL Telephone#: Sunday TELECROL 791-6580
Owner's Address: KAP WALLICE FOIL), FOR Lesse Buyer's N PO. BOX 1460 PORTLON, ME OAK	ame (If Applicable) \$ 16,575. \$ 124.90
Proposed Project Description: (Please be as specific as possible) R = HAB B n7H Results (From 1)	STING) ON BRIDE 57H FLOOR.
Contractor's Name, Address & Telephone C EATER LINE PO, BOX 1265	CONST. I 065-300 F. TOUTLAND, M.F. 0 4 104 Rec'd By
Current Use: 21= 3 PAREN	Proposed Use: LE JPAREN

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

•All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.

HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.
 You must Include the following with you application:

1) ACopy of Your Deed or Purchase and Sale Agreement 2) A Copy of your Construction Contract, if available

3) A Plot Plan/Site Plan

4) Building Plans

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

## DEC 8 1999

Unless exempted by State Law, construction documents must be designed by a registered design professional. A complete set of construction drawings showing all of the following elements of construction:

Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)


- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
  equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as bis/her authorized agent. Pagree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the code applicable to this permit.

Signature of applicant	M	11c	Date: 12/8	3/55
		A1000 1 6500 A1	0000	0


Building Permit Fee: \$30.00 for the 1st \$1000 cost plus \$6.00 per \$1,000.00 construction cost thereafter. Additional Site review and related fees are attached on a separate addendum






1/2/59 \$ cons?.


EX. 57,24




.

-












-

1/2/59 \$ 10007.

EX, 57,24







	BUILDING PERMIT REPORT
DA	TE: 9 Dec. 99 ADDRESS: 380 Congress ST. CBL: \$32-C-\$61
RE	ASON FOR PERMIT: Rehab bathrooms on 2nd \$ 574 Floors
BU	ILDING OWNER: PorThand Press Herald - ME. Sunday Telegrom
PE	RMIT APPLICANT: ICONTRACTOR GENTER Line Gent. Inc.
US	E GROUP: <u>B</u> CONSTRUCTION TYPE: <u>2</u> B CONSTRUCTION COST: <u>6, 575</u> PERMIT FEES. <u>6/26, 6</u>
	City's Adopted Building Code (The BOCA National Building code/1996 with City Amendments) City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
	CONDITION(S) OF APPROVAL
Thi	s permit is being issued with the understanding that the following conditions are met: $\frac{1}{23}$ , $\frac{1}{27}$ , $\frac{1}{29}$ , $\frac{1}{39}$ , $\frac$
4. 5. 6. 7. 8.	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) " <u>ALL</u> LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING." Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be protected with an approved filter membrane material. Section 1813.5.2 Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17 Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code. Precaution must be taken to protect concrete from freezing. Section 1908.0 It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained. Private garages located <u>beneath habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. <u>Private garages attached</u> side-by-side to rooms in the above occupancies shall be completely separated from the inter
9.	Section 407.0 of the BOCA/1996) All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical
10.	Code/1993). Chapter 12 & NFPA 211 Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
	Guardrails & Handrails: A guardrail system is a system of building components located near the oOpen sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38"). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
13.	Headroom in habitable space is a minimum of 7'6". (Section 1204.0) Stair construction in <u>Use Group R-3 &amp; R-4 is a minimum of 10" tread and 7 %" maximum rise.</u> All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14.	The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8'') 1014.4
15.	Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All

egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)

- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms

- 1
- In each story within a dwelling unit, including basements
- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21.) The Fire Alarm System shall maintained to NFPA #72 Standard.
- The Sprinkler System shall maintained to NFPA #13 Standard.
- X 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- 7. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. <u>No closing in of walls until all</u> <u>electrical</u> (min. 72 hours notice) <u>and plumbing inspections have been done</u>.
  - 28. All requirements must be met before a final Certificate of Occupancy is issued.
- **429.** All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- ★30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements.
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 33. Bridging shall comply with Section 2305.16.
- 34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0)

35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1996).

s, Building Inspector ALL McDougall, PFD Marge Schuckal, Zoning Administrator JAN

PSH 11/25/99

\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

\*\*\*THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PL'AN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.