

SYMBOLS LEGEND:

	SECTION
	DETAIL
	ELEVATION LEVEL
	REVISION
	WINDOW TYPE
	DOOR NUMBER
	ROOM NAME
	ROOM NUMBER
	INTERIOR ELEVATION
	CONTINUOUS BREAKER ROD AND SEALANT
	EXTERIOR ELEVATION
	EXISTING WALL - TO REMAIN
	EXISTING WALL TO BE REMOVED, OTHER DASHED LINES WITHIN REMOVAL PLANS ARE ALSO TO BE REMOVED.
	NEW WALL / PARTITION
	NEW FIRE RATED WALL ASSEMBLY
	WALL TYPE
	PROVIDE BLOCKING FOR ALL CABINET ASSEMBLIES AND TOILET ROOM ACCESSORIES AS REQUIRED. TYPICAL ALL WALLS ALL SPACES.

ABBREVIATIONS:

A/C	AIR CONDITIONING	SC	SOLID CORE
ABV	ABOVE	SF	SQUARE FOOT; SUPPLY FAN
AC	PLAS ACOUSTICAL PLASTER	SK	SHEAR KEY
ACT	ACOUSTIC CEILING TILE	SM	SMILAR
AD	ADDENDA, ADDENDUM	SS	STEEL
ADJ	ADJACENT	STL	STEEL
AFF	ABOVE FINISHED FLOOR	STR	STRUCTURAL
AP	ACCESS PANEL	STRCT	STRUCTURAL
BCE	BOTTOM CHORD EXTENSION BOARD	T	TRAP
BD	BORROWED LIGHT PANEL	T&B	TOP AND BOTTOM
BP	BOTTOM OF FOOTING	TBM	TEMPORARY BENCHMARK
BP	BOTTOM OF FOOTING	TCE	TOP OF CONCRETE
BS	BOTH SIDES	TJ	THE JOIST
BSE	BROCK SHELF ELEVATION	TO	TOP OF
		TOF	TOP OF CONCRETE
		TOP	TOP OF FOOTING
		TOW	TOP OF MASONRY
		TOW	TOP OF FLOOR
		TP	TOILET PAPER DISPENSER
		TP	TYPICAL
		UNO	UNLESS NOTED OTHERWISE
		VB	VAPOR BARRIER
		VCT	VINTL COMPOSITION TILE
		VE	VERTICAL
		VF	VERTICAL IN FIELD
		VH	VENT HOLE
		VW	VENT THROUGH WALL
		VWC	VENT WALL COVERING
		W/	WITH
		WC	WATER CLOSER
		WD	WOOD
		WF	WIDE FLANGE
		WH	WATER HEATER
		WIN	WINDOW
		W/O	WITHOUT
		WO	WINDOW OPENING
		WS	WORKING POINT
		WS	WEB STIFFENER
		WTF	WELDED WIRE FABRIC
GA	GAGE, GAUGE		
G8	GR8&B BAR		
GC	GENERAL CONTRACTOR		
GDT	GYPSUM DROP-IN TILE		
GMB	GYPSUM WALL BOARD		
H/C	HANDICAPPED, HOLLOW		
HDD	HIGH DENSITY OVERLAY		
HM	HOLLOW METAL		
HOR	HORIZONTAL		
HRU	HEAT RECOVERY UNIT		
H&V	HEATING AND VENTILATING		
H&V	HEATING, VENTILATING AND		
H&V	AIR CONDITIONING		
HWH	HOT WATER HEATER		
ID	INSIDE DIAMETER		
I	INSIDE FACE		
U	ISOLATION JOINT		
INT	INTERIOR		
NTR	INVERT		
INV	INVERT		
JNT	JOINT		
L	ANGLE		
LH	LONG EG. HORIZONTAL		
LV	LONG EG. VERTICAL		
LP	LIGHTING PANEL		
MDO	MEDIUM DENSITY OVERLAY		
MO	MASONRY OPENING		
MR	MOISTURE-RESISTANT		
MDA	MAKE-UP AIR		
NIC	NOT IN CONTRACT		
NIS	NOT TO SCALE		
OC	ON CENTER		
OF	OUTSIDE FACE; OWNER FURNISHED		
OF	OWNER FURNISHED AND INSTALLED		
OF	OVERHEAD		
OPG	OPENING		
OPG	OPENING		
OPG	OPPOSITE		
PA	PUBLIC ADDRESS		
PAF	POWDER-ACTUATED		
PAF	FASTENER		
P	PLATE		
PLM	PLASTIC LAMINATE		
PLS	PLASTER		
PLF	POUNDS PER LINEAR FOOT		
PLF	POUNDS PER SQUARE FOOT		
PLW	PAINTED, PAPER TOWEL		
PSI	POUNDS PER SQUARE INCH		
PSI	PAINTED, PAPER TOWEL		
PTD	DISPENSER		
PVC	PARTITION		
PVC	POLYVINYL CHLORIDE		
R	RISER, RADUIS		
R	RUBBER BASE		
REF	REFRIGERATOR; REFERENCE		
REFR	REFRIGERATOR		
REFRIG	REFRIGERATOR		
RF	ROUGH OPENING		
RF	ROUGH OPENING		
RF	REMOVEABLE PANEL		
RR	RUB-RAIL		

GENERAL NOTES PERTAINING TO THE CONSTRUCTION AND CONSTRUCTION DOCUMENTATION.

1. THE CONTRACTOR SHALL REVIEW AND DIRECT ALL SUBCONTRACTORS TO REVIEW ALL DRAWINGS AND SPECIFICATIONS TO ASCERTAIN THE SCOPE OF WORK FOR EACH TRADE PRIOR TO BID. ALL CONTRACTORS SHALL BE RESPONSIBLE FOR ALL DRAWINGS AND SPECIFICATIONS.
2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ALL MATERIALS AND WORKMANSHIP IN ACCORDANCE WITH FEDERAL, STATE, CITY AND LOCAL BUILDING CODES AND THEIR REQUIREMENTS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING PERMITS AND APPROVALS AS REQUIRED BY THE LOCAL JURISDICTIONAL AUTHORITIES FOR THIS JOB.
3. BEFORE COMMENCING WORK, THE CONTRACTOR SHALL VERIFY THAT NO CONDUITS EXIST IN LOCATIONS OF ANY AND ALL MECHANICAL, ELECTRICAL AND TELEPHONE ITEMS (INCLUDING PIPING, DUCTWORK, LIGHTING AND/OR CONDUIT) AND THAT ALL REQUIRED CLEARANCES OR INSTALLATIONS FOR ABOVE EQUIPMENT ARE PROVIDED. COORDINATION SHALL BE PERFORMED PRIOR TO CONSTRUCTION.
4. THE CONTRACTOR'S FAILURE TO REPORT ANY DISCREPANCIES WITHIN THESE CONSTRUCTION DOCUMENTS TO THE ARCHITECT WILL NOT BE GROUNDS FOR ADDITIONAL COST OR CHANGE ORDERS.
5. IF FIELD CONDITIONS NECESSITATE ANY CHANGES OR MODIFICATIONS, ALL SUCH CHANGES OR MODIFICATIONS SHALL BE APPROVED BY THE ARCHITECT PRIOR TO PERFORMING SUCH CHANGES OR MODIFICATIONS.
6. THE CONTRACTOR SHALL PROVIDE FOR THE LEGAL REMOVAL AND DISPOSAL OF ALL RUBBISH AND DEBRIS FROM THE BUILDING AND THE SITE ASSOCIATED WITH THE CONSTRUCTION OF THIS PROJECT.

WALL TYPE SCHEDULE

WALL TYPE	GENERAL PICTORIAL
GENERAL WALL	
GENERAL DESCRIPTION	
3-5/8" METAL STUDS @ 16" O.C. TO UNDERSIDE OF CONCRETE PLANK. (1) LAYER 5/8" TYPE "X" FIBERROCK GMB SEALED TIGHT TO UNDERSIDE OF DECK EACH SIDE. 1/2" RESILIENT CHANNELS @ 16" O.C. FULL HEIGHT OPPOSITE SIDE ONLY. CONTINUOUS 6" SOUND ATTENUATION BRIMS.	
1-HOUR FIRE RATED WALL ASSEMBLY EQUAL TO UL DESIGN U419.	
6" FIRE RATED CMU'S TO UNDERSIDE OF CONCRETE PLANK.	
1-HOUR FIRE RATED WALL ASSEMBLY EQUAL TO UL DESIGN NO. U905.	
THE CONTRACTOR IS ASKED TO PROVIDE BREAKOUT PRICING INCORPORATING 4x8x16 CONCRETE MASONRY UNITS AT ALL PARTITION TYPE 1 LOCATIONS.	
4"-C-H STUD SHAFK WALL FRAMING @ 16" O.C. TO UNDERSIDE OF DECK. 1" FIRE RATED LINER PANELS ON THE INTERIOR SHAFK SIDE, FULL HEIGHT. (1) LAYERS OF 5/8" TYPE "X" GMB TAGED SIDE, FULL HEIGHT.	
1-HOUR FIRE RATED SHAFK WALL ASSEMBLY SIMILAR TO UL DESIGN U415.	
EXISTING WALL ASSEMBLY:	
4" THICK CLAY TILE. ILUNOS SURFACE CLAY. SINGLE CELL THICK. FACE PLASTER 5/8" BOTH SIDES. 1:3 SANDED GYPSUM. CONSTRUCTION "S", DESIGN "B"	
FIRE RATINGS OF ARCHAIIC MATERIALS AND ASSEMBLIES TIME CODE W-5-M-35, 5 1/4" THICK CLAY TILE. FIRE RATING EQUAL TO 1 HOUR 59 MINUTES.	
EXISTING WALL ASSEMBLY:	
8" CMU BLOCK ASSEMBLY	
1-HR FIRE RATING PER UL DESIGN U405.	

GENERAL PARTITION NOTES:
1. PROVIDE TYPE "MAX" GMB WITHIN ALL BATHROOMS AND BEHIND ALL SINKS (TP).

DRAWING STATUS LIST

DWG NO.	D R A W I N G N A M E	ISSUE FOR PERMITTING	PROGRESS 11/14/05	ISSUE DESCRIPTION AND DATE
A0.1	TITLE PAGE	<input checked="" type="checkbox"/>		
	ARCHITECTURAL DRAWINGS			
C1.1	FLOOR AND WALL PENETRATIONS PLAN & DETAILS	<input checked="" type="checkbox"/>		
	ARCHITECTURAL DRAWINGS			
A1.1	REMOVALS AND NEW WORK PLANS	<input checked="" type="checkbox"/>		
A1.2	PARTIAL FIRST FLOOR REMOVALS & NEW WORK PLANS, DETAILS	<input checked="" type="checkbox"/>		
	ARCHITECTURAL DRAWINGS			

BOILER REPLACEMENT RENOVATIONS
BLETHEN MAINE PAPERS

CWS Architects
454 Cumberland Avenue
Portland, ME 04101
Phone: (207) 774-4441
Fax: (207) 774-4016
www.CWSearch.com

BOILER REPLACEMENT RENOVATIONS
390 CONGRESS STREET
PORTLAND, MAINE 04104

BLETHEN MAINE PAPERS
390 CONGRESS STREET
PO BOX 1460
PORTLAND, MAINE 04037
(207) 828-8123

REVISIONS:

Description	Date:

TITLE PAGE

Scale: NTS
Date: Progress 11/14/05
CWS Proj. No.: 05436.BLR

Drawing Number:
A0.1