

Proposal - Detailed

Pella Window and Door Showroom of S Portland 400 Expedition Drive Suite B Scarborough, ME 04074 **Sales Rep Name:** Spires, Andrew **Sales Rep Phone:** 207-232-1152

Sales Rep E-Mail: spiresal@pellaboston.com

7

Sales Rep Fax:

Customer Information	Project/Delivery Address	Order Information
Dirigo Management Company	45 exchange	Quote Name: 45 exchange 4th floor clip corners
One City Center	45 exchange st	
		Order Number: 185
PORTLAND, ME 4101	Lot#	Quote Number: 9257243
Primary Phone: (207) 871-1080	portland, ME 04101	Order Type: Non-Installed Sales
Mobile Phone:	County:	Wall Depth:
Fax Number:	Owner Name:	Payment Terms: Deposit/C.O.D.
E-Mail:		Tax Code: ME TAX 5.5
Contact Name:	Owner Phone:	Cust Delivery Date: None
		Quoted Date: 8/3/2017
Great Plains #: 3885703		Contracted Date:
Customer Number: 1003813055		Booked Date:
Customer Account: 1000868750		Customer PO #:

Line # **Attributes** Location: 15 None Assigned Special Architect Reserve, Single Hung, 42 X 66.5, White **Item Price** Qty **Ext'd Price**

PK# 1990 Viewed From Exterior

Rough Opening: 42 - 3/4" X 67 - 1/4"

\$4,293.18 3 \$12,879.54

1: 4266.5 Single Hung, Equal Frame Size: 42 X 66 1/2

General Information: Select Performance Rating Needed, 60, Standard, Luxury, Clad, Pine, 5", 3 11/16"

Exterior Color / Finish: Painted, Standard Enduraciad, White

Interior Color / Finish: Prefinished White Interior Sash / Panel: Ogee, Ogee, Standard, No Sash Lugs

Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, White, No Limited Opening Hardware, Order Sash Lift

Screen: Half Screen, Standard EnduraClad, White, Standard, InView™ Performance Information: CPD Not Rated, Egress Not Applicable

Grille: ILT, Yes (Arch Services drawing required), 7/8", Custom Process Grille, Ogee, Ogee

Wrapping Information: No Exterior Trim, 5 7/16", 6 3/4", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter

Length = 217", Glazing Pressure = 60.

Custom Product Instructions: 6 over 6 ILT curved top corners white clad

*** No NFRC or Hallmark labels will be supplied for this unit. To print an accurate acknowledgement for this line only,

please choose the Proposal-Detailed report with the Exclude Performance box chosen. ***

*** This shape has not been tested or certified for performance. ***

*** Qty split for manufacturing purposes. ***; 8/24/17 sh-jch

Line # Location: Attributes | None Assigned | Special Architect Reserve, Single Hung, 42 X 66.5, White | Ltem Price | Qty | Ext'd Price | \$4,293.18 | 3 | \$12,879.54

PK# 1990

Viewed From Exterior

Rough Opening: 42 - 3/4" X 67 - 1/4"

1: 4266.5 Single Hung, Equal

Frame Size: 42 X 66 1/2

General Information: Select Performance Rating Needed, 60, Standard, Luxury, Clad, Pine, 5", 3 11/16"

Exterior Color / Finish: Painted, Standard Enduraciad, White

Interior Color / Finish: Prefinished White Interior Sash / Panel: Ogee, Ogee, Standard, No Sash Lugs

Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, White, No Limited Opening Hardware, Order Sash Lift

Screen: Half Screen, Standard EnduraClad, White, Standard, InView™ Performance Information: CPD Not Rated, Egress Not Applicable

Grille: ILT, Yes (Arch Services drawing required), 7/8", Custom Process Grille, Ogee, Ogee

Wrapping Information: No Exterior Trim, 5 7/16", 6 3/4", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter

Length = 217", Glazing Pressure = 60.

Custom Product Instructions: 6 over 6 ILT curved top corners white clad

*** No NFRC or Hallmark labels will be supplied for this unit. To print an accurate acknowledgement for this line only,

please choose the Proposal-Detailed report with the Exclude Performance box chosen. ***

*** This shape has not been tested or certified for performance. ***

*** Qty split for manufacturing purposes. ***; 8/24/17 sh-jch

Line #	Location:		Attributes			
20	caulking		Installation Sealant, White	Item Price	Qty	Ext'd Price
			,	\$97.90	1	\$97.90
Viewe	ed From Exterior	PK # 1990	1: Accessory Frame Size: -1 X -1 General Information: Installation Sealant Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Not Applicable Interior Package: Box 12 Tubes Wrapping Information: Perimeter Length = 0".			
Rough Op	pening:					

Line #	Location:	Attributes		
25	sill pa	n Item Price	Qty	Ext'd Price
	- -	\$62.00	9	\$558.00

Thank You For Your Interest In Pella® Products

PELLA WARRANTY:

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor Pella Windows & Doors will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

INSYNCTIVE PRODUCTS: In addition, Pella Insynctive Products are covered by the Pella Insynctive Products Software License Agreement and Pella Insynctive Products
Privacy Policy in effect at the time of sale, which can be found at Insynctive.pella.com. By installing or using Your Insynctive Products you are acknowledging the Insynctive
Software Agreement and Privacy Policy are part of the terms of sale.

ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")

YOU and Pella and its subsidiaries and the Pella Branded Distributor AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS. You may opt out of this Arbitration Agreement by providing notice to Pella no later than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Opt Out" or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this Arbitration Agreement, which are incorporated herein by reference, please visit www.pella.com/arbitration or e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Details" or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANÇAIS SEE PELLA.COM/ARBITRATION. DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER PELLA.COM/ARBITRATION.

Product Performance Information:

U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC). Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use.

Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization, in many cases the Window and Door Manufacturers Association (WDMA). The certification requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary and change over the products life.

For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to www.pella.com/performance.

TERMS & CONDITIONS: QUOTES ARE VALID FOR 30 DAYS

7

Customer Name	(Please print)	Pella Sales Rep Name	(Please print)
Customer Signature		Pella Sales Rep Signature	
Date		Date	

Order Totals	
Taxable Subtotal	\$26,414.98
Sales Tax @ 5.5%	\$1,452.82
Non-taxable Subtotal	\$0.00
Total	\$27,867.80
Deposit Received	\$0.00
Amount Due	\$27,867.80

7