Proposal - Detailed

Pella Window and Door Showroom of S Portland
400 Expedition Drive Suite B
Scarborough, ME 04074

Sales Rep Name: Spires, Andrew
Sales Rep Phone: 207-232-1152
Sales Rep E-Mail: spiresal@pellaboston.com
Sales Rep Fax:

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 10/25/17

Customer Information	Project/Delivery Address	Order Information
Dirigo Management Company One City Center PORTLAND, ME 4101 **Primary Phone:** (207) 871-1080 **Mobile Phone:** **Fax Number:** **E-Mail:** **Contact Name:** **Great Plains #:** 3885703 **Customer Number:** 1003813055 **Customer Account:** 1000868750	**45 exchange** 45 exchange st **Lot #** portland, ME 04101 **County:** **Owner Name:** **Owner Phone:**	**Quote Name:** 45 exchange 4th floor clip corners **Order Number:** 185 **Quote Number:** **9257243** **Order Type:** Non-Installed Sales **Wall Depth:** **Payment Terms:** Deposit/C.O.D. **Tax Code:** ME TAX 5.5 **Cust Delivery Date:** None **Quoted Date:** 8/3/2017 **Contracted Date:** **Booked Date:** **Customer PO #:**

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 10/25/17

Line #	Location:	Attributes
15	None Assigned	

Viewed From Exterior

Rough Opening: 42 - 3/4" X 67 - 1/4"

PK #
1990

Special Architect Reserve, Single Hung, 42 X 66.5, White

Item Price	Qty	E
$4,293.18	3	

1: 4266.5 Single Hung, Equal
Frame Size: 42 X 66 1/2
General Information: Select Performance Rating Needed, 60, Standard, Luxury, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, White
Interior Color / Finish: Prefinished White Interior
Sash / Panel: Ogee, Ogee, Standard, No Sash Lugs
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Cam-Action Lock, White, No Limited Opening Hardware, Order Sash Lift
Screen: Half Screen, Standard EnduraClad, White, Standard, InView™
Performance Information: CPD Not Rated, Egress Not Applicable
Grille: ILT, Yes (Arch Services drawing required), 7/8", Custom Process Grille, Ogee, Ogee
Wrapping Information: No Exterior Trim, 5 7/16", 6 3/4", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 217", Glazing Pressure = 60.

Custom Product Instructions: 6 over 6 ILT curved top corners white clad

*** No NFRC or Hallmark labels will be supplied for this unit. To print an accurate acknowledgement for this line only, please choose the Proposal-Detailed report with the Exclude Performance box chosen. ***
*** This shape has not been tested or certified for performance. ***
*** Qty split for manufacturing purposes. ***; 8/24/17 sh-jch

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 10/25/17

Line #	Location:	Attributes
16	None Assigned	

Special Architect Reserve, Single Hung, 42 X 66.5, White

Item Price	Qty	E
$4,293.18	3	

Viewed From Exterior

Rough Opening: 42 - 3/4" X 67 - 1/4"

PK #
1990

1: 4266.5 Single Hung, Equal
Frame Size: 42 X 66 1/2
General Information: Select Performance Rating Needed, 60, Standard, Luxury, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, White
Interior Color / Finish: Prefinished White Interior
Sash / Panel: Ogee, Ogee, Standard, No Sash Lugs
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Cam-Action Lock, White, No Limited Opening Hardware, Order Sash Lift
Screen: Half Screen, Standard EnduraClad, White, Standard, InView™
Performance Information: CPD Not Rated, Egress Not Applicable
Grille: ILT, Yes (Arch Services drawing required), 7/8", Custom Process Grille, Ogee, Ogee
Wrapping Information: No Exterior Trim, 5 7/16", 6 3/4", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 217", Glazing Pressure = 60.

Custom Product Instructions: 6 over 6 ILT curved top corners white clad

*** No NFRC or Hallmark labels will be supplied for this unit. To print an accurate acknowledgement for this line only, please choose the Proposal-Detailed report with the Exclude Performance box chosen. ***
*** This shape has not been tested or certified for performance. ***
*** Qty split for manufacturing purposes. ***; 8/24/17 sh-jch

Line #	Location:	Attributes
20	caulking	

Installation Sealant, White

Item Price	Qty	Ext'd Price
$97.90	1	$97.90

PK #
1990

1: Accessory
Frame Size: -1 X -1
General Information: Installation Sealant
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Not Applicable Interior
Package: Box 12 Tubes
Wrapping Information: Perimeter Length = 0".

Viewed From Exterior

Rough Opening:

Line #	Location:	Attributes	Item Price	Qty	E
25	sill pan		$62.00	9	

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 10/25/17

Thank You For Your Interest In Pella® Products

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 10/25/17

PELLA WARRANTY:

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this co Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management c within the wall system. Neither Pella Corporation nor Pella Windows & Doors will be bound by any other warranty unless specifically set out in this contract. Howeve Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

INSYNCTIVE PRODUCTS: In addition, Pella Insynctive Products are covered by the Pella Insynctive Products Software License Agreement and Pella Insynctive Products Privacy Policy in effect at the time of sale, which can be found at Insynctive.pella.com. By installing or using Your Insynctive Products you are acknowledging the Insynctive Software Agreement and Privacy Policy are part of the terms of sale.

ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")

YOU and Pella and its subsidiaries and the Pella Branded Distributor **AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS.** You may opt out of this Arbitration Agreement by providing notice to Pella no later than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Opt Out" or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this Arbitration Agreement, which are incorporated herein by reference, please visit www.pella.com/arbitration or e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Details" or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANÇAIS SEE PELLA.COM/ARBITRATION. DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER PELLA.COM/ARBITRATION.

Product Performance Information:
U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC). Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use.

Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization, in many cases the Window and Door Manufacturers Association (WDMA). The certification requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary and change over the products life.

For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to www.pella.com/performance.

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 10/25/17

TERMS & CONDITIONS:

QUOTES ARE VALID FOR 30 DAYS

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 10/25/17

Customer Name (Please print)

Pella Sales Rep Name (Please print)

Customer Signature

Pella Sales Rep Signature

Date

Date

Order Totals	
Taxable Subtotal	$26,414.98
Sales Tax @ 5.5%	$1,452.82
Non-taxable Subtotal	$0.00
Total	$27,867.80
Deposit Received	$0.00
Amount Due	**$27,867.80**