# City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner: Robert Goldy	Phone: 871-	1080	Permit No:
Owner Address: D Radner Corporation Condition 452, 100 hatsonford Rd, Radner	*ESSee/Buyer's Name:	Phone: Business		991379
Contractor Name:	Address:	Phone:	/A	Permit (ssued: [SSUE])
Past Use:	Proposed Use:	*\$ #	PERMIT FEE: \$ 27.40	DEC 114 1999
Hulti-Uma VEtico/Rutail	\$ <b>8 8 4</b> 4	Denied .	INSPECTION: 5/47/47 Use Group: Type:	Zone: CBL 032-1-005
Proposed Project Description:		Signature: PEDESTRIAN ACTIVITIE	Signature: (Y.A.D.)	Zoning Approval:
3 = 4 Sidewalk Sign		Action: Approved	vith Conditions:	Special Zone or Reviews:  ☐ Shoreland ☐ Wetland ☐ Flood Zone ☐ Subdivision
Permit Taken By:	Date Applied For:	3 1		☐ Site Plan maj ☐minor ☐mm ☐
<ol> <li>This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.</li> <li>Building permits do not include plumbing, septic or electrical work.</li> <li>Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work.</li> </ol>				□ Variance □ Miscellaneous □ Conditional Use □ Interpretation □ Approved □ Denied
		Alex Giarich Pres 43 Exchange St. Portland, ME 041		Historic Preservation  ☐ Not in District or Landmark  ☐ Does Not Require Review  ☐ Requires Review
I hereby certify that I am the owner of record of th authorized by the owner to make this application if a permit for work described in the application is areas covered by such permit at any reasonable h	as his authorized agent and I agree to s issued, I certify that the code official	conform to all applicable laws of the 's authorized representative shall have	is jurisdiction. In addition,	☐ Denied
		12-13-99	Dį	ERMIT ISSUED
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE: WITH	REQUIREMENTS
RESPONSIBLE PERSON IN CHARGE OF WOR	RK, TITLE ermit Desk Green-Assessor's C	anary-D.P.W. Pink-Public File	PHONE:	CEO DISTRICT

#### **COMMENTS**

	<del>-, -,</del>
•	L ,
	,
<del></del>	
	Inspection Record
	Type Date Foundation:
	Framing:
	Plumbing:
	Final:
	6 [

# THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

## Sign Permit Pre-Application

## Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

the City, payment arrangements must be made before permits of any kind are accepted.
Location/Addressof Construction (include Portion of Building):  43 - xchnge st Portland. 6410
Total Square Footage of Proposed Structure 2544 Feet Square Footage of Lot
Tax Assessor's Chart, Block & Lot Number  Chart# 032 Block# E Lot# 005  Owner: RODER GOLDY TRUST Congolation Congolation (1996)
Owner's Address: one nonconentsy.  Lessee/Buyer's Name (If Applicable) RADNET PATOLATSq. Ft. of Sign Fee  Fresh Market Pasty  19067  \$ 27,40
Proposed Project Description: (Please be as specific as possible)  5. Laure  Sign.
Contractor's Name, Address & Telephone  DEFT. OF BUILDING INSPECTION CITY OF PORTLAND, ME
Current Use: MULT-USC office/Netail/ Proposed Use: Supple 131999
MEGEIVE U
Signature of applicant:  Date: 1/22/99
Signage Permit Fee: \$30.00 plus .20 per square foot of signage  Lind To: Fush Market Pasta Co
Alex Ginrich Phes 43 Exchange St 7737146
27.40 + 25 = 52.40
52.40

#### **BUILDING PERMIT REPORT**

1	DATE: 13 DEC 99 ADDRESS: 43 EXChange 51. CBL: 637- E-60
I	REASON FOR PERMIT: - Sidenalk Sign
F	BUILDING OWNER: 120 bent Goldy Trust
r	PERMIT APPLICANT: /CONTRACTOR Fres & MKT. Pas Ja,
τ	USE GROUP:CONSTRUCTION TYPE:CONSTRUCTION COST:PERMIT FEES:
	he City's Adopted Building Code (The BOCA National Building code/1996 with City Amendments) he City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
	CONDITION(S) OF APPROVAL
T	his permit is being issued with the understanding that the following conditions are met: $\frac{1}{100}$
1. 3.	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.  Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."  Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2  Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a
· _	maximum 6' O.C. between bolts. Section 2305.17
5.	Waterproofing and dampproofing shall be done in accordance with <u>Section 1813.0</u> of the building code.
6. 7.	Precaution must be taken to protect concrete from freezing. Section 1908.0  It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8.	Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of 1.2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
9.	All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10.	Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
11.	Guardrails & Handrails: A guardrail system is a system of building components located near the oopen sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A,B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38"). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ½" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
12	Headroom in habitable space is a minimum of 7'6'. (Section 1204.0)
13.	Stair construction in <u>Use Group R-3 &amp; R-4 is a minimum of 10" tread and 7 %" maximum rise.</u> All other Use Group minimum 11" tread,

15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All

7" maximum rise. (Section 1014.0)

egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)

16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)

18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements
- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25 -- 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements.
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 33. Bridging shall comply with Section 2305.16.
- 34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0)

34. Class and glazing smart meet the requirements of chapter 24 of the burding code. (Salety Glazing Section 2403.9) 35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code)				
136	All side wal	K SIGNAGO SI	hall comply with The City's policy on	ode, (The BOCA National Building Code/1996). The City's Policy or
	SidenaLK	51979911 -	in the state of the second and the s	
			to be the control of	
			₹₹\$₩, Her to go and the top with All to	
			the first stripe of the many and the contract of the contract	

Samuel Hoffses, Building Inspector

Marge Schmuckal, Zoning Administrator

PSH 11/25/99

\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

\*\*\*THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

\*\*\*\*CERTIFICATE OF OCCUPANCY FEE \$50.00

#### SIGNAGE PRE-APPLICATION

PLEASE ANSWER ALL QUESTIONS
ADDRESS: 43 Erchance = zone:
OWNER: Mes Alex Grace
APPLICANT: Fresh Market Past9
ASSESSOR NO
SINGLE TENANT LOT? YES NO
MULTI TENANT LOT? YES NO
FREESTANDING SIGN? YES NO DIMENSIONS
(ex. pole sign)
MORE THAN ONE SIGN? YESNODIMENSIONS
BLDG. WALL SIGN? YES NO DIMENSIONS
(attached to bldg)
MORE THAN ONE SIGN? YES NO DIMENSIONS
LIST ALL'EXISTING SIGNAGE AND THEIR DIMENSIONS:
, . Thus the
LOT FRONTAGE (FEET):BLDG FRONTAGE (FEET):
AWNING YES NO IS AWNING BACKLIT? YES NO
HEIGHT OF AWNING:
S THERE ANY COMMUNICATION, MESSAGE, TRADEMARK OR SYMBOL ON IT?
*** TENANT BLDG. FRONTAGE (IN FEET) 25"  *** REQUIRED INFORMATION

#### AREA FOR COMPUTATION

	NG SKETCH SHOWING EXAC	
EXISTING AND NEW SIGNAG	E IS LOCATED MUST BE PRO	VIDED. SKETCHES
AND/OR PICTURES OF PROP	OSED ARE ALSO REQUIRED.	
SIGNATURE OF APPLICANT:	2//1.	DATE: // [ 97]

# INFORMATION REQUIREMENTS FOR SIGN PERMIT APPLICATION

Applicants for a sign permit will be asked to submit the following information to the Code Enforcement Office:

- 1. Proof of insurance
- arance City listed
- 2. Letter of permission from the owner
- 3. A sketch plan of lot, indicating location of buildings, right of ways. Lengths of building frontages and streattached)
- 4. Indicate on the plan all existing and proposed signs
- 5. Computation of the following:
  - A) Sign area of each existing and proposed build
  - B) Sign area height and setback of each existing a
- 5, de 477 6-9/7 5,50
- 6. A sketch of any proposed sign(s), indicating dimensions, materials, source of illumination and construction method (see attached).
- 7. Certificate of flammability required for awning/canopy at time of application.
- 8. UL # required for lighted signs at the time of application.

Fee for permit - \$30.00 plus \$0.20 per square foot

Fee for awning based on cost of work - \$30.00 for the first \$1,000.00, \$6.00 for each additional \$1,000.000.

NOTE: Once a sketch plan has been filed for a property, the code enforcement office will keep a record of the plan so that a new sketch plan will not be required for later changes to signage on the property. In such an instance, applicants will only be required to submit information applicable to the new sign.

City holl 874-8300

871-7189

- **207 371 7199 - 8.33** J

FRESH MARKET PASTA CO.

Mone 207-772-746 May 207-774-6947

871-7196

NOVEMBER 9 1999

Fresh Market Pasta has my permission and display a side walk sign in front of their business at 43 exchange St. Portland

Approved 11/10/99

Approved 11/10/99

As Agon. Sou Me

Tohn T. Goldy Trust

					Morrano and a second se	
E	CORD CERT	IFICATE OF LIA	BILITY	ISUR	N JE	11/09/99
PRO	ANDERSON WAT	N-WATKINS INSURANCE RTN: XSSO INSURANCE Street, Westbrock, Maine 04092	THIS CER ONLY AN HOLDER.	THICATE IS ISE D CONFERS I THIS CERTIFIC	IUED IS A MATTE IC RIGHTS UPON ATE DOES NOT A	DE INFORMATION
	31 CENTRAL S			COMPANIES	AFFORDING COVE	
	WESTBROOK	ME 04092-39	51 3cv.	II who mile also also the constitution of the		Code 207
			4,	ACADIA	INSURANCE West	brook 856-5500
HABUF	AED.	the second secon	COMPANY		Saco	282-1701
	FRESH MARKET	PASTA CO	В		Fax 8	356-0004
	ALEX GINGRIC	Н	COMPANY			
	43 EXCHANGE	ST	С			
	PORTLAND	ME 04101	COMPANY			
08.61 % 1	NDICATED, NOTWITHSTANDING A	DUCIES OF INSURANCE LISTED BELOW NY REQUIREMENT, TERM OR CONDIT MAY PERTAIN, THE INSURANCE AFF F SUCH POLICIES. LIMITS SHOWN MA	/ HAVE BEEN ION OF ANY CO ORDED BY THE BO	OF OTHER	ED NAMED ABOVE FOR T DOCUMENT WITH RESPE D HEREIN IS SUBJECT T AIMS.	OT TO WHICH THIS
CC LTR	TYPE OF INSURANCE	SOURCY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	PCL ATION	List	ITS
Ā	GENERAL LABELTY	BOA003: -13	7/17/99	7/17/00	GENERAL AGGREGATE	12. 1 3.000
- :	COMMERCIAL GENERAL LIABILITY		, , , , , , ,	, - ,	PRODUCTS - COMP/OP AGE	1 2,000,000
i <del>.</del>	12 MS WADE X OCOUR				PERSCHAL & ADV HUURY	11, 300,000
} !	OWNER - TOTACTOR'S PROT		İ		EACH OCCURRENCE	:1,000,000
					MRE DAMAGE (Any one fre)	250,000
Γ					MED EXP (Any one person)	• 5,000
İ	AUTOMOBILE LIABRITY				COMBINED SINGLE LIGHT	*
-	ALL OWNED AUTOS				BODILY INJURY (Per person)	5
-	HIRED AUTOS			¥	BODILY INJURY (Per ecoldent)	
		200			PROPERTY DAMAGE	<b>1</b>
	GARAGE LIABILITY				AUTO ONLY - EA AGGIDENT	
	CTUA YMA				OTHER THAN AUTO ONLY	
Ĺ					EACH ACCIDENT	8
					AGGREGATE	*
1	EXCESS LIABILITY	No.			EACH OCCURRENCE	\$
	UMSRELLA FORM		}		AGGREGATE	\$
	OTHER THAN UMBRELLA FORM		<u> </u>			8
	WORKERS COMPENSATION AND				TORY LIANTS ER	
-	EMPLOYERS' LIABRITY			1	EL EACH ACCIDENT	£
	THE PROPRIETOR/ PARTNERS/EXECUTIVE INCL				EL DISEASE-POLICY LIMIT	<u> </u>
_	OFFICERS ARE: EXCL				EL DISEASE-EA EMPLOYEE	\$
- 1	THER		į			
į						
		*				
FRCE	APTION OF OPERATIONS/LOCATIONS/VI	FHICLES SPECIAL TEMS				
5	S REQUIRED					
ko ko na on			and the second s			
ERT	IFICATE HOLDER		CANCELLATIC	) <b>N</b>		
			SHOULD THE	" THE ABOVE DEG	CPNSED POLICERS & CANC	ELLED BEFORE THE
CITY OF PORTLAND		2-2-2-2-1	EXPRANTON 14 % THEREOF, THE MESURE COMPANY WELL ENGEAVOR TO WALL			
	200 0000	G.H.	16 DAYS	WRITTEN NOTICE TO	THE DET HOWIE HOLIERS	NAMED TO THE LEFT,
389 CONGRESS ST		BUT FARLURE TO MAR. SUCH NOTICE SHA - APPEN - SILIGATION OF LIABILITY				
	PORTLAND ME	04101		O UPON THE CO	APAR TILL TO SA	PEPESENTATIVES.
			AUTHORIZED REI			MCTEL TO
***	A ALC IVAN		MAF13	E Elder		ME A