Yes. Life's good here.

Permitting and Inspections Department Michael A. Russell, MS, Director

Commercial Interior Alteration Checklist

(Including change of use, tenant fit-up*, amendment and/or interior demolition)

 ✓ Commercial Interior Alterations Checklist (this form) ✓ General Building Permit Application completed ☐ Plot plan/site plan showing lot lines, shape and location of all structures, off-street parking areas and noting any dedicated parking for the proposed business ☐ Proof of Ownership or Tenancy (If tenant, provide lease or letter of permission from landlord. If owner, provide deed or purchase and sale agreement if the property was purchased within the last 6 months.) ✓ Key plan showing the location of the area(s) of renovation within the total building footprint and adjacent tenant uses ✓ Life Safety Plan drawn to scale, showing egress capacity, any egress windows, occupancy load, travel distant common path distance, dead end corridor length, separation of exits, illumination and marking of exits, portables fire extinguishers, fire separations and any fire alarm or fire sprinklers systems ✓ Existing floor plans/layouts drawn to scale, including area layout, removals, exits and stairs ✓ Proposed floor plans/layouts drawn to scale, including dimensions, individual room uses and plumbing fixture please note: All plans shall be drawn to a measurable scale (e.g., 1/4 inch = 1 foot) and include dimensions. Construction documents prepared and stamped by a licensed architect or engineer shall be required for 	
 □ Plot plan/site plan showing lot lines, shape and location of all structures, off-street parking areas and noting any dedicated parking for the proposed business □ Proof of Ownership or Tenancy (If tenant, provide lease or letter of permission from landlord. If owner, provide deed or purchase and sale agreement if the property was purchased within the last 6 months.) ☑ Key plan showing the location of the area(s) of renovation within the total building footprint and adjacent tenant uses ☑ Life Safety Plan drawn to scale, showing egress capacity, any egress windows, occupancy load, travel distant common path distance, dead end corridor length, separation of exits, illumination and marking of exits, portables fire extinguishers, fire separations and any fire alarm or fire sprinklers systems ☑ Existing floor plans/layouts drawn to scale, including area layout, removals, exits and stairs ☑ Proposed floor plans/layouts drawn to scale, including dimensions, individual room uses and plumbing fixture Please note: All plans shall be drawn to a measurable scale (e.g., 1/4 inch = 1 foot) and include dimensions. 	
 □ Proof of Ownership or Tenancy (If tenant, provide lease or letter of permission from landlord. If owner, provide deed or purchase and sale agreement if the property was purchased within the last 6 months.) ☑ Key plan showing the location of the area(s) of renovation within the total building footprint and adjacent tenant uses ☑ Life Safety Plan drawn to scale, showing egress capacity, any egress windows, occupancy load, travel distancommon path distance, dead end corridor length, separation of exits, illumination and marking of exits, portables fire extinguishers, fire separations and any fire alarm or fire sprinklers systems ☑ Existing floor plans/layouts drawn to scale, including area layout, removals, exits and stairs ☑ Proposed floor plans/layouts drawn to scale, including dimensions, individual room uses and plumbing fixture Please note: All plans shall be drawn to a measurable scale (e.g., 1/4 inch = 1 foot) and include dimensions. 	
 □ Proof of Ownership or Tenancy (If tenant, provide lease or letter of permission from landlord. If owner, provide deed or purchase and sale agreement if the property was purchased within the last 6 months.) ☑ Key plan showing the location of the area(s) of renovation within the total building footprint and adjacent tenant uses ☑ Life Safety Plan drawn to scale, showing egress capacity, any egress windows, occupancy load, travel distancommon path distance, dead end corridor length, separation of exits, illumination and marking of exits, portables fire extinguishers, fire separations and any fire alarm or fire sprinklers systems ☑ Existing floor plans/layouts drawn to scale, including area layout, removals, exits and stairs ☑ Proposed floor plans/layouts drawn to scale, including dimensions, individual room uses and plumbing fixture Please note: All plans shall be drawn to a measurable scale (e.g., 1/4 inch = 1 foot) and include dimensions. 	5
provide deed or purchase and sale agreement if the property was purchased within the last 6 months.) Key plan showing the location of the area(s) of renovation within the total building footprint and adjacent tenant uses Life Safety Plan drawn to scale, showing egress capacity, any egress windows, occupancy load, travel distant common path distance, dead end corridor length, separation of exits, illumination and marking of exits, portables fire extinguishers, fire separations and any fire alarm or fire sprinklers systems Existing floor plans/layouts drawn to scale, including area layout, removals, exits and stairs Proposed floor plans/layouts drawn to scale, including dimensions, individual room uses and plumbing fixture please note: All plans shall be drawn to a measurable scale (e.g., 1/4 inch = 1 foot) and include dimensions.	
 Key plan showing the location of the area(s) of renovation within the total building footprint and adjacent tenant uses Life Safety Plan drawn to scale, showing egress capacity, any egress windows, occupancy load, travel distant common path distance, dead end corridor length, separation of exits, illumination and marking of exits, portables fire extinguishers, fire separations and any fire alarm or fire sprinklers systems Existing floor plans/layouts drawn to scale, including area layout, removals, exits and stairs Proposed floor plans/layouts drawn to scale, including dimensions, individual room uses and plumbing fixture please note: All plans shall be drawn to a measurable scale (e.g., 1/4 inch = 1 foot) and include dimensions. 	
 Life Safety Plan drawn to scale, showing egress capacity, any egress windows, occupancy load, travel distant common path distance, dead end corridor length, separation of exits, illumination and marking of exits, portables fire extinguishers, fire separations and any fire alarm or fire sprinklers systems Existing floor plans/layouts drawn to scale, including area layout, removals, exits and stairs Proposed floor plans/layouts drawn to scale, including dimensions, individual room uses and plumbing fixture. Please note: All plans shall be drawn to a measurable scale (e.g., 1/4 inch = 1 foot) and include dimensions. 	
Life Safety Plan drawn to scale, showing egress capacity, any egress windows, occupancy load, travel distant common path distance, dead end corridor length, separation of exits, illumination and marking of exits, portables fire extinguishers, fire separations and any fire alarm or fire sprinklers systems Existing floor plans/layouts drawn to scale, including area layout, removals, exits and stairs Proposed floor plans/layouts drawn to scale, including dimensions, individual room uses and plumbing fixtue. Please note: All plans shall be drawn to a measurable scale (e.g., 1/4 inch = 1 foot) and include dimensions.	
common path distance, dead end corridor length, separation of exits, illumination and marking of exits, portables fire extinguishers, fire separations and any fire alarm or fire sprinklers systems Existing floor plans/layouts drawn to scale, including area layout, removals, exits and stairs Proposed floor plans/layouts drawn to scale, including dimensions, individual room uses and plumbing fixture please note: All plans shall be drawn to a measurable scale (e.g., 1/4 inch = 1 foot) and include dimensions.	ces.
Existing floor plans/layouts drawn to scale, including area layout, removals, exits and stairs Proposed floor plans/layouts drawn to scale, including dimensions, individual room uses and plumbing fixtue. Please note: All plans shall be drawn to a measurable scale (e.g., 1/4 inch = 1 foot) and include dimensions.	
Proposed floor plans/layouts drawn to scale, including dimensions, individual room uses and plumbing fixtue Please note: All plans shall be drawn to a measurable scale (e.g., 1/4 inch = 1 foot) and include dimensions.	
Please note: All plans shall be drawn to a measurable scale (e.g., 1/4 inch = 1 foot) and include dimensions.	
	res
Construction documents prepared and stamped by a licensed architect or engineer shall be required for	
certain projects in accordance with the stated <u>Policy on Requirements for Stamped or Sealed Drawings</u> .	
Additional plans may also require the following (As each project has varying degrees of complexity and scope of	
work for repairs, alterations and renovations, some information may not be applicable. Please check and submit only those items that are applicable to the proposed project.):	
Code information including use classifications, occupant loads, construction type, existing/proposed fire ala	rm
smoke and sprinkler protection systems, egress (exits and windows), fire separation areas and fire stopping	1111,
Construction and framing details including structural load design criteria and/or non-structural details	
New stairs showing the direction of travel, tread and rise dimensions, handrails and guardrails	
Wall and floor/ceiling partition types including listed fire rated assemblies	
Sections and details showing all construction materials, floor to ceiling heights, and stair headroom	
New door and window schedules (include window U-factors)	
Accessibility features and design details including the Certificate of Accessible Building Compliance	
Project specifications manual	
A copy of the State Fire Marshal construction and barrier free permits. For these requirements visit:	
http://www.maine.gov/dps/fmo/plans/about_permits.html	
Food service occupancies require additional plans and details for review, such as occupant load per square foot area for tables and chairs, number of fixed bar, banquet and booth seating, equipment and plumbing fixture plans with schedule, hood location and interior finish materials. Accessible seating and counter details shall be included	

Fo ar please refer to this site: http://www.alphaonenow.org/userfiles/resto_access_sheet.pdf

Separate permits are required for internal and external plumbing, electrical installations, heating, ventilating and air conditioning (HVAC) systems, appliances and commercial kitchen hoods.

*Tenant fit-up: construction necessary within the demising walls of a leased space, including partitions, finishes, fixtures, lighting, power, equipment, etc. making the interior space suitable for the intended occupation.

389 Congress Street/Portland, Maine 04101/ http://portlandmaine.gov /tel: (207) 874-8703/fax: (207) 874-8716



Yes Life's good here

Permitting and Inspections Department Michael A. Russell, MS, Director

Certificate of Accessible Building Compliance

All facilities for the use of a public entity shall be readily accessible by individuals with disabilities.

Project Name: Interior renovations at Fuji Restaurant Project Name	eject Address: 29 Exchange Street
Classification: O Title II (State/Local Government)	⊙ Title III (Public Accommodation/Commercial Facility)
 ○ New Building □ Americans with Disabilities Act (ADA) □ Maine Human Rights Act (MHRA) □ Barrier Free Certification (\$75,000+ scope of work) □ State Fire Marshal Plan Review Approval 	
 ✓ Alteration/Addition ✓ Existing Building Completion date: ✓ Original Building: ✓ Unknown ✓ Addition(s)/Alteration(s): ✓ Americans with Disabilities Act (ADA) Path of Travel ✓ Yes No ✓ Maine Human Rights Act (MHRA) ✓ Exceeds 75% of existing building replacement cost 	
☐ Barrier Free Certification (\$75,000+ scope of work) ☐ State Fire Marshal Plan Review Approval Occupancy Change/Existing Facility ☐ New Ownership — Readily Achievable Barrier Removal:	
 ☐ Residential ☐ Americans with Disabilities Act (ADA) ☐ Fair Housing Act (4+ units, first occupancy) ☐ Maine Human Rights Act (MHRA) ☐ Covered Multifamily Dwelling (4+ units) ☐ Public Housing (20+ units) ☐ Uniform Federal Accessibility Standards (UFAS) ☐ None, explain: 	
Contact Information: Design Professional: Signature (This is a legal document and your electronic signature is considered a legal signature per Maine state law.)	Owner: Wichael Fithup for WN6 HUR Signature (This is a legal document and your electronic signature is considered a legal signature per Maine state law.)
Name: Michael F. Hays Address: Grant Hays Associates P.O. Box 6179, Falmouth, ME 04105 Phone: 207-871-5900 Maine Registration #: ARC 1724	Name: Jung Hur Address: Fuji Restaurant 29 Exchange St, Portland, ME 04101 Phone: 917-916-9803



Yes. Life's good here

Permitting and Inspections Department Michael A. Russell, MS, Director

General Building Permit Application

Project Address: 29 Excha	ange Street	
Tax Assessor's CBL:	Cost of	Work: \$ 68,700.00
Chart # Proposed use (e.g., single-family	Block # Lot # , retail, restaurant, etc.):	nt
Current use: Restaurant	Past use, if c	
Commercial	Multi-Family Residential	One/Two Family Residential
Interior renovations at exist ceiling, finishes and non-lo	☐ Foundation Only ☐ Fence ☐ Pool - Above Ground ☐ Pool - In Ground ☐ Retaining Wall ☐ Replacement Windows ☐ Commercial Hood System ☐ Tank Installation/Replacement ☐ Tank Removal work (attach additional pages if a ting sushi dining area. Democ	Site Alteration needed): of sushi dining counter, suspended , finishes, sushi dining counter, and
Applicant Name: Jung Hur		Phone: (917) 916 _ 9803
	Exchange St, Portland 04101	
Lessee/Owner Name (if differe Address:	nt): Same	Phone: ()
Contractor Name (if different):	Jeff Decareau	Email: Phone: (207) 332 _ 6084
Address: 104 Birkshire Rd		Email: jdecareau@maine.rr.com
In addition, if a permit for work describe authority to enter all areas covered by the Signature: This is a legal documents.	his application as his/her authorized agent. I d in this application is issued, I certify that the his permit at any reasonable hour to enforce the highest than the highest and you delectronic signature is consider	
Review of this application will	not begin until the permit payment	is received. This is not a permit. Work may not

commence until the permit is issued.

Portland, Maine Yes. Life's good here.

Permitting and Inspections Department Michael A. Russell, MS, Director

Requirements for Electronic Submissions

In order to ensure the most expedient review of your application, please meet the requirements below for all submissions:

- All applications must be submitted electronically via e-mail to permitting@portlandmaine.gov. Paper applications will not be accepted.
- Drawings sheets shall be submitted individually-- each PDF file shall contain no more than one drawing sheet. Only PDF files are acceptable for plan review, and each file shall not exceed 5MB in size.*
- Drawing files shall be named based on the drawing sheet number and name. It is recommended to include a Category/Discipline letter (such as A for Architectural), a sheet number and a descriptive title (e.g., A1 Existing Exterior Elevation).
- Revised file submissions must use the exact same file name as originally submitted. The Electronic Plan Review software will recognize this submission as Version 2.
- Supporting documents shall be submitted as an individual PDF file for each document (these documents may be multi-page PDF files) and named based on the document type (e.g., "Deed", "Stormwater Report", "Permit Application", etc.). Searchable PDF files are requested for calculations, reports and other supporting documents.
- A graphic scale or a scale to reference shall be included on each drawing sheet.
- Plans prepared by a design professional shall include a Code Analysis sheet, referencing the Maine Uniform Building and Energy Code and Portland City Code, Chapter 10 - Fire Prevention and Protection, which includes National Fire Protection Association (NFPA) 1. Fire Code and NFPA 101, Life Safety Code. Chapter 10 of the City Code can be viewed at: http://www.portlandmaine.gov/citycode/chapter010.pdf.
- Files shall be submitted via email to permitting@portlandmaine.gov. The email subject line shall include the project address and type of permit. Multiple emails may be sent for one project if the files exceed the maximum file size.
- Submissions should include all required documents and drawings as listed on the appropriate Submission Checklist sheet specific to the type of work being performed.

For further information and to access PDF versions of this and other forms, visit the Permitting and Inspections Department online at http://portlandmaine.gov/1728/Permitting-Inspections.

*To download a free version of Adobe Acrobat Reader, please visit: https://get.adobe.com/reader/

Yes. Life's good here.



Permitting and Inspections Department Michael A. Russell, MS, Director

Electronic Signature and Fee Payment Confirmation

This is a legal document and your electronic signature is considered a legal signature per Maine state law. You will receive an e-mailed invoice from our office which signifies that your electronic permit application has been received and is ready for payment. Please pay by one of the following:

- Electronic check or credit card: portlandmaine.gov/payyourpermit
- Over the phone at (207) 874-8703
- Drop off to Room 315, City Hall
- Mail to:

City of Portland
Permitting and Inspections Department
389 Congress Street, Room 315
Portland, Maine 04101

By signing below, I understand the review process starts once my payment has been received. After all approvals have been completed, my permit will be issued via e-mail. Work may not commence until permit is issued.

Applicant Signature: Mchael F. Hay 5	Date: 3/1/18
I have provided electronic copies and sent themon:	Date: 3/1/18
NOTE: All electronic paperwork must be delivered to permitting@por	tlandmaine.gov or with a thumb

drive to the office.

If you or the property owner owes taxes or user charges on property within the City, payment arrangements must be made before a permit application is accepted.

BUILDING PERMIT SUPPLEMENT

Important Lead-Safe Building Practices & Resources

If you're working on homes, schools or day care centers built pre-1978, you now must be EPA Lead-Safe Certified.

Avoid risk of government fines and civil liability, plus gain competitive advantage as a lead-safe certified contractor.

Submit an application to certify your firm for five years. A one-day Renovation, Repair and Painting (RRP) class will also certify your renovators for five years.



Lead is toxic to adults and especially to children living in a home. Improper removal of lead paint may also poison the person removing it and their family.

- ✓ Keep others, especially children and pregnant women, out of the work area.
- ✓ Keep all dust contained inside the work space. Create barriers between the work area and living space.
- ✓ Protect yourself and your workers from dust and debris.
- ✓ Clean up dust in lead-safe ways.

RESOURCES

This program is made possible with funding from the Lead Poisoning Prevention Fund, State of Maine.