City of Portland, M 389 Congress Street, (			•	6 01-0183			3	MAR	30	032 F008001		08001		
Location of Construction:	Owner Name:	Owner Address Phone:												
375 Fore St			Soley Joseph I	Po Box 367 DC TY OF PURILAND										
Business Name:	Contractor Name	Contractor Address: Pho							Phone					
n/a Lessee/Buyer's Name		ns / Craig Lowe			n/a Unity						2079482773			
n/a	Phone: 207-568-3728			Permit Type:								Zone:		
						Signs - Permanent						_		<u> </u>
Past Use:  Vacant Commercial, used to be accounting office.  Proposed Use: Chiropractic of the commercial of the commerc				office			Permit Fee:   Cost of Work:   31.20 \$0.00   \$0.00							200
accounting office.											Approved Denied Use Group: SSUE		EDSTS. MENTS.	
Proposed Project Description		.:		L144							1			-1/ <i>UV</i>
double sided printed, re	awooa	sign on	existing metai	огаскей	Į.	_	gnature:	JA	CTU	VITIES DIS		Signature: TRICT (P.A.D.)		
Change of used permit #	# 01018	81 allrea	dy submitted.			1	ction:		prov			ed w/Conditions Denied		
						Signature:						Date:		
Permit Taken By:		<b>Date App</b> 03/14/	olied For:				Zo	ni	ng	Approv	al			
This permit applica	ution do			Special Zone or Revie			ews Zoning Appeal			g Appeal	I	Historic Preservation		
Applicant(s) from r Federal Rules.				☐ Sh	oreland	☐ Variance				☐ Not in District or Landmar		ict or Landmark		
2. Building permits do septic or electrical		iclude pl	lumbing,	_ w	etland	☐ Miscellaneous				Does Not Require Review		equire Review		
3. Building permits ar within six (6) mont				☐ Flo	☐ Flood Zone ☐ Co			Conditional Use			X	Requires Re	view	
False information nepermit and stop all	•	alidate a	a building	Subdivision			☐ Interpretation					Approved		
				☐ Sit	e Plan			App:	rove	d			Approved w	/Conditions
				Maj [	Minor MM		_	Deni	ied				Denied	
				Date:	3/15/0	<u>)/</u>	Date:				,	Date:	3/27/	01
											W	PEI ITH	RMIT ISS REQUIR	SUED EMENTS
				C	ERTIFICATI	ΩN	J				Mer.			
I hereby certify that I am I have been authorized b jurisdiction. In addition, shall have the authority t such permit.	y the o , if a pe	wner to ermit for	make this appli work described	med procation a	operty, or that the same operty, or that the same operation is is application is is	ie p d ag	proposed v gent and I ed, I certif	agr y th	ee t at t	o conform	n to all fficial's	appli auth	cable laws	of this resentative
SIGNATURE OF APPI	LICAN	Т		<del></del>	ADDRE	SS				DA			<del></del>	PHONE

#### SIGNAGE PRE-APPLICATION

## PLEASE ANSWER ALL QUESTIONS

ADDRESS: 377 Fore St. Portland ZONE: B3
OWNER: JOE SOLEY
APPLICANT: Lynne A. Whalen, D.C.
ASSESSOR NO. #32 Block 7 Sof #8
PLEASE CIRCLE APPROPRIATE ANSWER
SINGLE TENANT LOT? YES NO MULTI-TENANT LOT? YES NO FREESTANDING SIGN? (ex. Pole Sign) YES NO DIMENSIONS HEIGHT MORE THAN ONE SIGN? YES NO DIMENSIONS 2 × 3 NO DIMENSIONS 2 × 3 NO DIMENSIONS MORE THAN ONE SIGN? YES NO DIMENSIONS AWNING: YES NO DIMENSIONS HEIGHT OFF SIDEWALK IS THERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT?  LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS:
*** TENANT BLDG. FRONTAGE (IN FEET): 100 ± 100 ± 200 +

AREA FOR COMPUTATION

### YOU SHALL PROVIDE:

A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.

SIGNATURE OF APPLICANT: You have f. DATE: 3-9-01

#### THIS IS NOT A PERMIT/CONSTRUCTION MAY NOT COMMENCE UNTIL THE PERMIT IS ISSUED

# SIGNAGE APPLICATION

### THIS IS NOT A PERMIT

#### CONSTRUCTION CANNOT NOT COMMENCE UNTIL THE PERMIT IS ISSUED

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or

Use Permit. NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted. PORTLAND, ME 04101 Location/Address of Construction: 377 FORF ST Total Square Footage of Proposed Structure Square Footage of Lot Telephone #: Tax Assessor's Chart, Block & Lot Owner: Number 568.3728 Joe Soley Block# Lot# 8 Chart# 32. CALL WHEN READY Owner's/Purchaser/Lessee Address: Cost Of Work: Lessee/Buyer's Name (If Applicable) PO BOX 367 DTS Fee: SF16 31.20 \$ <del>1,000.</del> \$ Pertland, ME 04112 VACANT/Accounting. Proposed use: CHIROPRACTIC OFFICE Project description: Double-sided painted, reduced sign on existing Contractor's Name, Address & Telephone Craig Lowe - (wood designs) UNITY, ME 948-2773 Please check off the following indicating that you have included the below items to expedite the process of this sign application: E Certification of Liability" listing the City additionally insured Letter of permission from the owner ON FILE UNDER ROUX & GHIMIRE A sketch plan indicating the following: Drawing of the property showing all dimensions of the lot Location of all buildings and property setbacks from all buildings Driveways and abutting streets showing street frontage and any right of ways Indicate on drawing the dimensions of all buildings on the lot Define in footage the frontage of your business front M/A I Indicate on drawing of existing signage and dimensions of each sign

☐ Indicate on drawing all proposed signage and dimension of each sign

☐ Sign area height and setback of each existing and proposed freestanding sign

# THIS IS NOT A PERMIT/CONSTRUCTION MAY NOT COMMENCE UNTIL THE PERMIT IS ISSUED

	Certification of flammability required for awning/canopy at tim	ne of application
	UL # required for lighted signs at the time of Final Inspection.	Failure to provide this
in	formation will invalidate the Sign Permit.	

The Provisions of Section 3102.0 of the City's Building Code "The BOCA National Building Code 1999 edition" shall govern the construction, alteration, repair and maintenance of outdoor signs together with the associated appurtenant and auxiliary devices in respect to structural and fire safety. In accordance to section 3102.4.4 of BOCA construction documents and owners consent is all follows; "Before any permit is issued for the erection of a sign, Construction Documents shall be filed with the code official showing the dimensions, materials and required details of construction, including loads, stresses and anchorage. The applications shall be accompanied by the written contract of the owner or lessees of the premises upon which the sign is to erected. NO PERMIT CAN OR WILL BE ISSUED UNLESS THIS INFORMATION IS SBUMITTED AND APPROVED BY THE INSPECTIONS OFFICE.

#### ELECTRICAL SIGNAGE PERMITS/RESPONSIBLITIES

All sign companies or any persons engaged in the installation, interchange or maintenance of signage in the City of Portland must have the Electrician or Electrical Contractor who provided power to the sign(s) or associated equipment apply for an electrical permit in the Inspections Office.

It is the responsibility of your company to contact your sub-contractor or he owner to inform them of this policy. Whether your company does the final connections, which requires a valid Maine Electricians License or your sub contractor provides this service; permits and inspections shall be required.

Failure to comply with this procedure may result in the denial of sign permits by this office for your company or its representation to install or interchange any future signage in the City of Portland.

If the property is located in a historic district, a separate sketch is required indicating the design, dimensions, construction materials and source of illumination if any. A photograph of the building façade should be submitted, showing where each sign is to be installed.

#### Certification

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: Muhalnhil. Date: 03-09-01

Sign Permit Fee: \$30.00 plus \$0.20 per square foot.

A building permit is also required for any awning based on cost of work-\$30.00 for the first \$1,000.00 and \$6.00 for each additional \$1,000.00

#### **BUILDING PERMIT REPORT**

DATE: 14 MArch 260 / ADDRESS: 375 Fore ST. CBL: 032- F-0080
REASON FOR PERMIT: Signag of
BUILDING OWNER: Joseph L. Soley
PERMIT APPLICANT: /CONTRACTOR Wood De Signs
USE GROUP:CONSTRUCTION TYPE:CONSTRUCTION COST:PERMIT FEES:
The City's Adopted Building Code (The BOCA National Building code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions are met:

1.

- . This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- . Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing. Section 1908.0
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", In occupancies in Use Group A,B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36"and not more than 42". Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 %" maximum rise.</u> All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. Width: The minimum required width of passageways and corridors shall be determined by the most restrictive creteria of section 1011.3. Minimum is 36°.
- 16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms

In each story within a dwelling unit, including basements

- 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 22. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 23. The Sprinkler System shall maintained to NFPA #13 Standard.
- 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 25. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection
- 27. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- 28. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 29. All requirements must be met before a final Certificate of Occupancy is issued.
- 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1999).
- 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 32. Please read and implement the attached Land Use Zoning report requirements.
- 33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 34. Bridging shall comply with Section 2305.16.

	35.	Glass and	l glazin	g shall n	neet the	e requir	ements	of Cha	pter 2	4 of the	he buil	ding	code.	(Safe	ty Glaz	ing Sec	tion 2	405.0)				
$-\lambda$	36.	All signa	ge, shall	be don	e in acc	cordano	e with	Section	3102	.0 sig	ns of t	he Cit	y's B	uildin	g Code	, The l	30CA	<u>Nationa</u>	ıl Buildii	ng Code	/1999).	
4	` <u>3</u> 2	- 76,	<u>'s p</u>	erm	iT	75	bei	26	WI	<u>t n</u>	110	'U'	n de	15	ana	110	7_2	bal	196	<u>,ex</u>	18/11	7
		Dang	ers	Ca	10,	Suj	) O C	<u>CT.</u>	71	-	Nei	a 6 1	$\alpha$	F 1	be	NO	WE	<u> </u>	OSEO	وري	1/2	<del>(</del>
X	38	: The	pro	20 G	ed	519	1 S	hal,		<u>jee</u>	Ι΄,	734		09	ur	0001	10	of	50c	100	13/	<u> </u>
																						<del></del>
																						<del></del>

large Schmuckal, Zoning Administrator

fses, Building Inspector McDougall, PFD

PSH 11/25/99


\*\*This Permit is herewith issued,on the basis of plans submitted and conditions placed the plans, any deviations shall require a separate approval.

\*\*\*THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

\*\*\*\* Certificate of Occupancy Fees: \$50.00 each

\*\*\*\*\* All PLANS THAT REQUIRE A PROFESSIONAL DESIGN'S SEAL,( AS PER SECTION 114.0 OF THE BUILDING CODE ) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000 OR REQUIVALENT.

4	<u>acord</u> . Ci	3:11	FICATE OF LIAB	ILITY INS	URANCI	-	DATE (MM/DD/YY) 02/28/01				
PRC	DUCER			THIS CER	TIFICATE IS ISS	UED AS A MATTER C	F INFORMATION				
E.	F. Johnson Insurance	ce Agenc	7	HOLDER.	THIS CERTIFIC	O RIGHTS UPON THATE DOES NOT AME	ND EXTEND OR				
P.	O. Box 1798			ALTER TH	E COVERAGE A	AFFORDED BY THE P	OLICIES BELOW.				
	_				COMPANIES	AFFORDING COVERA	GE				
		ME 0410	<b>1</b> -	COMPANY							
	107) 799-6470 JRED		( ) -	A PEERLE	SS INSURANCE CO	MPANY					
				COMPANY							
ı	d Port Chiropractic,	Lynne	Whalen								
3,	7 Fore Street			COMPANY							
	ortland M	1E 0410	L-	COMPANY							
Ç0	VERAGES			)							
	CERTIFICATE MAY BE IS	randing SSUED O	DLICIES OF INSURANCE LISTED BELC ANY REQUIREMENT, TERM OR COND R MAY PERTAIN, THE INSURANCE AR OF SUCH POLICIES. LIMITS SHOWN M	ITION OF ANY CONTE FORDED BY THE PO	RACT OR OTHER D LICIES DESCRIBET	OCUMENT WITH RESPECT TO	T TO WHICH THIS				
COLTR	TYPE OF INSURAN	CE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMIT	S				
A	GENERAL LIABILITY					GENERAL AGGREGATE	\$2000000				
	CGI. COMMERCIAL GENERA			03/15/01	03/15/02	PRODUCTS - COMP/OP AGG	\$ 2000000				
	CLAIMS MADE	Y OCCU	3			PERSONAL & ADV INJURY	\$1000000				
	OWNER'S & CONTRAC	TOR'S PRO	т			EACH OCCURRENCE	\$1000000				
						FIRE DAMAGE (Any one fire)	\$ 50000				
						MED EXP (Any one person)	\$ 5000				
	AUTOMOBILE LIABILITY ANY AUTO			/ /	/ /	COMBINED SINGLE LIMIT	s				
	ALL OWNED AUTOS SCHEDULED AUTOS					BODILY INJURY (Per person)	s				
İ	HIRED AUTOS					2004 V 14 4 40 4					
	NON-OWNED AUTOS					BODILY INJURY (Per accident)	S				
						PROPERTY DAMAGE	\$				
	GARAGE LIABILITY					AUTO ONLY - EA ACCIDENT	\$				
	ANY AUTO			/ /	/ /	OTHER THAN AUTO ONLY:					
		-				EACH ACCIDENT	\$				
						AGGREGATE	\$				
	EXCESS LIABILITY					EACH OCCURRENCE	\$				
	UMBRELLA FORM			/ /	/ /	AGGREGATE	\$				
	OTHER THAN UMBRELL WORKERS COMPENSATION					WCSTATU- OTH-	\$				
	EMPLOYERS' LIABILITY	IAND				WC STATU- OTH- TORY UMITS ER					
	THE PROPRIETOR/	INCL		/ /	/ /	EL EACH ACCIDENT	\$				
	PARTNERS/EXECUTIVE OFFICERS ARE:	EXC				EL DISEASE - POLICY LIMIT	\$				
	OTHER	LAC		<del>-  </del>		EL DISEASE - EA EMPLOYEE	\$				
				//	, ,						
				/ /							
DES	CRIPTION OF OPERATIONS/LO	OCATIONS	VEHICLES/SPECIAL ITEMS		<u> </u>						
PLE	ASE NOTE THAT SIGN C	OVERAGE	IS INCLUDED UNDER THE ABOVE LI	eren							
	ICY.		TO INCLUDE CHOOK IND PLOYER IN	51115							
CEI	TIFICATE HOLDER			CANCELLAT	ION						
						SCRIBED POLICIES BE CAN	CELLED BEEODE THE				
						E ISSUING COMPANY WILL					
						THE CERTIFICATE HOLDER					
							•				
Cit	y Of Portland			4	BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY  OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.						
	tland ME			AUTHORIZED REI		Om AIT, IIS AGENTS ON	NEFRESERIATIVES.				
	1			L MI	$\infty$ $\sim$	$\mathcal{M}$	)				
AC(	ORD 25-S (1/95)			······································	1 " " " " " " " " " " " " " " " " " " "	DACORD CO	PROPATION 1988				



MARKET Boint 370 FOR ST SEMPTHAS OSCAR BENDIY

-12' from

sidewalk

2'x3'=Sign size-from existing bracket

TORE STREET

KEY

Other

Sichs

Sigh

AN AN A