

Location of Construction: 28 Milk Street Portland, ME 04101		Owner: ELCI		Phone:		Permit No: 990824	
Owner Address: 428 Milk St. Portland, ME 04101		Lessee/Buyer's Name: Lucian & Ada Trshan		Phone: 253-1588		BusinessName:	
Contractor Name: a/a		Address:		Phone:		Permit Issued: AUG 5 1999	
Past Use: Barber Shop		Proposed Use: Same		COST OF WORK: \$		PERMIT FEE: \$26.20	
				FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: Type:	
				Signature:		Signature:	
Proposed Project Description: Sidewalk sign				PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/> Signature: Date:			
Permit Taken By: Sherry				Date Applied For: August 3, 1999			
<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; margin: 0;"><b>PERMIT ISSUED</b></p> <p style="text-align: center; margin: 0;"><b>AUG 5 1999</b></p> <p style="text-align: center; margin: 0;"><b>CITY OF PORTLAND</b></p> </div>							
Zone:				CBL: 032-F-009			
Zoning Approval:				Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>			

- ### Zoning Appeal
- ☐ Variance
  - ☐ Miscellaneous
  - ☐ Conditional Use
  - ☐ Interpretation
  - ☐ Approved
  - ☐ Denied

**Historic Preservation**  
☐ Not in District or Landmark  
☐ Does Not Require Review  
☐ Requires Review

☐ Approved  
☐ Approved with Conditions  
☐ Denied

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:

**CEO DISTRICT**

PRODUCER		INSURED		THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.	
<b>AGORD</b> <b>CERTIFICATE OF LIABILITY INSURANCE</b>		DATE (MM/DD/YY) 08/03/99			
GHM Agency Portland Inc. 977 Brighton Avenue Portland ME 04102				COMPANIES AFFORDING COVERAGE	
		COMPANY A Concord General Ins. Co.			
		COMPANY B			
		COMPANY C			
		COMPANY D			
THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN. THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS					
CO LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
A	GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> OWNERS & CONTRACTORS PROT	Z519225-0 Z519225-0	08/19/98 08/19/99	08/19/99 08/19/00	GENERAL AGGREGATE \$ 600,000 PRODUCTS - COMPROP AGG \$ 300,000 PERSONAL & ADV INJURY \$ 300,000 EACH OCCURRENCE \$ 300,000 FIRE DAMAGE (Any one fire) \$ 50,000 MED EXP (Any one person) \$ 5,000
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS				COMBINED SINGLE LIMIT \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE \$
	GARAGE LIABILITY <input type="checkbox"/> ANY AUTO				AUTO ONLY - EA ACCIDENT \$ OTHER THAN AUTO ONLY \$ EACH ACCIDENT \$ AGGREGATE \$
	EXCESS LIABILITY <input type="checkbox"/> UMBRELLA FORM <input type="checkbox"/> OTHER THAN UMBRELLA FORM				EACH OCCURRENCE \$ AGGREGATE \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY THE PROPRIETARY PARTNERS/EXECUTIVE OFFICERS ARE: <input type="checkbox"/> INCL <input type="checkbox"/> EXCL				WC STATUTORY LIMITS <input type="checkbox"/> OTHER <input type="checkbox"/> EL EACH ACCIDENT \$ EL DISEASE - POLICY LIMIT \$ EL DISEASE - EA EMPLOYEE \$
	OTHER				
DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/SPECIAL ITEMS					
CERTIFICATE HOLDER City of Portland Congress St Portland ME 04101			CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL <u>10</u> DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES. AUTHORIZED REPRESENTATIVE: <i>Donna Bouth</i> Donna Bouth		



AMERICA CERTIFICATE OF LIABILITY INSURANCE					
<b>INSURED</b> 977 Brighton Avenue Portland ME 04102			THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR SUPPLEMENT THE POLICY IT REFERS TO.		
<b>INSURED</b> A and L Barber Shop 28 Milk St Portland ME 04101			<b>COMPANY</b> A Concord General Ins. Co. B C D		
THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE IS ISSUED, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, CONDITIONS AND EXCLUSIONS OF SUCH POLICIES.					
QD LTR	TYPE OF INSURANCE	POLICY NUMBER	START DATE	END DATE	COVERAGE
A	GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> OWNERS & CONTRACTORS PROT	Z510225-0 Z510225-0	08/10/98 08/19/99	08/19/99 08/19/00	GENERAL AGGREGATE \$ 1,000,000 PRODUCTS - COMPROP AGG \$ 300,000 PERSONAL & ADV INJURY \$ 300,000 EACH OCCURRENCE \$ 300,000 FIRE DAMAGE (Any one fire) \$ 50,000 MED EXP (Any one person) \$ 5,000
	AUTOMOBILE LIABILITY <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS				COMBINED SINGLE LIMIT \$ BODILY INJURY \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE \$
	GARAGE LIABILITY <input type="checkbox"/> ANY AUTO				AUTO ONLY - EA ACCIDENT \$ OTHER THAN AUTO ONLY: \$ EACH ACCIDENT \$ AGGREGATE \$
	EXCESS LIABILITY <input type="checkbox"/> UMBRELLA FORM <input type="checkbox"/> OTHER THAN UMBRELLA FORM				EACH OCCURRENCE \$ AGGREGATE \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY THE PROPRIETOR/PARTNER/EXECUTIVE OFFICERS ARE <input type="checkbox"/> INCL <input type="checkbox"/> EXCL				WC STATUTORY LIMITS \$ EL EACH ACCIDENT \$ EL DISEASE - POLICY LIMIT \$ EL DISEASE - EA EMPLOYEE \$
	OTHER				

DESCRIPTION OF OPERATION/LOCATION/VEHICLES/SPECIAL ITEMS

COVERAGE HOLDER

977 Brighton Avenue  
 Congress St

Portland ME 04101

SHOULD ANY OF THE ABOVE DESCRIBED OPERATIONS, LOCATIONS, VEHICLES OR SPECIAL ITEMS BE CHANGED, THE INSURING COMPANY WILL ENDEAVOR TO MAIL EXPLANATORY NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT. BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO LIABILITY ON THE COMPANY OR ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE

*[Signature]*

TOTAL P.01

AGORD. EVIDENCE OF PROPERTY INSURANCE		DATE (MM/DD/YY) 08/02/99	
THIS IS EVIDENCE THAT INSURANCE AS IDENTIFIED BELOW HAS BEEN ISSUED, IS IN FORCE, AND CONVEYS ALL THE RIGHTS AND PRIVILEGES AFFORDED UNDER THE POLICY.			
PRODUCER GHM Agency Portland Inc. 977 Brighton Ave. Portland ME 04102		COMPANY Concord General Mutual	
CODE AGENCY CUSTOMER ID # INSURED		LOAN NUMBER POLICY NUMBER Z519225-0 EFFECTIVE DATE 08/19/98 EXPIRATION DATE 08/19/99 CONTINUED UNTIL TERMINATED IF CHECKED <input type="checkbox"/>	
A & L Barber Shop 184 Federal Street Portland ME 04101		THIS REPLACES PRIOR EVIDENCE DATED:	
PROPERTY INFORMATION LOCATION/DESCRIPTION 184 Federal Street Portland, ME 04101			
COVERAGE INFORMATION			
COVERAGE/PERILS/FORMS		AMOUNT OF INSURANCE	DEDUCTIBLE
Commercial General Liability		300000	0
REMARKS (including Special Conditions)			
CANCELLATION THE POLICY IS SUBJECT TO THE PREMIUMS, FORMS, AND RULES IN EFFECT FOR EACH POLICY PERIOD. SHOULD THE POLICY BE TERMINATED, THE COMPANY WILL GIVE THE ADDITIONAL INTEREST IDENTIFIED BELOW _____ DAYS WRITTEN NOTICE AND WILL SEND NOTIFICATION OF ANY CHANGES TO THE POLICY THAT WOULD AFFECT THAT INTEREST, IN ACCORDANCE WITH THE POLICY PROVISIONS OR AS REQUIRED BY LAW.			
ADDITIONAL INTEREST NAME AND ADDRESS		MORTGAGEE LESS PAYEE ADDITIONAL INSURED	
		AUTHORIZED REPRESENTATIVE James Sanborn <i>J. Sanborn</i>	
AGORD 27 (3/93)		© AGORD CORPORATION 1993	

# GHM AGENCY

51 Main Street Waterville, ME 04901 Phone 207 873.5101 Fax 207 873.5714  
977 Brighton Avenue Portland, ME 04102 Phone 207.774.0030 Fax 207.775.5714  
E-Mail: ginsural@maine.rr.com Website: <http://www.ghmagency.com>

**Date:** August 2, 1999

**To:**

**Company:** City of Portland

**Fax #:** 874-8716

**# of Pages:** 2

**From:** James Sanborn

**RE:** A & L Barber Shop  
Z519225-G

**Message:**

Following is the evidence of insurance for the above account which they needed for the sign that they place on the sidewalk. Please let me know if you need anything else

**Please contact our office immediately if any part of this transmission is not received.**

## **INFORMATION REQUIREMENTS FOR SIGN PERMIT APPLICATION**

Applicants for a sign permit will be asked to submit the following information to the Code Enforcement Office:

1. Proof of insurance
2. Letter of permission from the owner
3. A sketch plan of lot, indicating location of buildings, driveways and any abutting streets or right of ways. Lengths of building frontages and street frontages should be noted. (see attached)
4. Indicate on the plan all existing and proposed signs
5. Computation of the following:
  - A) Sign area of each existing and proposed building sign
  - B) Sign area height and setback of each existing and proposed freestanding sign
6. A sketch of any proposed sign(s), indicating dimensions, materials, source of illumination and construction method (see attached).
7. Certificate of flammability required for awning/canopy at time of application.
8. UL # required for lighted signs at the time of application.

**Fee for permit - \$30.00 plus \$0.20 per square foot**

**Fee for awning based on cost of work - \$30.00 for the first \$1,000.00, \$6.00 for each additional \$1,000.00.**

**NOTE:** Once a sketch plan has been filed for a property, the code enforcement office will keep a record of the plan so that a new sketch plan will not be required for later changes to signage on the property. In such an instance, applicants will only be required to submit information applicable to the new sign.



**THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE  
PERMIT IS ISSUED**

**Sign Permit Pre-Application  
Attached Single Family Dwellings/Two-Family Dwelling  
Multi-Family or Commercial Structures and Additions Thereto**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

**NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction (include Portion of Building): <span style="font-size: 1.5em; margin-left: 100px;">28 Milk St</span>		
Total Square Footage of Proposed Structure		Square Footage of Lot <span style="float: right;">E/C</span>
Tax Assessor's Chart, Block & Lot Number Chart# <span style="font-size: 1.2em;">32</span> Block# <span style="font-size: 1.2em;">F</span> Lot# <span style="font-size: 1.2em;">009</span>	Owner: <span style="color: blue;">LUCIAN + ADA TRAHAN</span> <span style="color: blue;">LUCIAN + ADA TRAHAN</span>	Telephone#: <span style="color: blue;">953-1588</span>
Owner's Address: <span style="font-size: 1.2em;">28 MILK STREET PORTLAND ME 04101</span>	Lessee/Buyer's Name (If Applicable) <span style="float: right;">↓</span>	Total Sq. Ft. of Sign <span style="float: right;">Fee</span> <span style="font-size: 1.2em;">6 sq ft</span> <span style="font-size: 1.2em;">\$1.20</span> <span style="float: right; font-size: 1.2em;">26.20</span>
Proposed Project Description: (Please be as specific as possible) <span style="font-size: 1.5em; margin-left: 100px;">Sidewalk Sign</span>		
Contractor's Name, Address & Telephone		Rec'd By <span style="float: right;">SP</span>
Current Use: <span style="font-size: 1.2em;">BARBER SHOP</span>	Proposed Use:	

Signature of applicant: <span style="font-size: 1.2em;">Lucian D. Trahan</span>	Date: <span style="font-size: 1.2em;">7/ 199</span>
---	---

Signage Permit Fee: \$30.00 plus .20 per square foot of signage



sidewalk  
SIGN  
A-FRAME

Proof of Insurance + Drawing w/Dimensions

## BUILDING PERMIT REPORT

DATE: 5 Aug 99 ADDRESS: 28 MILK ST. CBL: 032-F-009

REASON FOR PERMIT: Sidewalk sign

BUILDING OWNER: ELCI

PERMIT APPLICANT: \_\_\_\_\_ (Contractor) Traban

USE GROUP Signage CONSTRUCTION TYPE \_\_\_\_\_

The City's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments)  
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

### CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met: \*1, \*34

#### Approved with the following conditions:

- ✓ 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete from freezing. Section 1908.0
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)



PLEASE ANSWER ALL QUESTIONS

ASSESSOR NO. \_\_\_\_\_

FREESTANDING SIGN? YES \_\_\_\_\_ NO ☒ DIMENSIONS \_\_\_\_\_

BLDG. WALL SIGN?      YES      NO      DIMENSIONS

MORE THAN ONE SIGN? YES \_\_\_\_\_ NO \_\_\_\_\_ DIMENSIONS \_\_\_\_\_

AWNING YES \_\_\_\_\_ NO \_\_\_\_\_ IS AWNING BACKLIT? YES \_\_\_\_\_ NO \_\_\_\_\_

IS THERE ANY COMMUNICATION, MESSAGE, TRADEMARK OR SYMBOL ON IT? \_\_\_\_\_


\*\*\* TENANT BLDG. FRONTAGE (IN FEET) \_\_\_\_\_

### \*\*\* REQUIRED INFORMATION

## AREA FOR COMPUTATION

SIGNATURE OF APPLICANT: \_\_\_\_\_ DATE: \_\_\_\_\_

17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)
18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basementsIn addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.
20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall maintained to NFPA #72 Standard.
22. The Sprinkler System shall maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. **No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.**
28. All requirements must be met before a final Certificate of Occupancy is issued.
29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements.
32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
33. Glass and glazing shall meet the requirements of Chapter 24 of the building code.
- X 34. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code 1996).
35. \_\_\_\_\_
36. \_\_\_\_\_
37. \_\_\_\_\_
38. \_\_\_\_\_

  
P. Samuel Holmes, Building Inspector

cc: U.A. McDougall, PFD  
Marge Schmuckal, Zoning Administrator

PS11 7/2/99

**\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.**