City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner: Merrissey/Java 1	Phone:	761-5637 ===	Permit No: 9 9 0 8 3 1	
Owner Address:	Lessee/Buyer's Name:	Phone: Busines	ssName:	970001	
Contractor Name:	Address:	Phone:		Permit Issued:	
Past Use:	Proposed Use:	COST OF WORK:	PERMIT FEE: \$ 27.40	AUG 9 1999	
Adertising	pase	FIRE DEPT. Approved Denied Signature:	Use Group: Type: BOC 946 Signature: Hele	Zone: OCBLORTLAND	
Proposed Project Description:		PEDESTRIAN ACTIVITIE		Zoning Approval:	
Side Walk Sign		Action: Approved Approved Denied	with Conditions:	Special Zone or Reviews: ☐ Shoreland ☐ Wetland ☐ Flood Zone	
Permit Taken By:	Date Applied For:	Signature:	Date:	☐ Subdivision ☐ Site Plan maj ☐minor ☐mm ☐	
2. Building permits do not include plumbing	he Applicant(s) from meeting applicable S , septic or electrical work. rted within six (6) months of the date of is:			Zoning Appeal Variance Miscellaneous Conditional Use Interpretation Approved Denied	
I hereby certify that I am the owner of record of authorized by the owner to make this application if a permit for work described in the application areas covered by such permit at any reasonable	Historic Preservation Not in District or Landmark Does Not Require Review Requires Review Action: Approved Approved with Conditions Denied Date:				
		Aug. 6, 1999			
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:		
RESPONSIBLE PERSON IN CHARGE OF WO	ORK, TITLE	en-	PHONE:	CEO DISTRICT	
**************************************	-Permit Desk Green-Assessor's Car	ary-D.P.W. Pink-Public File		CEO DISTRICT	

Foundation: Framing: Plumbing: Final: Other:		2-23-00 Observerved skyn in place of	COMMENTS
Type Date			

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Sign Permit Pre-Application Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto


In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.


NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

The analysis and an angence in	to mast se made serote permits of any find	are accepted.			
Location/Addressof Construction (include Portion of Building):	13 Exchange Street				
Total Square Footage of Proposed Structure	Square Footage of Lot	Coney			
Tax Assessor's Chart, Block & Lot Number Chart# 0 3 A Block# Lot# 0 0	Owner: Marrissey Javaloes	Telephone#: 761-5637			
Owner's Address: 13 Exchange St., Pratand	Lessee/Buyer's Name (If Applicable) Mc Name Enleyinges	Total Sq. Ft. of Sign Fee 1242 \$27.40			
Proposed Project Description:(Please be as specific as possible) Sidewalk Sign					
Contractor's Name, Address & Telephone		Rec'd By			
Current Use: adultationly	Proposed Use: advertis	ing			
		V			
Signature of applicants Minia Hive	Willy Date:	8/6/99			
Signage Permit F	ee: \$30.00 plus .20 per square foot of signage	DEPT. OF BUILDING INSPECTION CITY OF PORTLAND, ME AUG - 6 1999 E G E V E			

	CERT	IFICATE OF LLA	BILITY	INSUR	ANCE	DATE (MM/DD/YY)
PRO	ANDERSON WAT		THIS CER ONLY AN HOLDER	TIFICATE IS IS TO CONFERS IN THIS CERTIFIE	SUED AS A MATTE NO RIGHTS UPON CATE DOES NOT A AFFORDED BY THE	THE CERTIFICATE
	31 CENTRAL S	Ţ			AFFORDING COVE	
	WESTBROOK	ME 04092-99	51 COMPANY		INSURANCE C	
INSI	DRED		COMPANY			
	MCNAMEE ENTER		В			
	DBA JAVA JOE 72 WELLS RD	′ \$	COMPANY			
	CAPE ELIZABET	TH ME 04107	COMPANY			
500	VERAGES		D	The state of the s	a secondario di V	
	THIS IS TO CERTIFY THAT THE POI INDICATED, NOTWITHSTANDING A CERTIFICATE MAY BE ISSUED ON	LICIES OF INSURANCE LISTED BELOW F NY REQUIREMENT, TERM OR CONDIT MAY PERTAIN. THE INSURANCE AFFO SUCH POLICIES, LIMITS SHOWN MAY	ION OF ANY CONT	RACT OR OTHER D	OCUMENT WITH RESPEC	TT TO DELIZE THE
CG LTR	TYPE OF INSUPANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DDAY?)	LD	MITS
Ā	GENERAL LIABILITY	ODP5961309-00	07/19/99	07/19/00	GENERAL AGGREGATE	\$1,000,000
	X COMMERCIAL GENERAL LIABILITY		1	,, -0	PRODUCTS - CONF/OP ADG	11,000,000
	CLAIMS MADE X OCCUR				PERSONAL & ADV INJURY	11,000,000
	OWNER'S & CONTRACTOR'S PROT				EACH OCCURRENCE	\$1,000,000
					PIRE DAMAGE (Any one fire)	\$ 50,000
					MED EXP (Any one person)	s 5,000
	ANY AUTO				COMBENED SINGLE LIMIT	s
	ALL OWNED AUTOS SCHEDULSD AUTOS				BODILY INJURY (Per person)	s
	HIRED AUTOS NON-OW YED AUTOS				BODILY INURY (Per accident)	5
					PROPERTY DAMAGE	s
	GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT	5
	ANY ALTO				OTHER THAN AUTO ONLY	
					EACH ACCIDENT	
-					AGGREGATE	
	EXCESS LIABILITY				EACH OCCURRENCE	\$
	OTHER THAN UMBERLLA FORM		i .		AGGREGATE	5
	WORKERS COMPENSATION AND				WC STATU- OTH	-
	EMPLOYERS' LIABILITY		1		EL PACH ACC'DENT	1
	THE PROPRIETOR! INCL.				BL DISEASE-POLICY LIMIT	3
	PARTNERS/EXECUTIVE OFFICERS ARE: EXCL				EL DISEASE-EA EMPLOYEE	5
	RIPTION OF OPERATIONS/LOCATIONS/VI	THICLES/SPECIAL TRIMS OF PORTLAND ME 04101				
da.						**************************************
CILI	CLIY OF PORTI ATIN MICHAEL 389 CONGRESS PORTLAND ME C	AND NUGENT ST	EXPIRATION 10 DAYS BUT FAILURE OF ANY KI	OF THE ABOVE DE DATE THEREOF, TE WRITTEN NOTICE T TO MAIL SUCH NO ND UPON THE C	SCRIBED POLICIES BE CAN HE ISSUING COMPANY WILL O THE CERTIFICATE BOLDS FICE SHALL IMPOSE NO OR OMETANY, ITS AGANTS O	NCELLED BEFORE THE LL ENDEAVOR TOTALL ER NAMED TO THEFT, SUGATION OLLABILITY
ACC	FRD 25-8 (1/95)		1	erresentative (R Desjar	and the state of t	OR MANUELLE STATES

JAVAJOE'S SIDEWALK SIGN 13 EXCHANGE STREET





BUILDING PERMIT REPORT

, and the state of					
DATE: 7/A49/99 ADDRESS: 13 Exchange 57. CBL: \$32-F-\$	10				
DATE: 7/Aug/99 ADDRESS: 13 Exchange 57. CBL: \$32-F-\$ REASON FOR PERMIT: SIde walk 5190	<i>/</i>				
BUILDING OWNER: Morrissey / Saug Joe's					
PERMIT APPLICANT: /Contractor SAA					
USE GROUP SIGNAGE CONSTRUCTION TYPE					
The City's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)					
CONDITION(S) OF APPROVAL					
This permit is being issued with the understanding that the following conditions are met: $\frac{*1}{34}$					
Approved with the following conditions:					

1.

- This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing. Section 1908.0
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0) Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in Use Group R-3 & R-4is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self 17. closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0) The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic 18. extinguishment. (Table 302.1.1) 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations): In the immediate vicinity of bedrooms In all bedrooms In each story within a dwelling unit, including basements In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2. 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0) 21. The Fire Alarm System shall maintained to NFPA #72 Standard. 22. The Sprinkler System shall maintained to NFPA #13 Standard. 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996) Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open 24. any street or sidewalk from the time of November 15 of each year to April 15 of the following year". 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services. 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics). All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until 27. all electrical (min.72 hours notice) and plumbing inspections have been done. 28. All requirements must be met before a final Certificate of Occupancy is issued. 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996). 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16) 31. Please read and implement the attached Land Use Zoning report requirements. 32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4. 2305.5.1 and 2305.5.3 of the City's Building Code. Glass and glazing shall meet the requirements of Chapter 24 of the building code. 33. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code

34. 1996). 35. 36. 37.

he Holls & Building Inspector Lt. McDougall, PFD

Marge Schmückal, Zoning Administrator

PSH 7/24/99

38.

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.