City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

and the second sec

Location of Construction: 379 Fore St	Owner: Jon Solny/M	inner in	Phone:	Permit No: 971164
Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessName:	//==
	Panky's	- Int		PERMIT ISSUED
Contractor Name:	Address: P.O. Box 11028 Prld.	Phone:	828-1111 774-2091	
Past Use:	Proposed Use:	COST OF WORK \$ 300.00	PERMIT FEE: \$ 25.00	OCT 2 4 1997
Restaurant	Same	FIRE DEPT. 🗆 Aj		CITY OF PORTLAND
		Simon -14	1- 2 0:	Zone: CBL: 032-F-014
Proposed Project Description:		Signature: PEDESTRIAN AC	Signature: TIVITIES DISTRICT (P.A.D.)	Zoning Approval:
		and the second	pproved	Special Zone or Reviews:
Relocate Bathroom	Relocate Bathroom		oproved with Conditions:	□ Shoreland
		De	enied	□ Wetland □ Flood Zone
		Signature:	Date:	
Permit Taken By: Mary Greatk	Date Applied For:	17 October 1997		□ Site Plan maj □minor □mm □
 This permit application does not preclude t Building permits do not include plumbing Building permits are void if work is not station may invalidate a building permit and 	, septic or electrical work. rted within six (6) months of the date of	issuance. False informa-	PERMIT RECEIPT	Zoning Appeal Carlance Signal Variance Signal Variance Signal Variance Signal Variance Conditional Use Signal Interpretation Approved Denied Historic Preservation Not in District or Landmark Does Not Require Review Requires Review
I hereby certify that I am the owner of record of authorized by the owner to make this application if a permit for work described in the application areas covered by such permit at any reasonable	on as his authorized agent and I agree to it is issued, I certify that the code official	o conform to all applicable l l's authorized representative ode(s) applicable to such pe	aws of this jurisdiction. In addition, shall have the authority to enter all	Denied
SIGNATURE OF APPLICANT Joe Tate		DATE:	PHONE:	1 1.//1/ 16
RESPONSIBLE PERSON IN CHARGE OF WO		PHONE:		
	-Permit Desk Green-Assessor's C	anary-D.P.W. Pink-Publ		

Location of Construction:	Owner:		Phone:	Permit No:071161			
379 Fore St	Joe Soley			711104			
Owner Address:	Lessee/Buyer's Name: Punky's	Phone:	BusinessName:	PERMIT ISSUED			
Contractor Name:	Address:	Phone	:	Permit Issued:			
Joe Este≢s	P.O. Box 11028 Pt1	d, ME 04104	828-1111 774-209	OCT 2 4 1997			
Past Use:	Proposed Use:	COST OF WORK	and the production of the production	001 2 4 1991			
		\$ 300.00	\$ 25.00	OITY OF DODTLAND			
Restaurant	Same	FIRE DEPT.		CITY OF PORTLAND			
			Denied Use Group: Type:	Zone: CBL: 022 T OF			
		Signature: -U	Signature:	13 032-F-014 01			
Proposed Project Description:			CTIVITIES DISTRICT (P.A.D.)	Zoning Approval:			
		an englished strength and	Approved	Special Zone or Reviews			
Relocate Bathroom		1	Approved with Conditions:	□ □ Shoreland			
Refocate Bathroom		I	Denied	□ □ Wetland			
		199 A		Flood Zone			
	Data Andre La LE	Signature:	Date:	□ Subdivision □ Site Plan maj □minor □mm □			
Permit Taken By: Mary Gresik	Date Applied For:	17 October 1997					
 This permit application does not preclude 	the Applicant(s) from meeting applica	ible State and Federal rules.		□ Variance □ Miscellaneous			
2. Building permits do not include plumbin	g, septic or electrical work.						
3. Building permits are void if work is not st	Interpretation Approved						
tion may invalidate a building permit and	tion may invalidate a building permit and stop all work.						
		15		□ Denied			
		1417		Historic Preservation			
		17		□ Not in District or Landmark			
				Des Not Require Review			
			A	and Cal intervie In All			
			Halar.	Action:			
	CERTIFICATIO?	NT.	1.1				
I hereby certify that I am the owner of record of	en EApproved with Conditions						
authorized by the owner to make this applicat							
if a permit for work described in the application				all 15/25/97			
areas covered by such permit at any reasonab	The second se			Date: 10/00/1			
			•				
H	379 FREEST		17 October 1997	Do Andrea			
SIGNATURE OF APPLICANT JOE Est	379 FOLE ST. ADDRESS:	DATE:	PHONE:	- MANAW			
RESPONSIBLE PERSON IN CHARGE OF W	ORK. TITLE		PHONE;				
NAMES OF TAXABLE AND ADD ADD ADD ADD ADD ADD ADD ADD ADD				CEO DISTRICT			
	-Permit Desk Green-Assessor's						

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716



BUILDING PERMIT REPORT

DATE: 0 73 97 ADDRESS: 377 Fore (7.					
REASON FOR PERMIT: renevation by theorem					
BUILDING OWNER: Sales					
CONTRACTOR:					
PERMIT APPLICANT: Jor Erter APPROVAL: 19*20 *26 *29, DENIED					
USE GROUP $A-2$ BOCA 1996 CONSTRUCTION TYPE $3h$					
CONDITION(S) OF APPROVAL					

- 4. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
 - 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
 - 3. Precaution must be taken to protect concrete from freezing.
 - 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
 - 5. Private garages located <u>beneath habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
 - 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993).
 - 7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
 - 8. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".)
 - 9. Headroom in habitable space is a minimum of 7'6".
 - Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
 - 11. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8")
 - 12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
 - 13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
 - 14. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
 - 15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
 - 16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms

In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
 - The Fire Alarm System shall be maintained to NFPA #72 Standard.
 - The Sprinkler System shall maintained to NFPA #13 Standard.
- All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023, & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. No construction or demolition work shall begin until you have obtained permits for dumpsters or containers. A work Stop Order shall be issued if this requirement is not met.
- 22. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 23. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.
 Ventilation shall meet the requirements of Chapter 12 Sections 1210, of the City's Building Code.
- All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.
 - 27. All requirements must be met before a final Certificate of Occupancy is issued,
 - All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
- 29. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993).

30. 31. 32. э 33. 34.

P.Simuret Hoffses Code Enforcement They cc: LI. McDougall, PFD Marge Schmuckal