City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Owner: Phone: Permit No: 990810 Joe Soley 774-7777 1 Exchange Street Lessee/Buyer's Name: Phone: BusinessName: Owner Address: P.O. Box 367 DTS, Portland The Basement, Inc. The Basement Inc. Permit Issued: Contractor Name: Address: Phone: ## 671-9585 * Glen GAudin COST OF WORK: PERMIT FEE: Proposed Use: Past Use: \$ 30.00 \$ Drinking Pool Hall FIRE DEPT. Approved INSPECTION: Establishment Use Group: 43 Type: 313 ☐ Denied Zone: CBL: BOCA961 Signature: Signature: 74 Proposed Project Description: Zoning Approval: PEDESTRIAN ACTIVITIES DISTRICT (XA.D.) MSK AHID Chappe of Use from poolball to drinking establishment. Action: Approved Special Zone or Reviews: Approved with Conditions: ☐ Shoreland / ____ Denied ☐ Wetland ☐ Flood Zone ☐ Subdivision Signature: Date: ☐ Site Plan maj ☐minor ☐mm ☐ Date Applied For: Permit Taken By: 7-28-99 KA Zoning Appeal ☐ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Interpretation tion may invalidate a building permit and stop all work... ☐ Approved ☐ Denied ***Call for Pick Up Glen Gaudin 671-9585 Historic Preservation □ Not in District or Landmark ☐ Does Not Require Review PERMIT ISSUED WITH REQUIREMENTS ☐ Requires Review A Y DAGO Action: WILL NEED ☐ Appoved 5

CERTIFICATION

Thereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

7-28-99

SIGNATURE OF APPLICANT

ADDRESS:

DATE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

PHONE:

CEO DISTRICT

Date:

☐ Approved with Conditions

□ Denied



		8/11/99 This spermet is her existing a protection	
Type Foundation: Framing: Plumbing: Final: Other:		in winied the legality and	COMMENTS
Date			

City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner:		Phone:		Permit No:
1 Exchange Street	Joe Soley			77	
Owner Address:	Lessee/Buyer's Name:	Phone: BusinessName:		990810	
P.O. Box 367 DTS, Portland	The Basement, Inc.			sement Inc.	PERMIT ISSUEU_}
Contractor Name: * Glen GAudin	Address: Phone: ** 671–9585		Permit Issued:		
Past Use:	Proposed Use:	COST OF WORK	:	PERMIT FEE: \$ 30.00	AUG 3 1999
Pool Hall	Drinking Establishment	FIRE DEPT. D	Approved enied	INSPECTION: Use Group: Type:	Zone: CBL: 032-F-014
D 1 D 1 D 1 D 1 D 1 D 1 D 1 D 1 D 1 D 1		Signature:		Signature:	
Proposed Project Description:		2. 2		S DISTRICT (P.A.D.)	
Change of Use from poolhall to d	rinking establishment.	A	approved approved w Denied	rith Conditions:	Special Zone or Reviews: Shoreland Wetland Flood Zone
		Signature:		Date:	Subdivision
Permit Taken By: KA	Date Applied For:	7-28-99			☐ Site Plan maj ☐mir.or ☐mm ☐
 This permit application does not preclude Building permits do not include plumbing Building permits are void if work is not st tion may invalidate a building permit and 	☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied				
	***Call fo	or Pick Up Glen	Gaudin	671-9585	Historic Preservation ☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review
					Action:
I hereby certify that I am the owner of record of authorized by the owner to make this applicate if a permit for work described in the application areas covered by such permit at any reasonable	on, Denied				
SIGNATURE OF APPLICANT	ADDRESS:	7-28-99 DATE:		PHONE:	_
RESPONSIBLE PERSON IN CHARGE OF W	ORK, TITLE			PHONE:	CEO DISTRICT
White	e-Permit Desk Green-Assessor's Car	nary-D.P.W. Pink-Pul	olic File I	vorv Card-Inspector	ub

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application


Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building): 1 2 x chaucz S	1 Portland	f
Total Square Footage of Proposed Structure 17 11 3,000 Sf Square Footage	of Lot 3,000	st
Tax Assessor's Chart, Block & Lot Number Owner:		Telephone#:
Charl# 32 Block# F Lat 14 JOE Solry		774-1777
Owner's Address: 20. Boy Lessee/Buyer's Name (If Applicable	e) Co	st Of Work: Fee
367 DTS Portland The Besement,	Inc. \$	O.D \$ 30-
Proposed Project Description: (Please be as specific as possible) Change of use from Poolhall to	drinking es	Liblishment.
	YPIH	
Contractor's Name, Address & Telephone Glan Gaudin	(671.9585	Rec'd By
	Drinking Es	tablishment
•All construction must be conducted in compliance with the 1996 B.O.C.A. •All plumbing must be conducted in compliance with the S. •All Electrical Installation must comply with the 1996 National Electrical HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1996 National Electrical and Include the following with you application: 1) ACopy of Your Deed or Purchase and S. 2) A Copy of your Construction Contract 3) A Plot Plan/Site Plan Minor or Major site plan review will be required for the above proposed projects. The checklist outlines the minimum standards for a site plan. 4) Building Plans Unless exempted by State Law, construction documents must be desi A complete set of construction drawings showing all of the following elements of complete set of construction drawings showing all of the following elements of complete set of construction drawings showing all of the following elements of complete set of construction drawings showing all of the following elements of complete set of construction drawings showing all of the following elements of complete set of construction drawings showing all of the following elements of complete set of construction drawings and dampproofing electrical and plumbing layout. Mechanical drawings for any specialized equipment, HVAC equipment (air handling) or other types of work that a certification. I hereby certify that I am the Owner of record of the named property, or that the proposed work is author owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of the application is issued, I certify that the Jode Official authorized representative shall have the authority to application is sued. I certify that the Jode Official authorized representative shall have the authority to the authority t	State of Maine Plumbical Code as amended omply with the 1993 It ale Agreement t, if available The attached gned by a registered construction: and accessory structure: equipment such as furnay require special revised by the owner of record a his jurisdiction. In addition, if	ing Code. By Section 6-Art III. BOCA Mechanical Code. BUILDING INSPECTION BUILDING INSPEC
enforce the provisions of the codes applicable within permit. Signature of applicant:	Date:	28/94
Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$	1,000.00 construction	cost thereaftef.
Additional Site review and related fees are attached o	n a separate addendum	Ĺ



ROOF FRAMING PLAN




Figure 3. Typical Framing and Cross Section

These plans are all done by professionals, If your project is listed in the attached exemptions, you can prepare your own plans. For all other projects except those exempted, a Design Professional must prepare any construction documents. When proposing an addition, similar plans are required, the same goes for a detached garage or an attached deck.

BUILDING PERMIT REPORT REASON FOR PERMIT: BUILDING OWNER: PERMIT APPLICANT: /Contractor CONSTRUCTION TYPE **USE GROUP** The City's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993) CONDITION(S) OF APPROVAL This permit is being issued with the understanding that the following conditions are met: $\frac{1}{2}$ Approved with the following conditions: This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2 Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and 4. a maximum 6' o.c. between bolts. (Section 2305.17) 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code. Precaution must be taken to protect concrete from freezing. Section 1908.0 6. 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent 8. interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996) 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211 Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building 10. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2. M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7) Headroom in habitable space is a minimum of 7'6". (Section 1204.0) 13. Stair construction in Use Group R-3 & R-4is a minimum of 10" tread and 7 4" maximum rise. All other Use Group minimum 11"

approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping means shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door

16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4

tread, 7" maximum rise. (Section 1014.0)

14

15.

- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)
- 18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.

- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min.72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements.
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
- 33. Glass and glazing shall meet the requirements of Chapter 24 of the building code.

			CONTRACTOR SERVICE SERVICES		The second of th	_	,					
34.	All signage,	shall be done	e in accordance	with Section	3102.0 sign	s of the Ci	ity's Buil	lding Code,	(The BOCA)	National Bu	ailding (Code
	1006)		/			, ,	,	1				

,	1990).	* / 7	-/ //		_	
V 35.	11911 000	Ventila 110	7 Shall	be doge	11 accord	dayet
N	with The Co	rentitation	rical Codo	CThe BOCA Me	chanical Cod	e/1993)
6 8.	Table M-	1804,3 - Negu	ined moc	hanical Ver	THUTTON AT	Tie dighting
	as Per sec	T100 1207,0	of The Be	CA NATIONAL	Building Coa	1996.
37.	/	,				

P Samuel Hoffses, Building Inspector


Lt. McDougall, PFD
Marge Schmuckal, Zoning Administrator

PS11 7/24/99

38.

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

meter lacen Meta rample 800 100m Exchange St food your Elaux & walken cooled restroom? May) Mely your · 75 2104





CITY OF PORTLAND, MAINE Department of Building Inspection

Certificate of Occupancy

LOCATION 1 Exchange Street 032-F-014

Issued to Joe Soley

Date of Issue August 11, 1999

This is to certify that the building, premises, or part thereof, at the above location, built — altered — changed as to use under Building Permit No. 990810 , has had final inspection, has been found to conform substantially to requirements of Zoning Ordinance and Building Gode of the City, and is hereby approved for occupancy or use, limited or otherwise, as indicated below.

PORTION OF BUILDING OR PREMISES

APPROVED OCCUPANCY

Basement

Drinking Establishment

Limiting Conditions:

Change of Use only. Not

Not to construe Building Code COmpliance

This certificate supersedes certificate issued

Approved:

(Date)

Inspector

Inspector of Buildings

Notice: This certificate identifies lawful use of building or premises, and ought to be transferred from owner to owner when property changes hands. Copy will be furnished to owner or lessee for one dollar.