




Aluminum Storefront Notes:


- drawings based on Old Castle 2x4 1/2 aluminum frames
- Reuse existing frames, glass, and doors from the 4th floor to the fullest extent possible
- provide sealant at perimeter of frames for airtight seal
- provide silicone sealant at butt joints for airtight seal between glass panels
- Provide Fully Tempered Glass of thickness to satisfy IBC Section 2403.4. Verify that existing glass to be reused meets this criteria




12 Interior Elevation  
1/4"=1'-0"




11 Interior Elevation/section  
1/4"=1'-0"




10 Interior Elevation  
1/4"=1'-0"




9 Interior Elevation/section  
1/4"=1'-0"




8 Interior Elevation/section  
1/4"=1'-0"




7 Interior Elevation  
1/4"=1'-0"




6 Interior Elevation  
1/4"=1'-0"




5 Interior Elevation/section  
1/4"=1'-0"



4 Interior Elevation  
1/4"=1'-0"




3 Interior Elevation  
1/4"=1'-0"



2 Interior Elevation  
1/4"=1'-0"

1 Interior Elevation  
1/4"=1'-0"



A Quiet Room Reference Plan  
1/4"=1'-0"

April 6, 2015: Permit

**Kepware Technologies**  
Tenant Improvements  
3rd floor, Portland, Maine 04101  
Contractor/Owner: A&M Partners,  
120 Exchange Street Portland ME  
CBL: 032 G001001, B3 Zoning District

Interior Elevations

a4