Location of Construction: 15 Temple St	. Owner: City of Portl	artti e	Phone: 874-8300	Permit 9:81408
Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessName:	DEDMIT IOOUED
389 Congress St.	Bagel Works 603			PERMIT ISSUED
Contractor Name:	Address:	Phone	:	Permit Issued:
Maine Bay Canvas-Dan Gayvin	53 Industrial Way	Portland, ME 04	8782888	DEC   4 1998
Past Use:	Proposed Use:	COST OF WORK		DL0 1 4 1550
Restaurant	Same	\$4,000	\$ 40,00	
a var ar terter talen talen terle ter	Creating.	FIRE DEPT.	Approved INSPECTION: Bun	CITY OF PORTLAND
			Denied Use Group: A <sup>2</sup> Type:	./
		11	11 1 BOCA 96 26 18	Zone: CBL: 03211004
Designed Designed Descriptions		Signature.	[Signature / Alle	6
Proposed Project Description:		and the second se	CTIVITIES DISTRICT (PAD.)	1.11
			Approved	Special Zone or Reviews:
Awanings (Awnings, recove	r with new fabric)		Approved with Conditions:	□ □ Shoreland
wanrude (wanrude' recove	r wren new rapric;		Denied	□ □ Wetland □ Flood Zone
		Signature:	Date:	
Permit Taken By:	Date Applied For:		Date.	□ Site Plan maj □minor □mm □
Permit Taken By: UB	Date Applied For	12/10/98		
				Zoning Appeal
1. This permit application does not preclude the	e Applicant(s) from meeting applicabl	e State and Federal rules.		□ Variance □ Miscellaneous
2. Building permits do not include plumbing,	septic or electrical work.			
3. Building permits are void if work is not start	ed within six (6) months of the date of	issuance. False informa-		□ Interpretation
tion may invalidate a building permit and st	op all work			
			PERMIT	Denied
			PERMIT ISSUED WITH REQUIREMENTS	Historic Preservation
			LQUIREMENTS	Not in District or Landmark
				Does Not Require Review
				Requires Review
				Action:
	CERTIFICATION			
I hereby certify that I am the owner of record of the		d work is authorized by the	a owner of record and that I have be	□ Appoved een □ Approved with Conditions
authorized by the owner to make this application				
if a permit for work described in the application				all
areas covered by such permit at any reasonable l	nour to enforce the provisions of the c	ode(s) applicable to such	permit	Date:
	*			-
		12/11/98		
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	
				ABILC
		22		
RESPONSIBLE PERSON IN CHARGE OF WO	RK, TITLE		PHONE:	CEO DISTRICT
White-F	ermit Desk Green-Assessor's C	anary-D.P.W. Pink-Pul	blic File Ivory Card-Inspector	

City of Poi land, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-870., FAX: 874-8716

#### THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

**Building or Use Permit Pre-Application** 

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building) :	15 Temple St	
Total Square Footage of Proposed Structure	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number Chart# 03 2 Block# H Lot# 664	owner: City of Portland	Telephone#: 874 8300
Owner's Address: 15 Temple St Bagels Works	Lessee/Buyer's Name (If Applicable) 603-357- Bagel Works - 9787	Cost Of Work: Fee \$4,000 \$40
Proposed Project Description:(Please be as specific as possible)	Recover proposal, new for painted lettering on	aprie w/ Labric
Maine E	aycanvas	
Contractor's Name, Address & Telephone : Dan Ga	UVin, 53 Industrial Wow Pfiel 04103	1 Rec'd By UD
Current Use: Restaurant	Proposed Use: Sam	L

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

- •All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- •HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1994 HOOM Mechanical Sector You must include the following with you application:

1) ACopy of Your Deed or Purchase and Sale Agreement 2) A Copy of your Construction Contract, if available

3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professional. A complete set of construction drawings showing all of the following elements of construction:

Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)

- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
  equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification


I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Gode Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: X Land & Hauron	Date: 12-1(	0-98
Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1 Additional Site review and related fees are attached on		ereafter.
prof proof of ins mencoming		


A

2.

ACORD® CERTIFICATE OF LIABIL PRODUCER David H. McDuffee Ins Agy, Inc 309 Daniel Webster Highway P O Box 1510 Merrimack NH 03054-1510		ONLY ANI HOLDER.	THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.				
				FFORDING COVERAGE	CILS	BELOW.	
		COMPANY	COMPANY				
URE	D		A	Acadia Insura	nce Company		
	Bagel Works, Inc.		COMPANY				
	120 Main St.		COMPANY				
Keene NH 03431		С					
			COMPANY D				
	RAGES IS TO CERTIFY THAT THE POLICIE: ICATED, NOTWITHSTANDING ANY RE ITIFICATE MAY BE ISSUED OR MAY ILUSIONS AND CONDITIONS OF SUC	QUIREMENT, TERM OR CONDITION PERTAIN, THE INSURANCE AFFORD	N OF ANY CONTRACT OR DED BY THE POLICIES DE	OTHER DOCUMENT	WITH RESPECT TO WHICH	THIS	D
	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE	POLICY EXPIRATION	LIMIT	S	
+	SENERAL LIABILITY	BINDER	01/29/98	DATE (MM/DD/YY) 01/29/99	GENERAL AGGREGATE	5	2,000,000
1		DINCEN	01/29/90	01/24/99	PRODUCTS - COMP/OP AGG	5	1,000,000
	CLAIMS MADE X OCCUR				PERSONAL & ADV INJURY	5	1,000,000
	OWNER'S & CONTRACTOR'S PROT				EACH OCCURRENCE	\$	1,000,000
					FIRE DAMAGE (Any one fire)	s	500,000
					MED EXP (Any one person)	\$	5,00
-		BINDER	01/29/98	01/29/99	COMBINED SINGLE LIMIT	s	1,000,000
	ALL OWNED AUTOS SCHEDULED AUTOS				BODILY INJURY (Per person)	s	
	HIRED AUTOS				BODILY INJURY (Per accident)	s	
-					PROPERTY DAMAGE	s	
G	ARAGE LIABILITY				AUTO ONLY - EA ACCIDENT	5	
-	ANY AUTO				OTHER THAN AUTO ONLY:		and the second
-					EACH ACCIDENT	-	
+			01 (20 (08	01 (20 (00	AGGREGATE	\$	1 000 000
	XCESS LIABILITY	BINDER	01/29/98	01/29/99	EACH OCCURRENCE	5	1,000,000
-	OTHER THAN UMBRELLA FORM				AGGREGATE	\$	1,000,000
W	ORKERS COMPENSATION AND				X WC STATU- TOBY LIMITS ER	\$	1
	MPLOYERS' LIABILITY	BINDER	01/29/98	01/29/99	EL EACH ACCIDENT	s	100,000
	HE PROPRIETOR/ INCL	DINDER	01/2//10	01/27/77	EL DISEASE - POLICY LIMIT	s	500,000
	ARTNERSÆXECUTIVE FFICERS ARE EXCL				EL DISEASE - EA EMPLOYEE	5	100,000
CRIF	TION OF OPERATIONSLOCATIONSNEHICLE						
RT	FICATE HOLDER		CANCELLATI	ON			
	ITY OF PORTLAND		EXPIRATION DATE	E THEREOF, THE ISSUIN	D POLICIES BE CANCELLED BEFO G COMPANY WILL ENDEAVOR TO	MAIL	
C	B9 CONGRESS ST		10 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT. BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES				
3	ORTLAND ME	04103		ON THE COMPANY, ITS		LIABIL	.ITY



# graphics on outside Awnings.



William and a second second	gen maar aan aan aan an ar	
	SIGNAGE APPLICATION	2 3
ADDRESS: 15 To	emple Street	8
DWNER: City of Port	AND / Pizzagalli Corp	
APPLICANT: BAGE	. Works	
ASSESSORS NO.:		
SINGLE TENANT LOT?	YE5: ND:	
MULTI-TENANT LDT?	YES: ND:	
FREESTANDING SIGN?	YES: ND:	DIMENSIONS:
	MURE THAN ONE SIGN?	DIMENSIONS:
BLDG. WALL SIGN?	YES:ND:	DIMENSIONS: 2 (75755) - 4
	MORE THAN ONE SIGN?	DIMENSIONS: totA (82,504)
LIST ALL EXISTING S	IGNAGE, INCLUDING THEIR DIMENSIO	DNS: All existing to be
removed.		
LOT FRONTAGE (IN FEE	1.1.2 - 25	t I ed.
BLDS FRONTAGE (IN FE		pllower
AWNING? YES: V (Existing) HEIGHT OF 4	ND: IS AWNING BA	ACKLIT? YES: NO:
IS THERE AM	Y CUMM. MESSAGE, TRADEMARK, UR	E-MBOL ON 1T? yes
PLEASE PROVIDE A SIT	TE SKETCH <u>and</u> a building sketch,	, SHOWING EXACTLY WHERE
EXISTING AND	NEW SIGNAGE IS LOCATED.	

\* . .

## WE WILL NEED SKETCHES AND/OR PICTURES OF THE PROPOSED SIGNS INCLUDING STRUCTURAL COMPONENTS.

### **BUILDING PERMIT REPORT**

D	ATE: 12 DEC. 98 . ADDRESS: 15 Temple ST. CBL Ø32-H- ØØY
	EASON FOR PERMIT: TO Crect Awning
	UILDING OWNER: C.T. of PorTLand
	ONTRACTOR: MAINE 13ay Canvas - Day Gayving
PI	ERMIT APPLICANT: '
	SE GROUP A-3 (awning) BOCA 1996 CONSTRUCTION TYPE
U.	BOCA 1330 CONSTRUCTION TIPE
	CONDITION(S) OF APPROVAL
TI	his Permit is being issued with the understanding that the following conditions are met:
A	pproved with the following conditions: 4/ 37
×1.	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2.	Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be
2.5	obtained. (A 24 hour notice is required prior to inspection) 5 Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more
2.2	than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside
	edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the
	floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with
	an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane
	material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6"
	of the same material. Section 1813.5.2
2.6	
3.	foundation and a maximum 6 'o.c. between bolts. (Section 2305.17) Precaution must be taken to protect concrete from freezing. Section 1908.0
4.	It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to
	verify that the proper setbacks are maintained.
5.	Private garages located <u>beneath habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from
	adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior
	spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board
	or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
6.	All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
7.	Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's
	building code.
8.	Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking
	surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and
	public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a
	diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
	(Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections
	1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
9.	Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
10.	
11.	11" tread. 7" maximum rise. (Section 1014.0) The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8") 1014.4
1.1.	

12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special

knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

- 13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. Section 1010.1
- 14. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) Section 710.0
- 15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. Table 302.1.1
- 16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2

- A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an 17. approved type. Section 921.0
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 19. The Sprinkler System shall maintained to NFPA #13 Standard.
- 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. (crawl spaces & attics)
- 24. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 25. All requirements must be met before a final Certificate of Occupancy is issued.
- 26. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
- 27 Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 28. Please read and implement the attached Land Use-Zoning report requirements.
- 29. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.3. of the City's building code.
- Glass and glazing shall meet the requirements of Chapter 24 of the building code. 30.

\*31. 22.

Jour application did not have any type of Construction details-Before any work is started as such plans must be submitted and approved by This Division-You may fax this information to gam Noffses at 874-8716 or mail to 389 Congress ST. PTD, Me. 04101 % Sam Hoffses CBE, In the future No Application Can be accepted without this information- Thank you for your Cooperation on This Matter - (Section 3205. 1 of The bldg. code) 3.

SamuelHof , Building Inspector McDougatt, PFD cc: Lt Marge Schmuckal, Zoning Administrator TAMINE PSH 8-1-98

## REGISTERED APPLICATION CONCERN No. ISSUED BY JOHN BOYLE & COMPANY, INC. Date treated or manufactored Salisbury Road Statesville, NC 28677 Date treated or manufactored

704-872-8151

This is to certify that the materials described below have been flame-retardant treated (or are inherently northammable).

Maine Bay canvas	ADDRESS 53 Industrial Way
Portland, ME	STATE
Certification is hereby made that: (Chee	ck "a" or "b")
	cate have been treated with a flame-retardant chemical approved and a systemed by lication of said chemical was done in conformance with the laws of the State of s of the State Fire Marshal.
Name of chemical used	Chem. Reg. No.

GA-217

Method of application

(b) The articles described below are made from a flame-resistant fabric or material registered and approved by the State Fire Marshal for such use.

Trade name of flame-resistant fabric or material used Sunbrella Firesist Reg. No. \_\_\_\_\_

The Flame-Retardant Process Used WILL NOT Be Removed By Washing

INLINI	BOYLE	1 2 1	COM	VIANO	INC
IC TIN	DUILI	- LN	U.A. AVII	ANL	LING

IOHN BOYLE & COMPANY, INC. By Specialty Products Manager

Name of Applicator or Production Superintendent