## City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:		Owner:			Phone:	NUR WAR	Permit No:
Owner Address:  389 Congress St. Ptld, ME 04101	Lessee/	Buyer's Name:	Phone:	636	Busines	826-9664 sName:	991292
Contractor Name:	Address		0211-3	Phone:		8-9664	Permit Issued:
Past Use:	Propose	d Use:	COST OF	WORK:		PERMIT FEE: \$ 26.60	NOV 2 2 1999
Retail/Food		Some	FIRE DEF	T. $\square$ A <sub>j</sub>		INSPECTION: S/g// Use Group: Type:	Zone: CBL:032-U-004
Proposed Project Description:			Signature: PEDESTR Action:		TIVITIE oproved	Signature:	Zoning Approval:  Special Zone or Reviews:
2' x 4' Sidewalk Sign	Approved with Conditions: Denied			vith Conditions:	☐ Shoreland ☐ Wetland ☐ Flood Zone		
Permit Taken By:		Date Applied For:	Signature:			Date:	☐ Subdivision ☐ Site Plan maj ☐minor ☐mm ☐
<ol> <li>This permit application does not preclude the A</li> <li>Building permits do not include plumbing, set</li> <li>Building permits are void if work is not started tion may invalidate a building permit and stop</li> </ol>	otic or ele	ctrical work. x (6) months of the date of issuan	ce. False int	forma-	041r	RMIT ISSUED REQUIREMENTS	□ Variance □ Miscellaneous □ Conditional Use □ Interpretation □ Approved □ Denied  Historic Preservation □ Not in District or Landmark □ Does Not Require Review □ Requires Review  Action:
I hereby certify that I am the owner of record of the authorized by the owner to make this application a if a permit for work described in the application is areas covered by such permit at any reasonable ho	s his auth issued, I c	orized agent and I agree to confo certify that the code official's auth	rm to all ap orized repre applicable t	plicable lesentative o such pe	aws of the	is jurisdiction. In addition,	☐ Approved ☐ Approved with Conditions ☐ Denied  Date:
SIGNATURE OF APPLICANT		ADDRESS:	DATE:	7		PHONE:	
RESPONSIBLE PERSON IN CHARGE OF WORK	K, TITLE					PHONE: V	PERMIT ISSUED

## THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

## Sign Permit Pre-Application

## Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building):	emple St 04101
Total Square Footage of Proposed Structure	Square Footage of Lot
Tax Assessor's Chart, Block & Lot Number  Chart# 0 3  Block#  Lot# CO 4	TY of Portugal Telephones: 828 9664
Owner's Address: 389 LONDESS ST. Lessee/Buyer's PONTINUD, NE 04101 PRESH	SName (If Applicable) John Wass  Total Sq. Ft. of Sign  S  S  S  S  S  S  S  S  S  S  S  S  S
Proposed Project Description:(Please be as specific as possible)  (1) 2'x4' SIDBWWX SIG	N Phone 828-9664
Contractor's Name, Address & Telephone HAGEN DESIGN	SEPETIO 41645 Rec'd By CLO
Current Use: PEINIL/FOOD	Proposed Use: SAML
Signature of applicant:	Date: 11/18/99
Signage Perruit Fee: \$30.00 p	olus .20 per square foot of signage



ACORD CERTIFICATE OF LIABILITY INSURANCE						
PRODUCER				JED AS A MATTER O		
Sedgwick of Main		HOLDER, 1	THIS CERTIFICA	RIGHTS UPON TH	ND, EXTEND OR	
	774-5911	ALTER THE	E COVERAGE A	FFORDED BY THE P	OLICIES BELOW.	
P. C. Box 9755 Portland, Maine	04104-5055		INSURERS A	AFFORDING COVERAC	GE	
NSUPEO		INSURER A.	Travel	ers Indemnite	Co. of IL	
Fresh Samantha Juice	Bars, Inc.	INSUREP B	Travel	ers Insurance	Company	
	INC.	INSURER C.				
84 INDUSTRIAL PA		INSURER D				
SACO I	ME 04072	INSURER E				
ANY REQUIREMENT, TERM OR CON- MAY PERTAIN, THE INSURANCE AFFO	D BELOW HAVE BEEN ISSUED TO THE DITION OF ANY CONTRACT OR OTHE DITION OF ANY CONTRACT OR OTHE DITION OF THE POLICIES DESCRIBED VN MAY HAVE BEEN REDUCED BY PAI	R DOCUMENT WITH HEREIN IS SUBJECT D'CLAIMS,	- RESPECT TO WH T TO ALL THE TERM	THIS CERTIFICATE	MAY BE ISSUED OR	
TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE	POLICY EXPIRATION DATE (MM/DD/YY)	FIWIT	15	
A GENERAL LIABILITY	LJ6601780018299	11/01/99	11/01/00	RACH OCCURRENCE	1000000	
X COMMERCIAL GENERAL LIABILITY				FIRE DAMAGE Any one trey	300000	
CLAIMS MADE X OCCUR				MED EXP (Avy see person) PERSONAL & ADV INJURY	\$ 1000000	
1(0)	ADDITIONAL INSURED	-VENDORS	BROAD FOR		2000000	
GEN'S AGGREGATE LIMIT APPLIES PER	ADDITIONAL INSOREE	TENDONG	DIVIDE I OIL	PRODUCTS - COMP/OP AGG	2000000	
POLICY PRO- LOC						
A AUTOMOBILE LIABILITY X ANY AUTO	LJ810178D017099	11/01/99	11/01/00	COMBINED SINGLE LIMIT	s 1000000	
ALL OWNED AUTOS  SCHEDULES AUTOS				BODICY INJURY (Per person)	\$	
X HIRED AUTOS				BODILY INJURY (Por ace dont)	\$	
				PROPERTY DAMAGE (Per accident)	5	
GARAGE LIABILITY				AUTO ONLY - BA ACCIDENT	5	
ANY AUTO				OTHER THAN EA ACC		
A EXCESS LIABILITY	C(10 1 705 O1 6/100	11/10/00	11/01/00	EACH OCCURRENCE	\$ 25000000	
A EXCESS LIABILITY OCCUP CLAMS NADE	CUP 178D019499	11/27/77	11/02/03	MGGREGATE	s 25000000	
DEDUCTIBLE					3	
X RETENTION & O	1				\$	
B WORKERS COMPENSATION AND	UB178D019499	11/01/99	11/01/00	X YORY LIMITS ER		
EMPLOYERS WABILITY	CT. MD. MA. NY. VT. VA.			E.L. FACH ACCIDENT	1 000000	
	WASHINGTON DC. NJ.	ea, NC		EL DISEASE - EA EMPLOYE		
OTHER		ļ		E L. DISEASE - POLICY LIMIT	s 1000000	
J. C. C.	ì	1		ı J		
1						
DESCRIPTION OF OPERATIONS/LOCATIONS/VI	EHICLES/EXCLUSIONS ADDEDERY EN PORSEM	ENT/SPEC AL PROVISIO	NS			
DESCRIPTION OF OPERATIONS/LOCATIONS/VI	EHICLES/EXCLUSIONS ADDEDERY EN PORSEM	ENT/SPECIAL PROVISIO	ns			
		paumet.	TION			
CERTIFICATE HOLDER	DOTTIONAL INSURED; INSURER LETTIER	CANCELLA		RED OUT TO BE BE CARDET FOR	RESIDE THE CYDIDANO	
		SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN				
City of Daytland		NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL				
City of Portland					PAILUNE TO DU SO SMALI	
Congress Street	04	1		TY OF ANY KIND UPON THE		
	.04	1	BLIGATION OR LIABILI			
Congress Street	.04	IMPOSE NO OF	BLIGATION OR LIABILI IVES.			

ගු JUICE DAR 187 24×7 5245 Juice ban





2000年7月4日

Deer 10-90 HAGEN DESIGN 289 Danforth Street Partland, Maine 04102 247,828,9884 247,828,8097 Fax

FRONT ELEVATION

47

TACK ELEVATOR

	•
	BUILDING PERMIT REPORT
DAT	TE: 22 November 99 ADDRESS: 15 Temple 57 CBL: \$32-H-pde
REA	ASON FOR PERMIT: SIGEWALK SIGN
BUI	LDING OWNER: (1) of Fo-Thank
PER	RMIT APPLICANT: 1CONTRACTOR Hagen Design Repoli
USE	GROUP: CONSTRUCTION TYPE: CONSTRUCTION COST: PERMIT FEES 126.60
	City's Adopted Building Code (The BOCA National Building code/1996 with City Amendments) City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
	CONDITION(S) OF APPROVAL
This	permit is being issued with the understanding that the following conditions are met: */ *3 5 * 35
2. If 2 2 3. If it 1	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.  Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."  Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The hickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not ess than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain ile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations

maximum 6' O.C. between bolts. Section 2305.17 Waterproofing and damp proofing shall be done in accordance with Section 1813.0 of the building code.

Precaution must be taken to protect concrete from freezing. Section 1908.0

shall be covered with not less than 6" of the same material. Section 1813.5.2

It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the

4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a

shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and

proper setbacks are maintained.

Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1.2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)

All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211

10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.

11. Guardrails & Handrails: A guardrail system is a system of building components located near the o0pen sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A,B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38"). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)

12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)

13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 " maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)

14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4

15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)

16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)

18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements
- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements.
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 33. Bridging shall comply with Section 2305.16.
- 34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0)

$\sqrt{35}$ .	All signage, shall be done in accordance with Section 3102.0	signs of the City's Building Code,	(The BOCA National Building Code/1996).	
230	All signage, shall be done in accordance with Section 3102.0	Conney with	The CITYS rule on	
	SILVERLK SIGNES	7-7		
	7		1000	_

Surflue Hoffises, Building Inspector
Lt. McDougall, PFD
Marge Schmuckal, Zoning Administrator

PSH 10/25/99

\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.