#### City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Owner: Phone: Permit No: evelon middle Street Assoc. 04101 Lessee/Buyer's Name: Owner Address: Phone: BusinessName: AAAccomplished Professionals 193 afdole Street Permit Issued: Contractor Name: Address: Phone: WIA FFB COST OF WORK: PERMIT FEE: Proposed Use: Past Use: s 31,20 FIRE DEPT. □ Approved Amployment Agency/Office INSPECTION: Same □ Denied Use Group: Type: CBL: Zone: 032-8-022 Signature: Signature: Proposed Project Description: Zoning Approval: PEDESTRIAN ACTIVITIES DISTRICT Action: Approved Special Zone or Reviews: Sandwich Sign Approved with Conditions: П □ Shoreland Denied $\Box$ □ Wetland ☐ Flood Zone ☐ Subdivision Signature: Date: ☐ Site Plan mai ☐minor ☐mm ☐ Permit Taken By: Date Applied For: 1 - 28 - 00Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. □ Miscellaneous Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Interpretation 3. ☐ Approved tion may invalidate a building permit and stop all work... Please SEnd to: Accomplished Professions ☐ Denied 193 Middle St. Historic Preservation Portland, PE 04101 □ Not in District or Landmark □ Does Not Require Review ☐ Requires Review PERMIT ISSUED Action: WITH REQUIREMENTS CERTIFICATION □ Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been ☐ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit 1-28-00 SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

PHONE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector



# THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

# **Building or Use Permit Pre-Application**

# Attached Single Family Dwellings/Two-Family Dwelling

# Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building)	193 Middle St. Portland, Me 04101
Total Square Footage of Proposed Structure	Square Footage of Lot
Tax Assessor's Chart, Block & Lot Number  Chart# 030 Block# H Lot# 000	Owner: Telephone#:
Owner's Address: 193 Middle St	Lessee/Buyer's Name (If Applicable)  Accomplished Professions \$ 65 \$ \$3/0
Proposed Project Description:(Please be as specific as possible)	
Sandwich sign	Peneual-
Contractor's Name, Address & Telephone	Rec'd By
Current Use: emp. acylvicy	Proposed Use: Serv

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
 All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

\*All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.

\*HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.
You must Include the following with you application:

1) ACopy of Your Deed or Purchase and Sale Agreement

2) A Copy of your Construction Contract, if available

## 3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

# 4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
  equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.


#### Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to

enforce the propostors of the codes applicable forthis permit.	
Signature of applicant:	Date: 1/28/00

Building Permit Fee. \$30.00 for the 1st \$1000 cost plus \$6.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum



#### ACORD. CERTIFICATE OF LIABILITY INSURANCE DATE (MM/DD/YY) 01/26/2000 THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION PRODUCER (207) 781-2784 ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE Desmond & Payne HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR 366 US Route 1 ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. Falmouth, ME 04105 COMPANIES AFFORDING COVERAGE Hanover COMPANY Α Attn: Stacy L. Dunning Ext: INSURED COMPANY L&F Corporation В D B A Accomplished Profess COMPANY P O Box 7040 Portland, ME 04112 COMPANY D COVERAGES THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN. THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. POLICY EFFECTIVE POLICY EXPIRATION TYPE OF INSURANCE POLICY NUMBER LIMITS DATE (MM/DD/YY) DATE (MM/DD/YY) GENERAL LIABILITY GENERAL AGGREGATE 2,000,000 X 1,000,000 COMMERCIAL GENERAL LIABILITY PRODUCTS - COMP/OP AGG S CLAIMS MADE X OCCUR PERSONAL & ADV INJURY 1,000,000 ODP530414901 03/19/1999 03/19/2000 OWNER'S & CONTRACTOR'S PROT 1,000,000 EACH OCCURRENCE 50,000 FIRE DAMAGE (Any one fire) MED EXP (Any one person) 5,000 AUTOMOBILE LIABILITY COMBINED SINGLE LIMIT ANY ALITO ALL OWNED AUTOS BODILY INJURY SCHEDULED AUTOS HIRED AUTOS BODILY INJURY NON-OWNED AUTOS PROPERTY DAMAGE GARAGE LIABILITY AUTO ONLY - EA ACCIDENT ANY AUTO OTHER THAN AUTO ONLY EACH ACCIDENT \$ AGGREGATE \$ EACH OCCURRENCE EXCESS LIABILITY LIMBRELLA FORM AGGREGATE 5 OTHER THAN UMBRELLA FORM WORKERS COMPENSATION AND EMPLOYERS' LIABILITY EL EACH ACCIDENT 100,000 \$ WDP548022702 01/06/2000 01/06/2001 THE PROPRIETOR/ INCL EL DISEASE - POLICY LIMIT 500,000 PARTNERS/EXECUTIVE EL DISEASE - EA EMPLOYEE 100,000 OFFICERS ARE EXCL OTHER

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/SPECIAL ITEMS

RE: Sandwich Sign

Certificate Holder is an additional insured with respects general liability

#### CERTIFICATE HOLDER

City of Portland 477 Congress Street Portland, ME 04101

## CANCELLATION

EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL  $10^\circ$  days written notice to the certificate holder named to the left, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND ON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE

AUTHORIZED RES ESENTATIVE

©ACORD CORPORATION 1988

ACORD 25-S (1/95)

## **BUILDING PERMIT REPORT**

DATE: 3	1 Januar	42000 ADDRE	ess: 193 m.	ddle	STI ASS	dC,	CBL: <u>(/32-H</u>	-12
REASON F	OR PERMIT:_	Sandwic	5194					
BUILDING	OWNER:	42000 ADDRE Sandwic 193 Mia	1/10 57	· A	ccompl,	shad	Drof.	
PERMIT A	PPLICANT:			/CO	NTRACTOR_	Same	e	
		NSTRUCTION TY						
		ode (The BOCA Natio l Code (The BOCA Na						
		<u>C</u>	ONDITION(S) O	F APPRO	VAL			
This permit	is being issued v	vith the understand	ing that the follow	ing condit	tions are met: <u>¥</u>	1,	¥36,	
/1. This perm	it does not excuse	the applicant from mee	ting applicable State	and Federal	I rules and laws.			
<ol><li>Before co</li></ol>	ncrete for foundati	the applicant from mee on is placed, approvals	from the Developme	nt Review (	Coordinator and In	spection Se	ervices must be obtaine	d. (A

24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

- Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- Precaution must be taken to protect concrete from freezing. Section 1908.0
- It is strongly ecommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of 1.2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the oOpen sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A,B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38"). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 "maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm. and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - · In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements
- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements.
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 33. Bridging shall comply with Section 2305.16.

Marke Schmuckal, Zoning Administrator

- 34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0)
- 35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1996).

36. This sign permit	15 being 1854e	d with the	Understanding
- The take City to		a sign s are	
Samuel Harrist Building Inspector			,
Col Di MoDougall, PFD			

PSH 11/25/99

\*\*\*THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

\*\*\*\*CERTIFICATE OF OCCUPANCY FEE \$50.00

<sup>\*\*</sup>On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.