#### City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Owner: Phone: 38 Exchange Street (34-42) Allan Schmid 8##774-0626 Owner Address: Lessee/Buyer's Name: BusinessName: Phone: Book's Kic. Contractor Name: Address: Phone: PERMIT FEE: COST OF WORK: Past Use: Proposed Use: s fee waived retgil books Same FIRE DEPT. Approved INSPECTION: ☐ Denied Use Group: Type: CBL: Zone: 032-1-008 Signature: Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved Special Zone or Reviews: Approved with Conditions: sidewalk sign ☐ Shoreland Denied □Wetland ☐ Flood Zone ☐ Subdivision Signature: Date: ☐ Site Plan maj ☐minor ☐mm ☐ Permit Taken By: Date Applied For: NW Aug. 25 1299 K Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous 2. Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use Building permits are void if work is not started within six (6) months of the date of issuance. False informa-□ Interpretation 3. ☐ Approved tion may invalidate a building permit and stop all work... □ Denied Historic Preservation □ Not in District or Landmark □ Does Not Require Review ☐ Requires Review WITH REQUIREMENTS Action: CERTIFICATION □Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been ☐ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit Aug. 25 1999 SIGNATURE OF APPLICANT DATE: ADDRESS: PHONE:

12-5 10-11

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

PHONE:

CEO DISTRICT

## THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

# Sign Permit Pre-Application Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building)		(34-	43 Exchange)
38 8xetro	ace.	the	
Total Square Footage of Proposed Structure		Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number	Owner: AL	Director CIFIL	Telephone#:
Chart# Block# Lot# Lot#	CO		JENS-PIT
Owner's Address:	Lessee/Buyer's N	Name (If Applicable)	Total Sq. Ft. of Sign Fee
NH	Boo!	Us Stc	burned.
Proposed Project Description:(Please be as specific as possible)			
Sidenall	Side	<b>\</b>	
Contractor's Name, Address & Telephone	+		Rec'd By
Current Use:	200	Proposed Use: 25Cm	e
Signature of applicant: Come Hannale	rol	Date:	8/25
Signage Perpuit I	Fee: \$30.00 plu	us .20 per square foot of signage	
		~	
7/00	500	call Hm	te
	770	1-022 Ami	in look
	. 1		

#### SIGNAGE PRE-APPLICATION

### PLEASE ANSWER ALL QUESTIONS

ADDRESS:	ZONE:
OWNER:	
: 179	
APPLICANT:	
ASSESSOR NO	
SINGLE TENANT LOT? YES NO	
MULTI TENANT LOT? YES NO	
FREESTANDING SIGN? YES NO DIMENSIONS	-
(ex. pole sign)	
MORE THAN ONE SIGN? YES NO DIMENSIONS	
BLDG. WALL SIGN? YES NO DIMENSIONS	
(attached to bldg)	
MORE THAN ONE SIGN? YES NO DIMENSIONS	
<b>4</b> (	
LIST ALL'EXISTING SIGNAGE AND THEIR DIMENSIONS:	
teru cap	<del></del>
LOT-FRONTAGE (FEET):	<del></del>
BLDG FRONTAGE (FEET): AWNING YES NO IS AWNING BACKLIT? YES NO	
HEIGHT OF AWNING:	
IS THERE ANY COMMUNICATION, MESSAGE, TRADEMARK OR SYMBOL ON	IT?
*** TENANT BLDG. FRONTAGE (IN FEET)	_
*** REQUIRED INFORMATION	
AREA FOR COMPUTATION	
ALEATOR COM CINTON	
A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTL	Y WHERE
EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVI	
AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.	
SIGNATURE OF APPLICANT:	DATE:
SIGNAL ONE OF ALL DOMAL.	

#### ACORD CERTIFICATE OF LIABILITY INSURANCE

Ext:

DATE (MMDD YY) 08/25/1999

PRODUCER (207)774-6257 Clark Associates 2331 Congress Street P O Box 3543 FAX (207)774-2994

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER THIS CERTIFICATE DOES NOT AMEND, EXTEND OF ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

ALTER THE COVERAGE AFFORDED BY THE POLICIES

COMPANIES AFFORDING COVERAGE

Peerless Ins Co

Portland, ME 0410-Attn: Linda Nielsen

Books Etc Allan Schmid Dba 38 Excharge Street Portland, ME 04104 B CAMEANY C

COVERAGES

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN. THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

CC LTE	TYPE OF INSURANCE	POL CYNUMBER	POLICY EFFECTIVE DATE (MM/DD YY)	POLICY EXPIRATION CATE (MM DD YY)	_IMIT	S	
GE	ERAL LIABILITY				GENERAL AGUHESATE		2,000,000
X	COMMETTAL CENTER ABOUT				FERENCIES COMPROS AGO	5	1,000,000
A III	WNEFE CONTROL X BOP91	NDO 1 0 0 0 0 4	8084 08/11/1999	08/11/2000	PERSONAL & ACV INJUNIO	:	1,000,000
		JP 9 1 0 0 0 0 4			EACH COLLEGENCE	ŝ	1,000,000
					FIFE DAMAGE (Any refer	5	50,000
					MEDEXP A York SHE	ì	5.000
AL	TOMOBILE LIABILITY				where the in S. E. L.		
	ANY A				COMB YES, ENGTE "A.,	2	
	A CANEL A TO				BOT VIN LEY	5	
	SOFT AT L				(Fer de still	r	
	HELL AL YOR				BOOK VILLEY	\$	
	N NI WAS A F				<b>学者《以他们</b>	r	
					PROPERTYCAVAGE	5	
GA	RAGE LIABILITY					5	
	Akm A.				OTHER THAN AUTO ONLY:		
					SACHACCIENT		
					ADCHEDATE	5	
ΕV	CESS LIABILITY				EACH DOS TIRENOS	+	
	MARKENA				AGGFEGA*E	ī	
	OTHER HAN MELL AFLEN					4	
	CRICERS COMPENSATION AND				WastAil S		The III
THE	PLOYERS LIABILITY				EL EACH ACCITENT	5	
	E POPUETS INC.				E_DIREASE PILLIFELMIT	5	
	FIXEL EXCL				E. DECASE EASUALINES	}	

DESCRIPTION OF OPERATIONS LOCATIONS VEHICLES SPECIAL ITEMS

The certificate holder is hereby named as Additional insured

CERTIFICATE HOLDER

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF. THE ISSUING COMPANY WILL ENDEAVOR TO MAIL 10. DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT BUT FAILURE TO MAIL. SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES AUTHORIZED PEPRESENTATIVES.

City of Portland 389 Congress Street Portland, ME 04101

Linda Nielsen

ACORD 25-S (1/95)

**GACORD CORPORATION 1988** 

Allan Schmid Oba

38 Exchange Street

Portland, ME 04104

PAGE

## CERTIFICATE OF LIABILITY INSURA

DATE (MM/DD/TY) 12/08/1998

\*RODUCER (207)774-6257. ark Associates

FAX (207)774-2994

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER, THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

2331 Congress Street P O Box 3543

COMPANIES AFFORDING COVERAGE

Portland, ME 04104

COMPANY

Peerless Ins Co

Attn:

INSURED Books Etc Ext:

COMPANY

Maine Employers Mutual

COMPANY

C

COMPANY D

COVERAGES

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS. EXCLUSIONS AND CONDITIONS OF SUCH POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS,

CO	TYPE OF INSURANCE	POLICY NUMBER		POLICY EXPIRATION DATE (MM/DD/YY)	LIMIT	rs	
	GENERAL LIABILITY				GENERAL AGGREGATE	3	2,000,000
	X COMMERCIAL GENERAL LIABILITY  CLAIMS MADE X OCCUR BOP9188084  GWNER'S & CONTRACTOR'S PROT		8084 08/11/1998	08/11/1999	PRODUCTS - COMP/OP AGG	\$	1,000,000
А		1100004			PERSONAL & ADV INJURY	\$	1,000,000
		7100004			FACH OCCURRENCE	\$	1,000,000
	of some or K			:	F.RE DAMAGE (Any one fire)	\$	50,000
					MED EXP (Any one person)	5	5,000
	YTIJIBALI BIBOMOTUA OTUA YIA				COMMINED SINGLE LIMIT	\$	
	ALL OWNED AUTOS SCHEDULED AUTOS				BODILY INJURY (Per person)	F) -	ř.
	HIRED AUTOS NON-OWNED AUTOS				HODILY INJURY (Per accident)	\$	
				and the second s	PROPERTY DAMAGE	\$	S
	GARAGE LIABILITY				AUTO ONLY - EA ACCIDEN!	5	
·	OTUA YMA				OTHER THAN AUTO ONLY		
					EACH ACCIDENT	5	
				i	AGGREGATE	\$	
	EXCESS LIABILITY				EACH OCCURRENCE	3	
	UMBRELLA FORM				AGGREGATE	\$	
	OTHER THAN UMBRELLA FORM					\$	
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY 1810038710		:	WOSTATU OTH	. :	3-1s.	
8		<b>0038</b> 710	3710 07/23/1998	07/23/1999	FL EACH ACCIDENT	\$	100,000
В	THE PROPRIETOR/ PARTNERS/EXECUTIVE	PROPRIETORY	01/23/1990		EL DISEASE - POLICY L'MIT	\$	100,000
	OFFICERS ARE. EXCL				EL DISEASE - SA EMPLOYEE	ţ	500.000
	OTHER						

ocsomption or operations. Ocations we incless special items.
The certificate holder is hereby named as additional insured.

TRIFICATE HOLDER

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL 10 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT. BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES

AUTHORIZED REPRESENTATIVE Linda Nielsen

City of Portland 389 Congress Street Portland, ME 04101

Books in

Dimensions of sign

#### BUILDING PERMIT REPORT

DATE: 26 AUG. 99 ADDRESS: 38 FX Change ST. CBL: 032-I-008  REASON FOR PERMIT: SIGN
REASON FOR PERMIT: Sign
BUILDING OWNER: All-an Schmid
PERMIT APPLICANT:
USE GROUP Sidewalk Sign Construction Type
The City's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions are met: * 1, +34 × 35
Approved with the following conditions:

This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

Before concrete for foundation is placed, approvals from the Development Review Coordinator and Ir

2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained.

(A 24 hour notice is required prior to inspection)

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of I2 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
- Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing, Section 1908.0
- 7. It is strongly recommended that a registered land surveyor cheek all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ½" and not greater than 2". (Sections 1021 & 1022.0) Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 76". (Section 1204.0)
- 13. Stair construction in <u>Use Group R-3 & R-4is a minimum of 10" tread and 7 %" maximum rise</u>. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0) 18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1) 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations): In the immediate vicinity of bedrooms In all bedrooms In each story within a dwelling unit, including basements In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved 20. type. (Section 921.0) The Fire Alarm System shall maintained to NFPA #72 Standard. 21. 22. The Sprinkler System shall maintained to NFPA #13 Standard. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 23. of the City's Building Code. (The BOCA National Building Code/1996) 24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification 25. from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services. 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics). 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min.72 hours notice) and plumbing inspections have been done. 28. All requirements must be met before a final Certificate of Occupancy is issued. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building 29. Code/1996). Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical 30. Code/1993). (Chapter M-16) 31. Please read and implement the attached Land Use Zoning report requirements. 32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code. 33. Glass and glazing shall meet the requirements of Chapter 24 of the building code.

**A**34. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code 1996)

LK gigns shall meet The requirements of sidewalk signs regulations ¥35. 36. 37.

8, Bullding Inspector LyancDougall, PFD

Marge Schmuckal, Zoning Administrator

PSH 7/24/99

38.

\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.