


ODDICATA AL DOMERTICA DICTIONER, AND CONTROL AS THE SECOND PROCESSOR RELIEVA OF SLA. DICTIONER. OLICITATION AND STATE PROCESSOR RELIEVA WAS IN THE SECOND PROCESSOR RELIEVA OF SLA. DICTION STATE RETURN WAS IN THE SECOND PROCESSOR RELIEVA OF SLA. DICTION OF SLANE. OLICITATION AND CORRECT CORRECT DATA OF PROCESSOR. OLICITATION AND CORRECT CORRECT DATA OF PROCESSOR. OLICITATION AND CORRECT CORRECT DATA OF SAME. OLICITATION AND CORRECT DATA OF SAME. OLICITATION OF THE SAME OF SAME. OLICITATION OF THE SAME OF SAME OF SAME OF SAME. OLICITATION OF THE SAME OF SAME OF SAME OF SAME. OLICITATION OF SAME O	SHEET NOTES	EXPLANCES INCLUSION AND THE SECRET AN VALUE SOAD SERVICE SOAD SERVICE AND THE SECRET AND TALL ASSOCIATED LINE SERVICE AND THE SECRET AND TALL ASSOCIATED LINE SERVICE AND SECRET AN
E-Majorana Fidelity Investor Center - Perland Branch Figure Name 23363 23363 23363 Plan.dwg PLAN FICOR PLAN Figure	Gensier III Présent Stant 9h France Burker MA 02110 Temphone 617.202.4400 Praimité 617.202.4400 EN GIN E R S branch man and EN GIN E R S branch magnones ADDENOUM #1: 1/21/05	Portland Branch 3 Canal Plaza Portland, ME 04101



12. TEMPORARY LIGHTING AND POWER SHALL BE PROVIDED BY THE GENERAL CONTRACTOR IN MOCKENING THE GENERAL CONDITIONS. I, THE CONTROCTOR SHULL MANIMA, A SET OF MONDRO DIMANDE CHI SET AND MANI, THE ADMITTAL REPORTATION AND FE FROALITY MANIFESTES. THE MENUTE PROPERTY MANIFESTES AT AND COMPETION, THE MANIFEST AT AND COMPETION, THE MENUTE AT A MENUTE AND MANIFESTES. THE ADMITTAL AS A MENUTE AND MANIFESTES. THE ADMITTAL AS A MENUTE AND MANIFESTES. THE PROPERTY MANIFESTES AND MANIFESTES. THE PROPERTY OF AND MANIFESTES. THE PROPERTY OF AND MANIFESTES. , PARAME SEEDED WITEMS AND COMPART MAKES "FOUNT OR "APPROVED EDUK". IS OPERATE MOCKANITY ON "APPROVED EDUK". OF WITEMAS MOCKANITY MAKESTED WITE COMPART DOCUMENTS. DEMONSHER TRAIN CONTROLL") OF WITEMAS MAKES DAY APPROVED EDUK". IS WITEMAS AND EDUK APPROVED. MAKES TO COMPART TO AND ATTEMAS AND ATTEMAS AND ATTEMAS AND ATTEMAS. . All Muteral and Experient Symil is: Are (Maless Offenset Symethets), il letto and letto imate at symethets beginners (mothering experience) and and coal approach that instruct, and coapport symil is: In, acad, aces, ils, and, and coal approach that instruction service and symethets that it is until all and account of the coal agricultural documents and recommendations. S. ALL RIDERLEPICHS AND SHITDWINS OF DISTING LIZETRICAL STEELES AND SERVICES SHALL BE AS SHORT AS PROSSESS. AND AT A TIME AND DUMPING HAPPHOUGH OF THE OWNER AND DUMPING HAPPHOUGH OF THE OWNER AND SHITDWING SHALL RICLUSE ALL PERSONAL THE ASSOCIATED WITH THE STITLE AND SHITCHES AND SHITDWINGHES I. CONDINONS OF THE COMPINACT AND GENERAL ARCHITECTURAL REQUIREMENTS APPLY TO ROPK OF THIS SECTION. EXAME ALL OFFICE DOMINIOS AND SPECIFICATIONS FOR REQUIREMENTS THAT AFFECT WORK OF THIS SECTION. NEL DORPHENT SHALL BE NETALLED IN A HEAT AND WONGLIMALKE LIMMED. ASSENCE HANDLES FROM PRANCIES TO THE MALDING STRUCTURE. RACEINN'S SHALL BE RUN. ALL DORPHE MARMAN QUALITY OF THE MARMAN QUALITY OF THE MARMAN QUALITY. PRIOR TO LAND COCKNOW, IN CONTRICTOR SHALL SHAPT IS COMPLIED COMES OF THE ANALYSIS OF THE CONTRICTOR AND COLUMN THE CONTRICTOR SHALL SHAPE AND THE CONTRICTOR AND COLUMN THE CONTRICTOR AND COLUMN THE CONTRICTOR AND THE CONTRICTOR AND THE CONTRICTOR AND THE CONTRICTOR AND COLUMN THE CONTRICTOR AND COLUMN THE CONTRICTOR AND COLUMN THE COLUMN Š 8 F VIST STE, MAD EXAMPE COMMINGS LINERS WHEN MORE WILL BE PREFORMED, REPORT BERNE COMMINGS AN WINTERS TO MONTHERS COMMINGS WILL BE STRUED AS COMPLETE ACCEPTANCE OF EXISTING COMMINGS NOLLEWING PREPARATORY R. BY OTHERS. ANDRESS CUESTIONS RELATIONS DEVANGS AND SPECTFOLTIONS TO ARCHITECT/DEVANGES, WHITHIS BETTER, MANUE OF COMPILET, COMPARE, ARCHITECT/STANMERERS RETERIORETOR METRIC TO SOCIALISTIS SALL BE FAMIL, WHERE NO SOLUTS ARE DETIFIED FROM TO STANCE MANDO. HOTE: ALL OCCUPANCY SENSORS SHALL BE SET AT THEIR MAXIMUM THE LIHIT DURING INSTALLATION. Q 8 THE CONTRACTOR SHALL SUBMERT I SETS OF CAMPALITE (PAPIN), ESTS HALL BE RELECTED)
NOTICH AND MANITERINETE MANIMALS (MANISS) (MANISS) COMPACTION, THE CAMPS SHALL
THE STELLIFORE MANIMALS HARBON, INSTALLATION, CONTRACT INCOMPANY FORDED AND TENNES, AND CONTRACT MEDITALATION FOR
FACTURED/MANAPACTURET'S REPRESENTANCES. (2) **@ \$** Š S ntractor sym. Rome M., Trades contract documents to determine symmetry comments became Locations of the locations of the most and the locations of which with architect/diamete/Owner and all trades. EXISTING EQUI 4 ENT HEGENO PUSHBUTTON STATION
PUSHBUTTON STATION
POPO" INDICATES EMERGENCY POWER OFF OCCUPANCY SENSOR, SUBJACE WALL MOUNTED HEAR CELLING, HUBBELL ALD-DT, SET TIME DELAY TO 32 MIN. DURBNO INSTALLATION. OCCUPANCY SENSOR, RECESS WILL MOUNTED BLAY SENSOR, RECESS WILL MOUNTED SENSOR ENCOURCE. ADMINISTRATION OFFICE SECURIOR OFFICE WAS ADMINISTRATION OFFICE WAS AD DOCUPHAY SOROM, REDESS WILL MOUNTED
TOZ BODONTES DUAL CRICATO CUTFUT — HUBBELL (BOMICO, SET
TIME DELAY TO 30 MM, DURRAN HUBBULLATION, PROVINCE BLOCK—OUT
TARE TO UNIT VEW FROM OFFICE SUCLIDATS WHERE REQUIRED. SWOLE POLE SWITCH, MATED 20A, 120/277V. "d" LOWER CASE LETTER HODOATES FIXTURE SWITCH OCCUPANCY SEISOR, CEILING HOUNTED - HUBBELL KONTOOO, SET TIME DELAY TO 30 KM, DURING ISTALLATION. EXISTING EQUIPMENT FOR INFORMATION ONLYHIDICATED BY STABOL WITH LIGHT AND OUT OF FUNCTION UNE TIPE EXISTING EQUIPMENT RELOCATED TO LOCATION SHOWN AND BRANCH/FEEDER EXTENDED. ECISTING ECUIPMENT TO BE RELOCATED EOSTING EQUIPMENT TO BE REMOVED JUTRON NOVA SERVEZ (MELV-1000-120V JUTRON NOW, SERIES BHELV-450-120V dasing equipment to be removed and new equipmen to be netalled on existing branch/feeder ZOME LIGHTING CONTROL PANEL TYPE: LITEKEEPER 8 SWITCH LEGEND ELECTRICAL SPECIFICATIONS ©a 817 1 NOTE. THE ELECTRICAL CONTRACTOR SHALL PROVIDE CATLET BOXES, FULLSTRAKES AND 3/F CANDUST CALY TO ABOVE ENOPPED CELLING UNLESS NOTED CITAENINGE. CABLING AND PROGRAMMING BY CITAENS. 77. Firnish ma nistill soem on the naedultes on all decircul courrent Nalugar pares, saktion boses, deconrect sittless, transponsets ag statiggs, Naedurtes sall roccut expression tor, octobe characteristics ard source of Pores, reder to naedure cetal for adottomil aponanton. 22. ALL GROUNDING SHALL BE PERFORMED IN ACCORDANCE WITH THE INTIDIAN, ELECTRIC CODE. ALL CIRCUITS SHALL CONTAIN A FULL SIZE, INSULATED GROUND CONDUCTOR. 21, AL WINNG AND CONDUT SHALL BE SUPPORTED IN AN APPROVED MANAGE TO THE BUILDING STRUCTURE. SUPPORT FROM CONDUITS, DUCTWORK, PIPMO, ETC. WILL NOT BE PERMITTED. IR, fildre erim cam (mc) cable shall be ul listed with resulted than phase and around oxioutions within a galmaged stee interlocking arach, allamium is not acceptable. MITH WHITE FACE PLATES. AS, ALL LIGHT PRIMETS SHALL BE SUPPORTED IN AN APPROVED WANER TO THE BUILDING STRUCTURE WITH SAFETY CHAIN, SUPPORT FROM CONDUITS, DUCTHORS, PIPAID, ETC. WILL NOT BE PERMITTED. IS THE CONTRACTOR SAMLE BMANCE PARABROMED LOADS TO WITHIN 1018 PMASE TO PARKE TRACTIC HER AND IN UTBLITTED INTERNITIBE UNECCIONES OF BRANCH CRICALTS IN ALL MANDLANDS, NEW AND DESTING, MINCH AND KANE MODIFIED UNDER THE CONTRACT, INDICATE CRICALT CHANNES IN AS-BULL RECORD DAMBHASS. 20. ALL CORNO, CUTTING, PATCHING AND FREPRODEING FOR ELECTRICAL PENETRATIONS SHALL BE PROVIDED BY THE ELECTRICAL CONTRACTOR. II. BRAVEH CHICAT WINNERS IS NOT ELLISTRATED ON THE DRAWNINGS AND IS HINDCATED BY CHICAT HAMBERS HOST TO POTRINESS, EQUIPMENT AND DENCES, PROVIDE COMPLETE WINNERS SYSTEM TO MEET LLUSTRATED HYDRY. I, BEDER 10 PRIME, LUPING AND FRE ALAND PRIMENCS FOR ALLOHOLD, WHEN LETHOUS. BUT MAY BE LESS MET HES SCRIPT MERIES IN CONCEIND AND CHOOSED LUCKNICK WHERE MET DOYARD TO PRIMEN SOME OF MACRIES, US MEDICAN STEEL WITH THERLOED THIMMS WERE OUT PROMERTIES, ALL NOCEMBERS MAKEN HAS THERLOED BUT MET DOWNSON JOINTS SMALL BE EXIMPTED WITH EDOMESON FITTINGS. 4-1.3,5 77. ALL CONDUCTORS SMALL EL THE XMMF OR THAN/THINK, CHRPER, MITEL 75C, 600 OUTH REJUNTAN LIMITES OFFERENCE FOTEL MINIMALM SZE CONDUCTORS SMALL EE §12 AND COPPUTE, UNLIES CHROSES SPECIAES, CONDUCTORS §10 AND AND LIMITES SMALL EE SOLID. I CONDIT HONDRINS SHOW ON THE DRIVINGS WITH MORE THAN 3 CLIMENT CHRYTHING CONDUCTORS ARE SHOWN DIFFRAMINICALLY THE CONTRACTOR SHALL NOT INSTALL MORE THAN 3 CURRENT CHRYTHING CONDUCTORS IN A COMMAN RECIMEN UNLESS DONE SO IN ACCOMPANCE WITH THE DEWNING THREES OF THE NATIONAL ELECTRIC COOPE **⊚** 🖪 BRANCH CIPCUIT O REEDED VOEND 4-11/16 SOWRE 2-1/8 DEEP BOX WITH DOUBLE GANG PLASTER RING FIRE ALARM CONTROL PANEL DEPTY COMPUTE FOR USE BY AL CONTRACTOR, PROVIDE PULLSTRING AND RUSHINGS ON DIDGS OF CONDUTS, 3/4" CONDUT MIRBADA UNICESS NOTED OTHERWISE. 4-11/18" SQUARE, 2-1/8" DEEP BOX WITH SWIGLE GANG PLASTER RING FEDER HOMERUM, NETER TO LEGENO OF FEDER SIZES FOR CONDUCTION AND PACEMENT REQUIREMENTS DESIGNATED MESSE TAM, 14/29—1 HOLOHTES FAMEL, AND CREATE HAMBER RESIGNATION FROM MESS HOUSE AND SHARE THE HOMER FEDERAL CHARGES AND MESSEN BEAUTION. FIRE ALARM MANUAL PULL STATION FIRE ALARM SMOKE DETECTOR, PHE FLEDBLE CONNECTION TO EQUIPMENT. RACEWAY AND CONDUCTOR RATING TO MATCH ASSOCIATED BRANCH CIRCUIT OR FEEDER BRANCH CREAT HOME MAIN TONG MORDHIT GLAMTHY OF COMPULATIONS, BRANCH COMPULTION GREAT MY HOROUTED, MO TROUS MOUNTED (\$12.5 & 12.5 MANUAL FROM HOROUTE MAIN AND MODERN HOROUTE SHALL MAD CREATE SHALL DESWARDA FROM HOROUT HORBINA SHALL DORBHATE LICH CREATE SHALL BE ZON-IP (ZOMA) SHALL FOLD JUNEZIS MOTIO GHARMER. REMOTE ALARM INDICATOR FIRE ALWAY VISUAL DEVICE THE ALABA AUDBLE AND VISUAL DEVICE, NUMBER INDICATES WHE GLARD CONDUIT STUBBED ABOVE CEILING SHANCH CIRCUIT OR FEEDER TURNING UP TOWARDS OBSERVER. BRANCH CIRCUIT OR FEEDER TURNING DOWN AWAY FROM OBSERVER. GANG BOX, 3-1/2" DEEP ANNON CARCUIT OR FEEDER, CONCENTED IN EMBRED MERS. HANNON CARCUIT OR PEEDER, CONCENTED IN OR UNDER FLOOR STAD FIRE ALARM LEGEND AV BOX LEGEND OW UT 1. NOTES 2-4 JAPKY TO ALL APPLICABL LIGHTING TITURES. THE RELIANS COLLIAN SAUL HOTE ADDITIONAL REQUIREMENTS.
2. PRICHESS SECRETION WITH CAVACOS HUMBERS ESTAM AND HOTE ADDITIONAL TRESHED HITHOUT SAULTED HITH ⊗ä 2 2 WALES CONDISARY WENTIOD ANDER COMMENT RUTE: The electrical contractor shall provide outlet boxes, pulsitifies and Empty Comount only to Law Room, carling and programmed by others. ₫ 9 MANUFACTURERS **:** 孠 COMMUNICATIONS LEGEND TV CUTLET, WALL MOUNTED * VI" - NOICATES QUANTITIES OF DATA, VOICE, S-VIDEO, RCA, AND CATY BHALLOW CAST IRON FLUSH MOUNTED FLOOR BOX WITH ADJUSTING SCHEWS, HUBBEL \$82414 W/ SJOB4 CARPET FLANGE AND SJEZE AND SJEZE FACE PLATES OR EQUAL BY WALKER. TELEPHONE OUTLET DATA OUTLET 3/4" PLYWOOD BACKBOARD WITH 2" X 4" STUDS PLACED 16" OFF CENTER WALL MOUNTED BOX FOR TELEPHONE/DATA CONNECTION TO PRE-WIRED FURNITURE PARTITIONS DOORBELL CHRKE LOCATION DUPLEX RECEPTACLE LOCATED AT FINISHED CEILING DUPLEX RECEPTACE, GROWNING THE ANTO 20, 1294
"5" - MICHES CHOUNT HARRY
"6" - MICHES MICHAEL GROWN THE
"6" - MICHES BOLVIES HOUND THE
"6" - MICHES BOLVIES HOUND SMALLOW CAST ROW FLUSH MOUNTED FLOOR BOX WITH ADJUSTING SCREWS, HJUBEL, (84214 W/ SLOOM CAMPET FLANGE AND SJREM AND SJREGE FACE PLATES OR EQUAL BY WALKER. SPECIAL PURPOSE RECEPTACLE.
*15'—MOICATES TAG NUMBER
RETER TO SPECIAL PURPOSE RECEPTACLE SCHEDULE DOUBLE OUPLEX RECEPTACLE, GROUNDING TYPE, RATED 20A, 125V surfaz multi-outlet raceway system vertically mounted, "py" Mokates type, size and quantity of devices as pex associated notes. And/or schedules JUNETION BOX WALL MOUNTED BOX FOR POWER CONNECTION TO PRE-WRED TURNITURE PARTITIONS MENIATION TELEPHONE/DATA OUTLET WIRING DEVICE LEGEND LEC-D-G-ARROWS-N-D-M LEC-8-G-ARRROWS-N-D-M PST325 FOR 3'-O' AND ASF332 FOR 4' LENGTHS #0.152-2-# WITH #FGL-2 LENS WC4-232-EB8120-EMB MFY26TRT6ARCQLH1200EBMLP30 -CHAT-2T012000-420-1418 13HO-LENGTH-120-EC010 63-460-1321B-120-5BL-+-9F-OLIBC W/ JOHX-N-1 HOUSING WC4-232-EB6120 MEYZETRIBMECOLN1200EBMLP30 CATALOG NUMBER DRESH LID SWIGE FACE DIT BOSH MIRROR
BACCIOCHUM DY MITTERS—PROVIDE MERCHES
AND MOUNTING AS MOUNTED
DRESH LID DOUBLE FACE DIT SIGN—MIRROR
BACCIOCHUM DY BATTERS—PROVIDE MERCHES
AND MOUNTING AS MOUNTED RECESSED 8" DA COMPACT FLICHES, W/
DUM, ALIM, REFLECTOR AND ELECTRONIC
DASDREHOT BALLASS

COVE MOUNTED PLUDRESCENT W/ ASTIMAET,
REPLECTOR, WHITE FRASH PLUOTESCENT CONTINUOUS SUPERCE MOUNTED FRITURE - CONTINUOUS RUN-ELECTRONIC BALLAST. F-O" LONG, 2-LUMP SURFACE MOUNTED PLUGRESCENT WRAPMROUND FIXTURE WITH ACRYLIC LENS. SUPPACE MOUNTED LOW PROF. UNDERCA
W/ ELECTRONIC BALLAST - WHITE ADJUST, REDESSED 2" DM, AND, LOW VOLT, W/ WHITE TRIM, FROSTED GLASS LERS AND BLACK BAFTLE — INTEGRAL TRANSFORMER AT-O" LONG, 2-LAWF SLRFACE HOLWIED FLUORESCENT WEARANCOLING FOXUME WITH ENERGENCY BALLAST RECESSED 3" DAL LOW VOLTAGE INC. W/ SUSPENDED ETCHED GLASS DISC, CHROME FANSH RECESSED CONTINUOUS WALL SLOT LIGHTING FIXTURE SCHEDULE RECESSED 6" DA COMPACT FLUCRES, W/ 10 E3 9 翠 # □ Svo H#2 9 2.a **644** WIT ON THE Ź MIO 2. B 887 887 Ø Š SECTION -MOTOR & CONTROLS LEGEND LIGHTING FIXTURE LEGEND 72578/71630 A CENT DIT SIGN LIGHTING FOTURE, CELLING, PENDENT MOLINTED, EXIT FACE (STANDED) AS INDICATED Q50MR16/ C/FL40 F2518 (3') F3218 (4') F3278 (3') POXETTI/BAX JODG K GROWNTO/ C/NFL25 LIGHTING FIXTURE SHADING INDICATES FORTURE EMERGENCY (LIFE SAFETY) POWER SOURCE NWF/BO 050MR16/ C/FL40 F03278/830 3000 K TRACK LIGHTING, WITH TYPE BY HEADS EST SION LIGHTING FORTURE, WALL MOUNTED, ARROWS AND EST PACE AS (SHADED) AS INDICATED. EQUIPMENT TAG, TOP ALPHANAMENC CORRESPONDS TO EQUIPMENT IO LOWER INDICATES LOAD (KW, HP, ETC.) RECESSED DIRECTIONALLY ORIENTED WALLINGSHITTPE LIGHTING FIXTURE. UDATINO PICTURE (SEE LIGHTING PICTURE SCHEDULE)
"PRZ" — INDICATES LIGHTING PICTURE TYPE
"Z" — INDICATES SMITCH CONTROL
"NL" — MODICATES SMITCH CONTROL
"NL" — MODICATES SMITCH CONTROL
"NL" — MODICATES SMITCH CONTROL COMMENSION PUSED DISCONNECT MARKET MOTOR STATES, REFER TO MARKETO MOTOR STATES AND VED SCHEDULE FOR TYPE, SZZE AND DACUSURE LIGHTING FIXTURE EQUIPMENT CONTROL PANEL MANUAL MOTOR STARTING SWITCH WITH THERMAL PROTECTION JOHTHAG FIXTURE WALL MOUNTED MANETIC MOTOR STAFTER, REPER TO MANETIC MOTOR STAFTER & WED SCHEDULE FOR TYPE, SIZE AND ENCLOSURE PICLOSED CIRCUT BREWER IN NEW THE 1 ENCLOSINE, UNLESS
THERMISE NOTED
THERMISE NOTED
THERMISE NOTES 100MP, 3—POLE FRAME CRICUT BREWER
"BOAT" — INDICATES 90MP TRIP NAZDO DECONNECT SMITCH, 3-POLL IN NEW THE 1 ENCLOSURE NALESS OTHERWISE NOTE: 15 FEATURE 1904 - NOCATES NOW SMITCH 1904 - NOCATES NOWS PLASES DOCOMECT SWITCH MAID JOME, S.-PUL, IN NEW TIPE I ENCLOSURE, UNLESS ONETWISE NOTION IF - NUCLATES HEM. TIPE SK ENCLOSURE 'ENF - NUCLATES HEM. TIPE SK ENCLOSURE 'ENAS' - NUCLATES BOA. SWITCH 120 20 20 ğ 20 ž 120 126 ã Ē ž Ē E - 8 2 Ħ ដ g 22 ž 8 2 ä 7 SEE NOTE 9 ETER TO PLANS FOR LENGTH EFER TO PLANS FOR LENGTH MOT 10 FER TO PLANS FOR LENGTH NOTE 11 REMARKS OVOTROVO SHEET NOTES KEY NOTES

MGINEERS button, to account to

Gensler


133 Federal Street 5th Floor Boston MA 02110 Telephone 617,292,4400 Facientile 617,292,4400


idelity Investor Center - Portland


63_E01-LEG.dwg

Portland Branch
3 Canal Plaza

Portland, ME 04101







SHEET NOTES

SHEET

