



**GENERAL SCOPE OF WORK:**

1. ALL EXTERIOR OFFICES TO HAVE NEW CARPET & PAINT.
2. ALL HALLWAYS & OPEN WORK STATION AREAS SHALL HAVE NEW CARPET & PAINT, UNLESS NOTED OTHERWISE.
3. ALL NEW SUSPENDED ACOUSTICAL CEILING TILES & LIGHTING THROUGHOUT. CEILING GRID TO REMAIN, PAINT WHITE. NEW 2'x4' RECESSED LED TROFFER BY CREE, MODEL CR24 (3000K COLOR TEMP.)
4. INCLUDE PAINT ALL WALLS AT 9TH FLOOR.
5. UPGRADE BATHROOMS THIS FLOOR AS SHOWN
6. UPGRADE BATHROOMS AT 9TH FLOOR, LANDLORD PRICE TO COST OF 8TH FLOOR AS ALLOWANCE FOR TENANT-CHOSEN FINISHES.
7. NO WORK TO EXISTING EGRESS COMPONENTS
8. NO WORK TO EXISTING FIRE RATINGS. ALL EXISTING FIRE RATINGS AT WALLS, FLOOR/CL/G & STRUCTURE TO REMAIN.
9. NO HVAC WORK.
10. INSTALL NEW SPRINKLER SYSTEM AT 9TH FLOOR. INSTALL PER NFPA 13, SPRINKLER HEAD LAYOUT PER PROPOSED FLOOR PLAN.



**1 TYP. NEW WALL DETAIL**  
\*INSTALL ALL MATERIALS PER MANUFACTURER'S REQUIREMENTS.

**WALL LEGEND**




**A OFFICES - ENLARGED**

A-1.1 1/4"=1'-0"

IBC 2009 CODE DATA	
OCCUPANT LOAD	120 PEOPLE
USE GROUP CLASSIFICATION	BUSINESS
TYPE OF CONSTRUCTION	EXISTING (PROTECTED)
TOTAL AREA OF WORK	13,900 SF
ACTUAL BUILDING AREA	13,900 PER FLOOR
BUILDING HEIGHT	(10) TEN STORIES
BUILDING AREA LIMITATION - SQ. FT. (TABLE 503)	--
BUILDING HEIGHT LIMITATION - STORIES (TABLE 503)	--
STREET FRONTAGE INCREASE (150%) - SQ. FT.	N/A
AUTOMATIC SPRINKLER SYSTEM AREA INCREASE (200%) - SQ. FT.	--
AUTOMATIC SPRINKLER SYSTEM HEIGHT INCREASE	--
FIRE SUPPRESSION:	YES-PER NFPA 13
EXIT ACCESS FIRE RATINGS:	N/A
FIRE WALLS:	0 HOUR
PARTY WALLS	0 HOUR
STAIR ENCLOSURES	2 HOURS
SHAFTS	2 HOURS
EXIT ACCESS CORRIDORS	0 HOUR
FIRE PROTECTION OF STRUCTURE:	0 HOUR
PRIMARY STRUCTURAL FRAME	0 HOUR
LOAD BEARING WALLS - EXTERIOR	0 HOUR
LOAD BEARING WALLS - INTERIOR	0 HOUR
NON-LOAD BEARING WALLS - EXTERIOR	0 HOUR
NON-LOAD BEARING WALLS - INTERIOR	0 HOUR
FLOOR CONSTRUCTION	0 HOUR
ROOF CONSTRUCTION	0 HOUR
GENERAL NOTES - OCCUPANT LOAD:	
NINTH FLOOR BUSINESS - 12,000 SF	
100 SF/ PERSON (GROSS) - 120 PEOPLE (OFFICE)	
TOTAL OCCUPANT LOAD 120 PEOPLE	



  

NFPA 101 2009 & NFPA 220 2006 CODE DATA	
OCCUPANT LOAD	120 PEOPLE
USE GROUP CLASSIFICATION	BUSINESS
TYPE OF CONSTRUCTION	EXISTING (PROTECTED)
TOTAL AREA OF WORK	13,900 SF
ACTUAL BUILDING AREA	13,900 PER FLOOR
BUILDING HEIGHT	(10) TEN STORIES
BUILDING AREA LIMITATION - SQ. FT. (TABLE 503)	--
BUILDING HEIGHT LIMITATION - STORIES (TABLE 503)	--
STREET FRONTAGE INCREASE (150%) - SQ. FT.	N/A
AUTOMATIC SPRINKLER SYSTEM AREA INCREASE (200%) - SQ. FT.	--
AUTOMATIC SPRINKLER SYSTEM HEIGHT INCREASE	--
FIRE SUPPRESSION:	YES-PER NFPA 13
EXIT ACCESS FIRE RATINGS:	N/A
FIRE WALLS:	0 HOUR
PARTY WALLS	0 HOUR
STAIR ENCLOSURES	2 HOURS
SHAFTS	2 HOURS
EXIT ACCESS CORRIDORS	0 HOUR
FIRE PROTECTION OF STRUCTURE:	0 HOUR
PRIMARY STRUCTURAL FRAME	0 HOUR
LOAD BEARING WALLS - EXTERIOR	0 HOUR
LOAD BEARING WALLS - INTERIOR	0 HOUR
NON-LOAD BEARING WALLS - EXTERIOR	0 HOUR
NON-LOAD BEARING WALLS - INTERIOR	0 HOUR
FLOOR CONSTRUCTION	0 HOUR
ROOF CONSTRUCTION	0 HOUR
GENERAL NOTES - OCCUPANT LOAD:	
9TH FLOOR BUSINESS - 12,000 SF	
100 SF/ PERSON (GROSS) - 120 PEOPLE (OFFICE)	
TOTAL OCCUPANT LOAD 120 PEOPLE	
INTERIOR FINISHES:	
WALLS AND CEILINGS: CLASS A,	
10 OR C	
FLOORS: CLASS 1 OR 2	
F.F.E. SHALL	
MEET NFPA 265 AND 701.	



**KEY PLAN (9TH FLOOR)**

1/8"=1'-0"



**MARK MUELLER ARCHITECTS**

A.I.A.  
100 Commercial Street  
Suite 205  
Portland, Maine 04101  
Phone: 207.774.9057  
Email: rfm@muellerarchitects.com

© COPYRIGHT 2014  
MARK MUELLER ARCHITECTS

Interior Tenant Renovations:  
**PERKINS THOMPSON**  
1 CANAL PLAZA - 9TH FLOOR  
PORTLAND, MAINE 04101

Interior Tenant Renovations:

DATE	JULY 2013
PROJECT	PERKINS THOMPSON
DRAWN BY	MPP
CHECK BY	MLM

**A-1.1**

PERMIT SET MARCH 07, 2014