NOTE:
THE FOLLOWING VEHICLE BARRIER AND PEDESTRIAN GUARDRAIL CONDITIONS MUST BE MET:
A. MINIMUM PEDESTRIAN GUARDRAIL HEIGHT FROM TOP OF FENCE TO CURB IS 3'-7".
B. MINIMUM VEHICLE BARRIER HEIGHT FROM TOP OF HSS BARRIER TO DRIVE SURFACE IS 2'-9"
C. HSS BUMPER HAS BEEN INCREASED IN HEIGHT TO LIMIT THE AMOUNT OF VEHICLE HEADLIGHT ILLUMINATION OUTSIDE OF THE GARAGE AND IS SIMILAR IN HEIGHT TO THE EXISTING PARAPET.
NOTIFY ENGINEER IMMEDIATELY IF ANY OF THESE CONDITIONS CANNOT BE MET.

METAL MESH PANEL DETAILS PENDING CITY APPROVAL. ALTERNATE: INSTALL POST TENSION BARRIER CABLES SIMILAR TO PREVIOUS FACADE RENOVATIONS.

SECTION 1 / S1,S2
1"=1'-0"

SECTION 2 / S1,S2
1"=1'-0"

SECTION 3 / S2
1"=1'-0"

DETAIL A / S1
1"=1'-0"

DETAIL B / S1
1"=1'-0"

DETAIL C / S1
1"=1'-0"

DETAIL D / S1
1"=1'-0"

DETAIL E / S1
1"=1'-0"

DETAIL E / S1
1/2"=1'-0"

DETAIL F / S1
1/2"=1'-0"

THIS DRAWING IS AN INSTRUMENT OF SERVICE AND SHALL REMAIN THE PROPERTY OF BECKER STRUCTURAL ENGINEERS INC. IT SHALL NOT BE REPRODUCED, COPIED, LENT OR DISPOSED OF DIRECTLY OR INDIRECTLY NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT IS SPECIFICALLY FURNISHED AND MUST BE RETURNED TO BECKER STRUCTURAL ENGINEERS INC. ON COMPLETION OF WORK, IF REQUESTED.

BECKER STRUCTURAL ENGINEERS
75 York Street, Portland, Maine 04101
207.879.1888 ▪ beckerstructural.com

STATE OF MAINE
TODD M. NEAL
NO. 9406
LICENSED
PROFESSIONAL ENGINEER

Reviewed for Code Compliance
Inspection Services
Portland, Maine
Date: 04/04/16

Rev. No	Date	Issued For	Apprd
1	2/17/16	FOR PERMIT	
	3/8/16	FOR PERMIT	

FORE STREET PARKING FACILITY
PORTLAND, MAINE
FORE ST FACADE REPAIRS
SECTIONS & DETAILS

Designed JMM	Scale AS NOTED
Drawn RJB	Date 3/8/16
Checked JMM	Becker Job Number 3752

S2