1 TOILETS PLAN
1/2" = 1'-0"

2 Elevation 1 - a
1/2" = 1'-0"

8 TACTILE EGRESS SIGNAGE
3/4" = 1'-0"

3 Elevation 1 - b
1/2" = 1'-0"

ENTRY DOOR DETAIL

NOTE: LAVATORY FAUCET CONTROLS SHALL BE OPERABLE WITH ONE HAND AND SHALL NOT REQUIRE TIGHT GRASPING, PINCHING OR TWISTING OF THE LIST. THE FORCE REQUIRED TO ACTIVATE CONTROLS SHALL BE NO GREATER THAN 5LB. PROVIDE LEVER OPRRATED PUSH TYPE.

NOTE: WATER SUPPLY AND DRAIN PIPES UNDER LAVATORIES AND SINK MUST BE INSULATED OR CONFIGURED TO PROTECT AGAINST CONTACT.

NO SHARP OR ABRASIVE SURFACES UNDER LAVATORIED AND SINK.

SINK MUST BE 6 1/2" DEEP MAX.

SOAP DISPENSER AND PAPER TOWLE SHOULD BE MOUNT AT MAX. 40 A.F.F.

4 Accessible Lavatory
1" = 1'-0"

5 REACH RANGE
1/4" = 1'-0"

NOTE: STRUCTURAL STRENGTH TO BE MIN 250 LB. WITH 1/8" MIN. RADIUS AT ALL EDGES.

6 GRAB BAR SECTION
3" = 1'-0"

7 TOILETS DOOR SIGNAGE
1/2" = 1'-0"

Reviewed for Code Compliance
Inspections Division
Department of Building Safety
Date: 06/19/17

REVISION	
Revision 2	4-10-2017

Tenant Improvement
Old Port Lobster Shack

425 FORE STREET
PORTLAND ME

PROJECT NUMBER	150101
DRAWN	Author
CHECKED	Checker
DATE	
SCALE	

TOILETS DETAIL / ADA

A-3.1