



BRACE FRAME ELEVATIONS
 1/8"=1'-0"

- NOTES:**
1. LOADS INDICATED ON BRACED FRAME ELEVATIONS ARE UNFACTORED LOADS AND MAY ACT IN TENSION OR COMPRESSION.
 2. LOADS INDICATED HAVE BEEN GENERATED USING R=3. CONNECTIONS DO NOT REQUIRE ADDITIONAL OVERSTRENGTH FACTORS.
 3. CONNECTION DESIGN CALCULATION SHALL BE SUBMITTED FOR REVIEW PER SPECIFICATIONS AND SHALL BE STAMPED BY A STRUCTURAL ENGINEER LICENSED IN THE STATE OF MAINE AND SHALL INCLUDE THE FOLLOWING:
 A. GEOMETRY NECESSARY FOR UNIFORM FORCE METHOD CALCULATIONS.
 B. ALL APPLICABLE FAILURE MODE CHECKS.
 4. CONNECTIONS SHALL BE DESIGNED TO NOT INDUCE MOMENT INTO BEAMS AND COLUMNS, BEYOND THAT FORCED BY MEMBER GEOMETRY.
 5. PROVIDE 1/8" MIN STEEL CLOSURE PLATES TO BRACE ENDS AS REQUIRED FOR FIREPROOFING.

Mark	Date	Description
Project Status		
ISSUED FOR CONSTRUCTION		
11/16/12		
Drawing Title		
BRACED FRAME ELEVATIONS		
Scale: As indicated		
Drawing Number		
S2.2		